

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	287	PM _{2.5}	1
2	Agra	Moderate	195	PM _{2.5}	1
3	Ahmedabad	Poor	227	PM ₁₀	1
4	Aizawl	Satisfactory	93	PM ₁₀	1
5	Ajmer	Poor	256	PM _{2.5}	1
6	Alwar	Satisfactory	99	PM ₁₀	1
7	Amaravati	Moderate	101	PM ₁₀	1
8	Ambala	Satisfactory	95	PM ₁₀	1
9	Amritsar	Good	42	PM ₁₀	1
10	Ankleshwar	Poor	207	03	1
11	Asansol	Moderate	156	PM ₁₀	1
12	Aurangabad	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	43	O ₃	1
14	Baghpat	Poor	230	PM ₁₀	1
15	Ballabgarh	Moderate	177	со	1
16	Bathinda	Moderate	154	PM _{2.5}	1
17	Bengaluru	Satisfactory	96	PM _{2.5} , PM ₁₀	7
18	Bhiwadi	Poor	245	PM _{2.5}	1
19	Bhopal	Moderate	181	PM _{2.5}	1
20	Brajrajnagar	Satisfactory	75	O ₃	1
21	Bulandshahr	Poor	217	PM ₁₀	1
22	Chandigarh	Moderate	109	PM ₁₀	1
23	Chandrapur	Moderate	152	PM _{2.5}	2
24	Charkhi Dadri	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	66	PM ₁₀ , CO, O ₃	7
26	Chikkamagaluru	Satisfactory	82	PM _{2.5}	1
27	Damoh	Satisfactory	84	PM _{2.5}	1
28	Davanagere	Moderate	120	PM ₁₀	1
29	Delhi	Moderate	196	PM ₁₀ , PM _{2.5}	31
30	Dharuhera	Moderate	189	PM ₁₀	1
31	Durgapur	Moderate	198	PM _{2.5}	1
32	Eloor	Satisfactory	52	PM ₁₀	1
33	Faridabad	Poor	251	PM _{2.5} , O ₃ , PM ₁₀	4
34	Gandhinagar	Moderate	111	PM ₁₀	1
35	Gaya	Moderate	101	O ₃	1
36	Ghaziabad	Poor	238	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gummidipoondi	Moderate	122	PM ₁₀	1
38	Gurugram	Moderate	170	PM _{2.5} , PM ₁₀	3
39	Guwahati	Very Poor	325	PM ₁₀	2
40	Gwalior	Moderate	127	PM ₁₀	1
41	Hajipur	Poor	220	PM ₁₀	1
42	Haldia	Moderate	135	PM ₁₀	1
43	Hapur	Moderate	188	PM ₁₀	1
44	Hisar	Moderate	125	PM _{2.5}	1
45	Howrah	Poor	235	PM _{2.5}	3
46	Hubballi	Moderate	123	PM ₁₀	1
47	Hyderabad	Moderate	155	PM _{2.5} , PM ₁₀	6
48	Jabalpur	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	109	PM ₁₀	2
50	Jalandhar	Satisfactory	96	PM ₁₀	1
51	Jind	Moderate	110	PM ₁₀	1
52	Jodhpur	Poor	222	PM _{2.5}	1
53	Kaithal	Satisfactory	95	PM ₁₀	1
54	Kalaburgi	Moderate	120	PM _{2.5}	1
55	Kalyan	Poor	224	PM _{2.5}	1
56	Kannur	Moderate	137	PM ₁₀	1
57	Kanpur	Moderate	164	PM _{2.5}	2
58	Karnal	Moderate	110	PM ₁₀	1
59	Katni	Moderate	121	PM ₁₀	1
60	Khanna	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	81	PM _{2.5}	1
62	Kohima	Moderate	156	PM ₁₀	1
63	Kolar	Satisfactory	63	со	1
64	Kolkata	Poor	227	PM _{2.5} , O ₃	7
65	Kollam	Moderate	125	PM _{2.5}	1
66	Kota	Moderate	131	PM _{2.5}	1
67	Kozhikode	Satisfactory	73	PM ₁₀	1
68	Kurukshetra	Satisfactory	92	PM _{2.5}	1
69	Lucknow	Poor	239	PM ₁₀ , PM _{2.5}	4
70	Ludhiana	Satisfactory	56	PM _{2.5}	1
71	Mandi Gobindgarh	Satisfactory	77	PM ₁₀	1
72	Mandideep	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Moderate	108	PM ₁₀	1
74	Manesar	Moderate	191	PM _{2.5}	1
75	Manglore	Moderate	111	PM ₁₀	1
76	Medikeri	Satisfactory	75	PM ₁₀	1
77	Meerut	Poor	232	PM ₁₀	2
78	Moradabad	Poor	283	PM _{2.5}	1
79	Mumbai	Moderate	143	PM _{2.5} , O ₃ , PM ₁₀	19
80	Muzaffarnagar	Poor	227	PM ₁₀	1
81	Muzaffarpur	Poor	216	PM _{2.5} , PM ₁₀	2
82	Mysuru	Satisfactory	94	PM ₁₀	1
83	Nandesari	Moderate	120	PM _{2.5}	1
84	Narnaul	Moderate	180	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Moderate	102	PM _{2.5}	1
86	Navi Mumbai	Moderate	163	PM ₁₀	3
87	Noida	Poor	207	PM ₁₀	3
88	Pali	Poor	267	PM _{2.5}	1
89	Palwal	Moderate	127	PM ₁₀	1
90	Panchkula	Moderate	102	PM _{2.5}	1
91	Panipat	Moderate	146	PM ₁₀	1
92	Patna	Poor	237	PM _{2.5} , PM ₁₀	5
93	Pithampur	Moderate	124	03	1
94	Puducherry	Good	50	PM ₁₀	1
95	Pune	Moderate	112	PM _{2.5} , PM ₁₀	5
96	Raichur	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	153	PM ₁₀	1
98	Ratlam	Moderate	128	PM ₁₀	1
99	Rupnagar	Moderate	141	PM ₁₀	1
100	Sagar	Satisfactory	82	PM _{2.5}	1
101	Satna	Satisfactory	73	PM ₁₀	1
102	Shillong	Good	49	03	1
103	Shivamogga	Satisfactory	65	03	1
104	Siliguri	Very Poor	339	PM _{2.5}	1
105	Singrauli	Very Poor	307	PM _{2.5}	1
106	Sirsa	Satisfactory	69	PM ₁₀	1
107	Solapur	Moderate	120	PM _{2.5}	1
108	Sonipat	Poor	251	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	141	PM _{2.5}	1
110	Thane	Poor	278	O ₃	1
111	Thiruvananthapuram	Satisfactory	74	PM ₁₀	2
112	Thoothukudi	Satisfactory	75	PM ₁₀	1
113	Thrissur	Satisfactory	67	O ₃	1
114	Tirupati	Moderate	120	PM ₁₀	1
115	Udaipur	Moderate	165	PM ₁₀	1
116	Ujjain	Moderate	192	O ₃	1
117	Vapi	Moderate	168	PM ₁₀	1
118	Varanasi	Poor	230	PM ₁₀	1
119	Vatva	Poor	214	PM _{2.5}	1
120	Vijayapura	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	129	PM ₁₀	1
122	Yadgir	Moderate	167	03	1
123	Yamunanagar	Moderate	155	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Dewas, Ernakulam, Fatehabad, Gadag, Greater Noida, Indore, Jorapokhar, Koppal, Maihar, Nagpur, Patiala, Ramanagara, Rohtak, Srinagar, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.