

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	109	PM _{2.5}	1
2	Agra	Moderate	109	O ₃ , PM ₁₀	6
3	Ahmedabad	Moderate	119	PM ₁₀ , PM _{2.5} , NO ₂	8
4	Aizawl	Satisfactory	58	PM ₁₀	1
5	Ajmer	Moderate	157	PM _{2.5}	1
6	Alwar	Satisfactory	88	PM ₁₀	1
7	Amaravati	Satisfactory	94	PM _{2.5}	1
8	Ambala	Moderate	130	PM _{2.5}	1
9	Amritsar	Moderate	107	PM ₁₀	1
10	Ankleshwar	Moderate	162	PM _{2.5}	1
11	Araria	Moderate	186	PM _{2.5}	1
12	Arrah	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM _{2.5}	1
14	Bahadurgarh	Moderate	188	PM _{2.5}	1
15	Ballabgarh	Poor	204	PM _{2.5}	1
16	Bathinda	Satisfactory	78	PM ₁₀	1
17	Bengaluru	Moderate	114	PM ₁₀ , PM _{2.5}	6
18	Bettiah	Moderate	119	PM ₁₀	1
19	Bhagalpur	Moderate	152	PM _{2.5}	1
20	Bhiwadi	Moderate	148	PM ₁₀	1
21	Bhiwani	Moderate	161	PM _{2.5}	1
22	Bhopal	Satisfactory	93	03	1
23	Bidar	Moderate	125	PM ₁₀	1
24	Bihar Sharif	Moderate	128	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	56	PM ₁₀	1
26	Bulandshahr	Moderate	184	PM ₁₀	1
27	Buxar	Moderate	170	PM ₁₀	1
28	Chamarajanagar	Good	37	PM ₁₀	1
29	Chandigarh	Moderate	131	O ₃ , PM _{2.5} , PM ₁₀	3
30	Chandrapur	Moderate	125	PM ₁₀	1
31	Charkhi Dadri	Moderate	120	PM ₁₀	1
32	Chennai	Moderate	105	O ₃ , PM ₁₀ , CO	5
33	Chhapra	Moderate	160	PM _{2.5}	1
34	Chikkaballapur	Moderate	151	PM _{2.5}	1
35	Chikkamagaluru	Satisfactory	60	PM ₁₀	1
36	Coimbatore	Satisfactory	82	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Moderate	164	PM ₁₀	1
38	Davanagere	Satisfactory	94	PM ₁₀	1
39	Delhi	Moderate	165	PM ₁₀ , PM _{2.5}	37
40	Dewas	Satisfactory	98	PM _{2.5}	1
41	Dharuhera	Moderate	154	PM ₁₀	1
42	Durgapur	Poor	281	PM ₁₀	1
43	Eloor	Satisfactory	75	PM ₁₀	1
44	Ernakulam	Satisfactory	75	PM _{2.5}	1
45	Faridabad	Moderate	167	PM _{2.5} , PM ₁₀	4
46	Fatehabad	Moderate	122	PM ₁₀	1
47	Firozabad	Moderate	117	PM _{2.5}	2
48	Gandhinagar	Moderate	132	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	119	NO ₂ , PM _{2.5}	3
50	Ghaziabad	Poor	201	PM _{2.5} , PM ₁₀	3
51	Gorakhpur	Satisfactory	89	03	1
52	Greater Noida	Moderate	138	PM ₁₀	2
53	Gummidipoondi	Good	38	PM ₁₀	1
54	Gurugram	Moderate	194	PM _{2.5} , PM ₁₀	4
55	Guwahati	Satisfactory	72	PM ₁₀	2
56	Gwalior	Moderate	123	PM ₁₀	1
57	Haldia	Satisfactory	85	PM ₁₀	1
58	Hapur	Moderate	178	03	1
59	Hassan	Satisfactory	84	PM ₁₀	1
60	Hisar	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Poor	228	PM _{2.5}	2
62	Hubballi	Satisfactory	96	PM ₁₀	1
63	Hyderabad	Moderate	135	PM _{2.5} , PM ₁₀	6
64	Indore	Moderate	127	PM ₁₀	1
65	Jabalpur	Moderate	147	PM ₁₀	1
66	Jaipur	Moderate	142	PM _{2.5} , PM ₁₀	2
67	Jalandhar	Moderate	105	PM ₁₀	1
68	Jhansi	Moderate	106	PM ₁₀	1
69	Jind	Moderate	118	PM ₁₀	1
70	Jodhpur	Moderate	177	PM _{2.5}	1
71	Kaithal	Moderate	106	PM ₁₀	1
72	Kalaburgi	Moderate	114	PM ₁₀	1

Possible Health Impacts

acts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	198	PM _{2.5}	1
74	Kannur	Satisfactory	61	PM ₁₀	1
75	Kanpur	Moderate	109	PM _{2.5} , PM ₁₀	3
76	Karnal	Moderate	121	PM ₁₀	1
77	Katihar	Poor	237	PM ₁₀	1
78	Katni	Moderate	161	PM ₁₀	1
79	Khanna	Moderate	145	PM ₁₀	1
80	Kishanganj	Poor	269	PM _{2.5}	1
81	Kochi	Moderate	135	PM _{2.5}	1
82	Kohima	Satisfactory	52	PM ₁₀	1
83	Kolkata	Moderate	137	PM _{2.5} , PM ₁₀	7
84	Kollam	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Moderate	120	O ₃	1
86	Kota	Satisfactory	97	PM ₁₀	1
87	Kozhikode	Satisfactory	55	PM ₁₀	1
88	Kurukshetra	Moderate	166	PM _{2.5}	1
89	Lucknow	Moderate	105	PM ₁₀	6
90	Ludhiana	Satisfactory	73	PM _{2.5}	1
91	Madikeri	Satisfactory	60	PM ₁₀	1
92	Mandi Gobindgarh	Moderate	167	PM ₁₀	1
93	Mandideep	Satisfactory	73	03	1
94	Mandikhera	Moderate	106	PM ₁₀	1
95	Manglore	Satisfactory	91	NO ₂	1
96	Manguraha	Moderate	101	NO ₂	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	214	PM ₁₀ , PM _{2.5}	2
98	Moradabad	Moderate	120	PM _{2.5} , PM ₁₀	4
99	Motihari	Moderate	162	03	1
100	Mumbai	Moderate	154	PM _{2.5} , PM ₁₀	16
101	Munger	Poor	236	PM _{2.5}	1
102	Muzaffarnagar	Poor	209	PM _{2.5}	1
103	Muzaffarpur	Moderate	181	PM ₁₀ , PM _{2.5}	3
104	Mysuru	Satisfactory	65	O ₃	1
105	Nagpur	Satisfactory	76	со	1
106	Naharlagun	Satisfactory	57	SO ₂	1
107	Nandesari	Satisfactory	100	со	1
108	Narnaul	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	52	PM ₁₀	1
110	Navi Mumbai	Moderate	142	PM _{2.5} , PM ₁₀	2
111	Noida	Moderate	139	PM ₁₀ , PM _{2.5}	3
112	Pali	Moderate	149	PM _{2.5}	1
113	Palwal	Satisfactory	85	PM ₁₀	1
114	Panchkula	Moderate	111	PM _{2.5}	1
115	Patiala	Moderate	106	PM ₁₀	1
116	Patna	Moderate	156	PM _{2.5} , PM ₁₀	6
117	Pithampur	Satisfactory	85	PM _{2.5}	1
118	Prayagraj	Satisfactory	93	PM ₁₀	3
119	Puducherry	Satisfactory	69	PM _{2.5}	1
120	Pune	Moderate	110	PM _{2.5}	6

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	204	PM _{2.5}	1
122	Raichur	Moderate	175	PM ₁₀	1
123	Rajamahendravaram	Moderate	111	PM _{2.5}	1
124	Ramanagara	Moderate	103	PM ₁₀	1
125	Ratlam	Satisfactory	90	PM ₁₀	1
126	Rohtak	Moderate	146	PM _{2.5}	1
127	Rupnagar	Moderate	116	PM _{2.5}	1
128	Sagar	Satisfactory	62	PM _{2.5}	1
129	Saharsa	Poor	292	PM _{2.5}	1
130	Sasaram	Moderate	108	O ₃	1
131	Satna	Satisfactory	52	PM ₁₀	1
132	Shivamogga	Satisfactory	69	NO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	126	PM _{2.5}	1
134	Singrauli	Poor	266	PM ₁₀	1
135	Sirsa	Satisfactory	98	O ₃	1
136	Siwan	Moderate	144	PM ₁₀	1
137	Sonipat	Moderate	138	PM ₁₀	1
138	Srinagar	Satisfactory	80	PM ₁₀	1
139	Thiruvananthapuram	Satisfactory	64	PM _{2.5}	1
140	Thoothukudi	Satisfactory	58	PM ₁₀	1
141	Thrissur	Satisfactory	87	PM _{2.5}	1
142	Tirupati	Moderate	109	PM _{2.5}	1
143	Udaipur	Moderate	130	PM ₁₀	1
144	Ujjain	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Moderate	143	PM ₁₀	1
146	Varanasi	Satisfactory	82	PM ₁₀	4
147	Vatva	Moderate	121	PM _{2.5}	1
148	Vijayapura	Good	46	PM ₁₀	1
149	Visakhapatnam	Moderate	143	PM _{2.5}	1
150	Vrindavan	Satisfactory	93	PM ₁₀	1
151	Yadgir	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Baghpat, Bhilai, Brajrajnagar, Damoh, Gadag, Hajipur, Jorapokhar, Kolar, Maihar, Manesar, Panipat, Rajgir, Shillong, Solapur, Talcher, Thane, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.