

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	57	PM <sub>10</sub>	1
2	Ahmedabad	Satisfactory	87	PM <sub>10</sub>	1
3	Aizawl	Good	33	PM <sub>10</sub>	1
4	Ajmer	Moderate	114	PM <sub>10</sub>	1
5	Alwar	Satisfactory	90	PM <sub>10</sub>	1
6	Amaravati	Good	44	03	1
7	Ambala	Satisfactory	85	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	111	PM <sub>10</sub>	1
9	Asansol	Satisfactory	100	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	88	PM <sub>10</sub>	1
11	Bagalkot	Satisfactory	60	PM <sub>2.5</sub>	1
12	Baghpat	Poor	285	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	208	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	134	PM <sub>2.5</sub>	1
15	Bathinda	Satisfactory	87	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	75	CO, PM <sub>10</sub> , O <sub>3</sub>	8
17	Bhiwadi	Very Poor	306	PM <sub>10</sub>	1
18	Bhiwani	Moderate	147	PM <sub>10</sub>	1
19	Bhopal	Moderate	132	PM <sub>10</sub>	1
20	Bulandshahr	Poor	241	PM <sub>10</sub>	1
21	Chamarajanagar	Moderate	169	03	1
22	Chandigarh	Satisfactory	64	PM <sub>10</sub>	1
23	Chandrapur	Moderate	126	PM <sub>10</sub>	2
24	Charkhi Dadri	Moderate	163	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	51	O <sub>3</sub> , CO, PM <sub>10</sub>	7
26	Chikkaballapur	Satisfactory	81	PM <sub>10</sub>	1
27	Chikkamagaluru	Good	38	PM <sub>10</sub>	1
28	Davanagere	Satisfactory	56	PM <sub>10</sub>	1
29	Delhi	Moderate	187	PM <sub>2.5</sub> , PM <sub>10</sub>	20
30	Dewas	Moderate	118	PM <sub>10</sub>	1
31	Dharuhera	Poor	290	PM <sub>10</sub>	1
32	Durgapur	Moderate	135	PM <sub>10</sub>	1
33	Eloor	Good	47	СО	1
34	Ernakulam	Satisfactory	63	PM <sub>10</sub>	1
35	Faridabad	Poor	214	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
36	Fatehabad	Moderate	174	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	69	SO <sub>2</sub>	1
38	Gandhinagar	Satisfactory	68	PM <sub>10</sub>	1
39	Gaya	Satisfactory	65	со	1
40	Ghaziabad	Poor	218	PM <sub>10</sub>	4
41	Greater Noida	Moderate	184	PM <sub>10</sub>	2
42	Gummidipoondi	Satisfactory	70	PM <sub>2.5</sub>	1
43	Gurugram	Poor	213	PM <sub>10</sub> , PM <sub>2.5</sub>	3
44	Guwahati	Good	42	PM <sub>10</sub> , PM <sub>2.5</sub>	2
45	Gwalior	Moderate	151	PM <sub>10</sub>	1
46	Hajipur	Poor	203	PM <sub>10</sub>	1
47	Hapur	Moderate	190	PM <sub>10</sub>	1
48	Hassan	Satisfactory	91	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Moderate	163	PM <sub>10</sub>	1
50	Howrah	Satisfactory	76	O <sub>3</sub> , PM <sub>10</sub>	2
51	Hubballi	Satisfactory	71	PM <sub>10</sub>	1
52	Hyderabad	Moderate	101	PM <sub>10</sub> , PM <sub>2.5</sub>	6
53	Indore	Moderate	172	O <sub>3</sub>	1
54	Jabalpur	Moderate	112	PM <sub>10</sub>	1
55	Jaipur	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	3
56	Jalandhar	Satisfactory	90	PM <sub>2.5</sub>	1
57	Jind	Moderate	188	PM <sub>2.5</sub>	1
58	Jodhpur	Moderate	131	PM <sub>10</sub>	1
59	Kaithal	Moderate	118	PM <sub>10</sub>	1
60	Kalyan	Moderate	134	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	102	PM <sub>10</sub>	1
62	Kanpur	Satisfactory	88	PM <sub>2.5</sub>	2
63	Karnal	Moderate	132	PM <sub>10</sub>	1
64	Katni	Moderate	167	PM <sub>10</sub>	1
65	Khanna	Satisfactory	76	PM <sub>10</sub>	1
66	Kochi	Satisfactory	72	PM <sub>10</sub>	1
67	Kohima	Satisfactory	73	PM <sub>10</sub>	1
68	Kolar	Satisfactory	72	03	1
69	Kolkata	Moderate	109	03	6
70	Kollam	Satisfactory	95	PM <sub>2.5</sub>	1
71	Koppal	Satisfactory	57	со	1
72	Kota	Moderate	113	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
74	Ludhiana	Satisfactory	51	PM <sub>10</sub>	1
75	Mandi Gobindgarh	Satisfactory	96	PM <sub>2.5</sub>	1
76	Mandideep	Satisfactory	67	PM <sub>10</sub>	1
77	Manesar	Poor	231	PM <sub>2.5</sub>	1
78	Manglore	Good	42	PM <sub>10</sub>	1
79	Medikeri	Good	38	O <sub>3</sub>	1
80	Meerut	Poor	213	NO <sub>2</sub> , PM <sub>10</sub>	3
81	Moradabad	Moderate	146	PM <sub>10</sub>	1
82	Mumbai	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	18
83	Muzaffarnagar	Moderate	146	PM <sub>10</sub>	1
84	Muzaffarpur	Moderate	159	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	72	03	1
86	Naharlagun	Satisfactory	72	PM <sub>10</sub>	1
87	Narnaul	Poor	262	PM <sub>10</sub>	1
88	Nashik	Satisfactory	78	PM <sub>2.5</sub>	1
89	Navi Mumbai	Moderate	128	PM <sub>10</sub>	3
90	Noida	Moderate	163	PM <sub>10</sub> , PM <sub>2.5</sub>	3
91	Pali	Moderate	140	PM <sub>10</sub>	1
92	Palwal	Moderate	121	PM <sub>10</sub>	1
93	Panchkula	Good	46	со	1
94	Panipat	Moderate	178	PM <sub>10</sub>	1
95	Patiala	Moderate	102	PM <sub>10</sub>	1
96	Patna	Poor	216	PM <sub>2.5</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	105	PM <sub>10</sub>	1
98	Puducherry	Satisfactory	63	03	1
99	Pune	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub>	4
100	Rajamahendravaram	Good	40	PM <sub>10</sub>	1
101	Ratlam	Moderate	120	PM <sub>10</sub>	1
102	Rohtak	Moderate	146	PM <sub>2.5</sub>	1
103	Rupnagar	Moderate	150	PM <sub>10</sub>	1
104	Sagar	Satisfactory	82	PM <sub>2.5</sub>	1
105	Shivamogga	Satisfactory	53	O <sub>3</sub>	1
106	Siliguri	Satisfactory	64	O <sub>3</sub>	1
107	Singrauli	Poor	285	PM <sub>10</sub>	1
108	Sirsa	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	219	PM <sub>10</sub>	1
110	Srinagar	Good	34	NO <sub>2</sub>	1
111	Talcher	Moderate	101	СО	1
112	Thane	Satisfactory	97	PM <sub>10</sub>	1
113	Thiruvananthapuram	Good	42	O <sub>3</sub> , CO	2
114	Thoothukudi	Good	42	PM <sub>10</sub>	1
115	Thrissur	Satisfactory	52	СО	1
116	Tirupati	Satisfactory	76	PM <sub>10</sub>	1
117	Udaipur	Satisfactory	91	PM <sub>10</sub>	1
118	Vapi	Satisfactory	99	PM <sub>10</sub>	1
119	Varanasi	Moderate	138	O <sub>3</sub>	1
120	Vatva	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Satisfactory	76	PM <sub>10</sub>	1
122	Yadgir	Satisfactory	87	03	1
123	Yamunanagar	Moderate	151	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agra, Amritsar, Bidar, Brajrajnagar, Coimbatore, Damoh, Haldia, Jorapokhar, Kalaburgi, Kozhikode, Kurukshetra, Maihar, Mandikhera, Nagpur, Nandesari, Raichur, Ramanagara, Satna, Shillong, Solapur, Udupi, Ujjain, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.