

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	244	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	110	PM ₁₀	6
3	Ahmedabad	Poor	254	PM _{2.5} , PM ₁₀	2
4	Aizawl	Satisfactory	54	PM ₁₀	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Alwar	Poor	254	PM _{2.5}	1
7	Amaravati	Satisfactory	88	PM _{2.5}	1
8	Ambala	Satisfactory	75	PM ₁₀	1
9	Amritsar	Poor	247	PM _{2.5}	1
10	Anantapur	Satisfactory	88	O ₃	1
11	Araria	Very Poor	368	PM _{2.5}	1
12	Ariyalur	Satisfactory	79	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	354	PM _{2.5}	1
14	Asansol	Poor	292	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	354	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	156	PM _{2.5}	1
17	Baddi	Moderate	134	PM _{2.5}	1
18	Bagalkot	Good	50	PM ₁₀	1
19	Bahadurgarh	Poor	294	PM _{2.5}	1
20	Ballabgarh	Moderate	140	PM ₁₀	1
21	Bareilly	Moderate	105	PM _{2.5}	1
22	Baripada	Poor	261	PM _{2.5}	1
23	Begusarai	Severe	430	PM _{2.5}	1
24	Belgaum	Poor	207	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	105	PM ₁₀ , CO	8
26	Bettiah	Very Poor	364	PM _{2.5}	1
27	Bhagalpur	Severe	424	PM _{2.5}	2
28	Bhilai	Satisfactory	95	PM _{2.5} , O ₃	2
29	Bhiwadi	Poor	239	PM _{2.5}	1
30	Bhiwani	Poor	253	PM _{2.5}	1
31	Bhopal	Satisfactory	98	PM ₁₀	2
32	Bidar	Moderate	153	PM ₁₀	1
33	Bileipada	Poor	298	PM _{2.5}	1
34	Brajrajnagar	Moderate	136	PM ₁₀	1
35	Bulandshahr	Poor	248	PM _{2.5}	1
36	Byrnihat	Very Poor	372	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	44	PM ₁₀	1
38	Chandigarh	Moderate	180	PM _{2.5}	2
39	Chandrapur	Poor	209	PM _{2.5}	2
40	Charkhi Dadri	Poor	235	PM _{2.5}	1
41	Chengalpattu	Moderate	102	PM _{2.5}	1
42	Chennai	Moderate	106	PM _{2.5} , PM ₁₀	8
43	Chhapra	Very Poor	370	PM _{2.5}	1
44	Chikkaballapur	Moderate	139	PM ₁₀	1
45	Chikkamagaluru	Good	44	PM ₁₀	1
46	Chittoor	Satisfactory	64	03	1
47	Darbhanga	Very Poor	354	PM _{2.5}	1
48	Davanagere	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	378	PM _{2.5}	37
50	Dewas	Moderate	199	PM ₁₀	1
51	Dharuhera	Severe	404	PM _{2.5}	1
52	Dindigul	Poor	246	NO ₂	1
53	Eloor	Satisfactory	62	PM ₁₀	1
54	Faridabad	Very Poor	319	PM _{2.5}	3
55	Fatehabad	Moderate	183	PM _{2.5}	1
56	Firozabad	Moderate	113	PM _{2.5} , PM ₁₀	2
57	Gadag	Satisfactory	86	03	1
58	Gandhinagar	Moderate	175	PM ₁₀	1
59	Gangtok	Satisfactory	51	PM _{2.5}	1
60	Gaya	Very Poor	334	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	293	PM _{2.5}	4
62	Gorakhpur	Moderate	135	PM _{2.5}	1
63	Greater Noida	Very Poor	332	PM _{2.5}	2
64	Gummidipoondi	Poor	202	PM _{2.5}	1
65	Gurugram	Very Poor	311	PM _{2.5}	4
66	Guwahati	Poor	273	PM _{2.5}	4
67	Gwalior	Poor	282	PM _{2.5}	3
68	Hajipur	Moderate	186	PM ₁₀	1
69	Haldia	Moderate	136	PM ₁₀	1
70	Hapur	Moderate	124	PM _{2.5}	1
71	Hassan	Satisfactory	82	PM ₁₀	1
72	Haveri	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	276	PM _{2.5}	3
74	Hubballi	Moderate	135	PM _{2.5}	2
75	Hyderabad	Moderate	112	PM ₁₀ , PM _{2.5}	14
76	Imphal	Satisfactory	76	SO ₂	2
77	Indore	Moderate	173	PM ₁₀	1
78	Jaipur	Moderate	194	PM _{2.5} , PM ₁₀	3
79	Jalandhar	Poor	276	PM _{2.5}	1
80	Jhansi	Moderate	102	PM ₁₀	1
81	Jind	Very Poor	302	PM _{2.5}	1
82	Jodhpur	Moderate	161	PM _{2.5}	1
83	Jorapokhar	Moderate	175	PM ₁₀	1
84	Kaithal	Poor	278	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Poor	204	PM _{2.5}	1
86	Kalyan	Moderate	165	PM ₁₀	1
87	Kanchipuram	Satisfactory	86	PM ₁₀	1
88	Kannur	Satisfactory	94	PM _{2.5}	1
89	Kanpur	Poor	203	PM _{2.5}	4
90	Karnal	Moderate	134	PM _{2.5}	1
91	Katihar	Severe	435	PM _{2.5}	1
92	Keonjhar	Poor	220	PM _{2.5}	1
93	Khanna	Satisfactory	94	PM _{2.5}	1
94	Khurja	Poor	205	PM _{2.5}	1
95	Kishanganj	Very Poor	360	PM _{2.5}	1
96	Kochi	Moderate	165	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolar	Moderate	167	SO ₂	1
98	Kolkata	Poor	238	PM _{2.5}	7
99	Kollam	Moderate	116	PM ₁₀	1
100	Koppal	Satisfactory	79	СО	1
101	Korba	Satisfactory	95	PM ₁₀	2
102	Kota	Moderate	123	PM ₁₀	1
103	Kurukshetra	Poor	204	PM _{2.5}	1
104	Lucknow	Poor	259	PM _{2.5}	6
105	Ludhiana	Poor	279	PM _{2.5}	1
106	Madikeri	Satisfactory	53	O ₃	1
107	Maihar	Good	42	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Satisfactory	84	NO ₂	1
110	Mandikhera	Moderate	152	PM ₁₀	1
111	Manesar	Very Poor	317	PM _{2.5}	1
112	Mangalore	Moderate	136	PM _{2.5}	1
113	Meerut	Poor	251	PM _{2.5}	3
114	Moradabad	Moderate	120	PM _{2.5}	6
115	Motihari	Moderate	184	PM ₁₀	1
116	Mumbai	Moderate	134	PM _{2.5} , PM ₁₀	16
117	Munger	Very Poor	386	PM _{2.5}	1
118	Muzaffarnagar	Moderate	137	PM _{2.5}	1
119	Muzaffarpur	Very Poor	343	PM _{2.5}	3
120	Mysuru	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Poor	221	PM _{2.5}	1
122	Naharlagun	Good	36	PM ₁₀	1
123	Nalbari	Poor	300	PM _{2.5}	1
124	Nandesari	Satisfactory	64	PM _{2.5}	1
125	Narnaul	Very Poor	328	PM _{2.5}	1
126	Nashik	Moderate	113	PM _{2.5}	1
127	Navi Mumbai	Poor	213	PM _{2.5}	3
128	Nayagarh	Moderate	161	PM _{2.5}	1
129	Noida	Very Poor	324	PM _{2.5}	4
130	Ooty	Satisfactory	84	PM ₁₀	1
131	Palwal	Satisfactory	79	PM ₁₀	1
132	Panchkula	Satisfactory	65	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panipat	Moderate	135	PM ₁₀	1
134	Patiala	Moderate	110	PM ₁₀	1
135	Patna	Very Poor	327	PM _{2.5}	6
136	Pithampur	Moderate	148	PM ₁₀	1
137	Prayagraj	Moderate	198	PM _{2.5} , PM ₁₀	3
138	Puducherry	Satisfactory	66	PM ₁₀	1
139	Purnia	Severe	420	PM _{2.5}	1
140	Raichur	Moderate	122	PM ₁₀	1
141	Raipur	Moderate	125	PM _{2.5} , NO ₂	4
142	Rairangpur	Poor	207	PM _{2.5}	1
143	Rajamahendravaram	Moderate	184	PM _{2.5}	1
144	Rajgir	Very Poor	392	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Satisfactory	89	PM _{2.5}	1
146	Ramanathapuram	Satisfactory	58	PM ₁₀	1
147	Ratlam	Moderate	131	PM ₁₀	1
148	Rohtak	Very Poor	322	PM _{2.5}	1
149	Rourkela	Poor	224	PM _{2.5}	3
150	Rupnagar	Poor	239	PM ₁₀	1
151	Sagar	Satisfactory	80	PM ₁₀ , CO	2
152	Saharsa	Very Poor	376	PM _{2.5}	1
153	Salem	Satisfactory	90	SO ₂	1
154	Samastipur	Very Poor	331	PM _{2.5}	1
155	Sasaram	Very Poor	358	PM _{2.5}	1
156	Satna	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shillong	Satisfactory	67	PM _{2.5}	1
158	Shivamogga	Good	46	PM ₁₀	1
159	Siliguri	Poor	254	PM _{2.5}	1
160	Singrauli	Poor	239	PM _{2.5}	1
161	Sirsa	Poor	211	PM _{2.5}	1
162	Sivasagar	Good	43	PM _{2.5}	1
163	Siwan	Very Poor	359	PM _{2.5}	1
164	Solapur	Moderate	142	PM ₁₀	1
165	Sonipat	Poor	233	PM _{2.5}	1
166	Suakati	Poor	267	O ₃	1
167	Surat	Moderate	150	PM _{2.5}	1
168	Talcher	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thane	Moderate	125	PM ₁₀	1
170	Thiruvananthapuram	Moderate	116	PM _{2.5}	2
171	Thoothukudi	Moderate	145	O ₃	1
172	Thrissur	Moderate	139	PM ₁₀	1
173	Tirupati	Satisfactory	78	NO ₂	2
174	Tirupur	Satisfactory	99	PM ₁₀	1
175	Udaipur	Moderate	141	PM ₁₀	1
176	Ujjain	Moderate	159	PM ₁₀	1
177	Vapi	Poor	202	PM _{2.5}	1
178	Varanasi	Satisfactory	80	PM _{2.5}	4
179	Vatva	Poor	259	PM _{2.5}	1
180	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun, Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima, Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Moderate	191	PM _{2.5}	1
182	Vrindavan	Moderate	114	PM _{2.5}	1
183	Yadgir	Satisfactory	84	PM ₁₀	1
184	Yamunanagar	Poor	215	PM _{2.5}	1
185	vellore	Satisfactory	99	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Baghpat,
 Bathinda, Bihar Sharif, Bilaspur, Buxar, Coimbatore, Damoh, Dehradun,
 Dharwad, Durgapur, Ernakulam, Hisar, Hosur, Jabalpur, Katni, Kohima,
 Kozhikode, Manguraha, Pali, Pune, Silchar, Srinagar, Tensa, Tumakuru, Udupi
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.