

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	PM <sub>10</sub>	1
2	Agra	Good	31	PM <sub>10</sub> , SO <sub>2</sub>	6
3	Ahmedabad	Satisfactory	63	PM <sub>10</sub>	1
4	Aizawl	Good	20	SO <sub>2</sub>	1
5	Alwar	Satisfactory	65	PM <sub>10</sub>	1
6	Amaravati	Good	34	со	1
7	Ambala	Satisfactory	72	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	65	NO <sub>2</sub>	1
9	Ankleshwar	Satisfactory	57	PM <sub>2.5</sub>	1
10	Arrah	Very Poor	302	O <sub>3</sub>	1
11	Asansol	Satisfactory	68	NO <sub>2</sub>	1
12	Baddi	Satisfactory	79	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	42	PM <sub>10</sub>	1
14	Baghpat	Good	49	O <sub>3</sub>	1
15	Bahadurgarh	Satisfactory	74	PM <sub>10</sub>	1
16	Ballabgarh	Satisfactory	81	со	1
17	Bareilly	Good	45	PM <sub>10</sub>	1
18	Bathinda	Satisfactory	54	PM <sub>10</sub>	1
19	Begusarai	Satisfactory	64	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	73	PM <sub>10</sub> , PM <sub>2.5</sub>	9
21	Bettiah	Satisfactory	91	PM <sub>10</sub>	1
22	Bhagalpur	Satisfactory	61	PM <sub>10</sub> , O <sub>3</sub>	2
23	Bhiwadi	Satisfactory	83	PM <sub>10</sub>	1
24	Bhiwani	Good	50	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Good	49	со	1
26	Bihar Sharif	Moderate	117	PM <sub>10</sub>	1
27	Bilaspur	Satisfactory	61	со	1
28	Bulandshahr	Satisfactory	69	PM <sub>10</sub>	1
29	Buxar	Satisfactory	86	со	1
30	Chamarajanagar	Good	42	PM <sub>10</sub>	1
31	Chandigarh	Satisfactory	52	O <sub>3</sub> , PM <sub>10</sub>	3
32	Chandrapur	Satisfactory	76	PM <sub>2.5</sub> , CO	2
33	Charkhi Dadri	Good	46	PM <sub>10</sub>	1
34	Chennai	Satisfactory	69	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	8
35	Chhapra	Satisfactory	59	PM <sub>10</sub>	1
36	Chikkaballapur	Good	28	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	27	PM <sub>10</sub>	1
38	Coimbatore	Moderate	149	PM <sub>10</sub>	1
39	Davanagere	Good	11	со	1
40	Delhi	Satisfactory	81	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	34
41	Dewas	Good	42	PM <sub>10</sub>	1
42	Dharuhera	Satisfactory	96	PM <sub>10</sub>	1
43	Durgapur	Satisfactory	54	PM <sub>10</sub>	1
44	Eloor	Good	48	PM <sub>2.5</sub>	1
45	Ernakulam	Good	41	NO <sub>2</sub>	1
46	Faridabad	Moderate	101	PM <sub>10</sub> , PM <sub>2.5</sub>	2
47	Fatehabad	Satisfactory	57	PM <sub>10</sub>	1
48	Firozabad	Satisfactory	98	O <sub>3</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	24	SO <sub>2</sub>	1
50	Gandhinagar	Good	26	PM <sub>10</sub>	1
51	Gangtok	Good	16	03	1
52	Gaya	Satisfactory	66	PM <sub>10</sub>	2
53	Ghaziabad	Satisfactory	76	PM <sub>10</sub> , CO	4
54	Gorakhpur	Good	47	SO <sub>2</sub>	1
55	Greater Noida	Satisfactory	73	PM <sub>10</sub>	2
56	Gummidipoondi	Good	16	PM <sub>2.5</sub>	1
57	Gurugram	Satisfactory	76	PM <sub>10</sub>	3
58	Guwahati	Satisfactory	66	O <sub>3</sub>	1
59	Gwalior	Good	42	O <sub>3</sub>	1
60	Hajipur	Satisfactory	67	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Good	34	O <sub>3</sub>	1
62	Hapur	Satisfactory	55	PM <sub>10</sub>	1
63	Hassan	Good	35	SO <sub>2</sub>	1
64	Haveri	Satisfactory	53	со	1
65	Hisar	Satisfactory	57	PM <sub>10</sub>	1
66	Howrah	Good	40	CO, PM <sub>10</sub>	3
67	Hubballi	Satisfactory	51	со	1
68	Hyderabad	Good	48	CO, PM <sub>10</sub> , O <sub>3</sub>	12
69	Imphal	Satisfactory	72	O <sub>3</sub> , PM <sub>10</sub>	2
70	Indore	Good	42	PM <sub>10</sub>	1
71	Jabalpur	Satisfactory	51	со	1
72	Jaipur	Good	47	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Satisfactory	64	PM <sub>10</sub>	1
74	Jhansi	Good	34	PM <sub>10</sub>	1
75	Jind	Satisfactory	52	со	1
76	Jodhpur	Satisfactory	77	PM <sub>10</sub>	1
77	Kaithal	Good	44	PM <sub>10</sub>	1
78	Kalaburgi	Good	28	PM <sub>10</sub>	1
79	Kalyan	Satisfactory	76	PM <sub>10</sub>	1
80	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
81	Kanpur	Good	35	PM <sub>10</sub> , CO	4
82	Karnal	Good	46	PM <sub>2.5</sub>	1
83	Katihar	Satisfactory	68	PM <sub>10</sub>	1
84	Katni	Good	44	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khanna	Good	42	СО	1
86	Kishanganj	Satisfactory	56	PM <sub>10</sub>	1
87	Kochi	Moderate	105	со	1
88	Kolkata	Good	37	O <sub>3</sub> , NO <sub>2</sub> , CO	6
89	Kollam	Satisfactory	60	PM <sub>10</sub>	1
90	Koppal	Good	23	NO <sub>2</sub>	1
91	Kota	Good	41	PM <sub>10</sub>	1
92	Kozhikode	Satisfactory	77	PM <sub>10</sub>	1
93	Kurukshetra	Satisfactory	57	PM <sub>10</sub>	1
94	Lucknow	Satisfactory	61	PM <sub>10</sub> , CO, O <sub>3</sub>	5
95	Ludhiana	Satisfactory	68	PM <sub>10</sub>	1
96	Madikeri	Good	32	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Satisfactory	57	PM <sub>2.5</sub>	1
98	Mandideep	Satisfactory	57	O <sub>3</sub>	1
99	Mandikhera	Good	34	со	1
100	Manesar	Satisfactory	66	PM <sub>2.5</sub>	1
101	Manglore	Satisfactory	54	со	1
102	Meerut	Satisfactory	93	O <sub>3</sub> , PM <sub>10</sub>	3
103	Moradabad	Satisfactory	63	PM <sub>10</sub> , CO, O <sub>3</sub>	6
104	Motihari	Satisfactory	58	PM <sub>10</sub>	1
105	Mumbai	Satisfactory	62	PM <sub>2.5</sub> , SO <sub>2</sub> , PM <sub>10</sub>	9
106	Munger	Satisfactory	74	PM <sub>10</sub>	1
107	Muzaffarnagar	Satisfactory	71	PM <sub>10</sub>	1
108	Muzaffarpur	Satisfactory	72	PM <sub>10</sub> , PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	39	PM <sub>10</sub>	1
110	Nagpur	Good	40	PM <sub>10</sub>	1
111	Naharlagun	Good	26	PM <sub>2.5</sub>	1
112	Nashik	Good	37	со	1
113	Navi Mumbai	Satisfactory	64	CO, PM <sub>10</sub>	2
114	Noida	Satisfactory	72	CO, PM <sub>10</sub>	3
115	Pali	Satisfactory	69	PM <sub>10</sub>	1
116	Palwal	Satisfactory	63	PM <sub>10</sub>	1
117	Panchkula	Good	36	PM <sub>2.5</sub>	1
118	Panipat	Satisfactory	89	PM <sub>10</sub>	1
119	Patiala	Good	44	PM <sub>2.5</sub>	1
120	Patna	Satisfactory	63	PM <sub>10</sub> , NO <sub>2</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Good	45	PM <sub>10</sub>	1
122	Prayagraj	Satisfactory	77	PM <sub>10</sub> , SO <sub>2</sub>	2
123	Puducherry	Satisfactory	61	PM <sub>10</sub>	1
124	Pune	Satisfactory	60	со	1
125	Purnia	Satisfactory	73	PM <sub>10</sub>	1
126	Raichur	Satisfactory	61	со	1
127	Rajamahendravaram	Satisfactory	74	PM <sub>10</sub>	1
128	Ramanagara	Good	36	PM <sub>10</sub>	1
129	Ratlam	Good	20	PM <sub>10</sub>	1
130	Rohtak	Satisfactory	54	NO <sub>2</sub>	1
131	Rupnagar	Satisfactory	52	PM <sub>10</sub>	1
132	Samastipur	Moderate	115	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Good	37	PM <sub>10</sub>	1
134	Shillong	Good	29	O <sub>3</sub>	1
135	Shivamogga	Good	43	PM <sub>10</sub>	1
136	Siliguri	Good	50	PM <sub>10</sub>	1
137	Singrauli	Satisfactory	96	NO <sub>2</sub>	1
138	Sirsa	Satisfactory	68	03	1
139	Siwan	Satisfactory	80	PM <sub>10</sub>	1
140	Solapur	Satisfactory	80	PM <sub>10</sub>	1
141	Sonipat	Satisfactory	83	PM <sub>10</sub>	1
142	Srinagar	Good	50	PM <sub>10</sub>	1
143	Talcher	Satisfactory	57	со	1
144	Thiruvananthapuram	Good	31	со	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Good	45	PM <sub>10</sub>	1
146	Udaipur	Satisfactory	64	PM <sub>10</sub>	1
147	Ujjain	Satisfactory	73	PM <sub>10</sub>	1
148	Varanasi	Satisfactory	52	O <sub>3</sub> , CO	3
149	Vijayapura	Good	49	PM <sub>10</sub>	1
150	Visakhapatnam	Moderate	101	PM <sub>10</sub>	1
151	Yamunanagar	Moderate	118	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ajmer, Araria, Aurangabad (Bihar), Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Damoh, Darbhanga, Dehradun, Jorapokhar, Khurja, Kohima, Kolar, Maihar, Manguraha, Nandesari, Narnaul, Rajgir, Sagar, Saharsa, Sasaram, Thane, Thoothukudi, Thrissur, Udupi, Vapi, Vatva, Vrindavan, Yadgir as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.