

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	236	PM _{2.5}	2
2	Agra	Moderate	106	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	119	PM _{2.5} , NO ₂ , PM ₁₀	8
4	Aizawl	Moderate	116	PM ₁₀	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	96	PM ₁₀	1
7	Amaravati	Satisfactory	94	PM ₁₀	1
8	Ambala	Poor	201	PM _{2.5}	1
9	Amritsar	Satisfactory	94	PM ₁₀	1
10	Ankleshwar	Moderate	148	PM _{2.5}	1
11	Araria	Very Poor	348	03	1
12	Arrah	Poor	253	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	197	O ₃	1
14	Baddi	Moderate	172	PM _{2.5}	1
15	Bagalkot	Satisfactory	51	PM ₁₀	1
16	Baghpat	Moderate	162	PM _{2.5}	1
17	Bahadurgarh	Moderate	196	PM _{2.5}	1
18	Ballabgarh	Moderate	164	PM ₁₀	1
19	Bathinda	Moderate	115	PM ₁₀	1
20	Bengaluru	Moderate	142	PM _{2.5} , PM ₁₀ , CO	9
21	Bettiah	Poor	283	PM _{2.5}	1
22	Bhagalpur	Poor	234	PM _{2.5} , PM ₁₀	2
23	Bhiwadi	Poor	233	PM _{2.5}	1
24	Bhiwani	Moderate	133	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	137	PM ₁₀	1
26	Bidar	Moderate	107	PM ₁₀	1
27	Bihar Sharif	Very Poor	373	PM ₁₀	1
28	Bilaspur	Satisfactory	57	PM ₁₀	1
29	Brajrajnagar	Moderate	162	03	1
30	Bulandshahr	Poor	221	PM _{2.5}	1
31	Buxar	Poor	271	PM _{2.5}	1
32	Chamarajanagar	Good	47	PM ₁₀	1
33	Chandigarh	Moderate	149	PM _{2.5} , PM ₁₀	3
34	Chandrapur	Moderate	138	PM _{2.5} , PM ₁₀	2
35	Charkhi Dadri	Moderate	138	PM ₁₀	1
36	Chennai	Moderate	116	O ₃ , PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Poor	290	PM _{2.5}	1
38	Chikkaballapur	Moderate	115	PM _{2.5}	1
39	Damoh	Moderate	117	PM ₁₀	1
40	Darbhanga	Poor	224	PM ₁₀	1
41	Davanagere	Moderate	119	PM ₁₀	1
42	Delhi	Poor	218	PM _{2.5} , PM ₁₀	36
43	Dewas	Moderate	108	PM ₁₀	1
44	Dharuhera	Moderate	200	PM ₁₀	1
45	Durgapur	Poor	286	PM _{2.5}	1
46	Eloor	Satisfactory	73	PM ₁₀	1
47	Ernakulam	Satisfactory	91	PM _{2.5}	1
48	Faridabad	Moderate	198	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	162	O ₃ , PM _{2.5}	2
50	Gandhinagar	Moderate	127	PM _{2.5} , PM ₁₀	3
51	Gaya	Moderate	148	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Poor	230	PM _{2.5} , PM ₁₀	4
53	Gorakhpur	Satisfactory	81	PM _{2.5}	1
54	Greater Noida	Moderate	184	PM _{2.5} , PM ₁₀	2
55	Gummidipoondi	Satisfactory	61	PM ₁₀	1
56	Gurugram	Moderate	186	PM _{2.5}	3
57	Guwahati	Very Poor	308	PM _{2.5} , PM ₁₀	2
58	Gwalior	Moderate	136	PM ₁₀	1
59	Hajipur	Poor	234	PM _{2.5}	1
60	Haldia	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	173	O ₃	1
62	Hassan	Moderate	124	PM ₁₀	1
63	Hisar	Moderate	181	PM _{2.5}	1
64	Howrah	Moderate	144	PM _{2.5} , PM ₁₀	3
65	Hubballi	Moderate	139	PM _{2.5}	1
66	Hyderabad	Moderate	144	PM _{2.5} , PM ₁₀	6
67	Indore	Moderate	132	PM ₁₀	1
68	Jabalpur	Moderate	178	PM ₁₀	1
69	Jaipur	Moderate	158	PM ₁₀ , PM _{2.5}	3
70	Jalandhar	Moderate	126	PM ₁₀	1
71	Jhansi	Moderate	170	PM ₁₀	1
72	Jind	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	172	PM _{2.5}	1
74	Kaithal	Moderate	160	PM ₁₀	1
75	Kalaburgi	Moderate	132	PM ₁₀	1
76	Kannur	Satisfactory	68	PM _{2.5}	1
77	Kanpur	Moderate	172	PM _{2.5} , PM ₁₀	3
78	Karnal	Moderate	139	PM _{2.5}	1
79	Katihar	Very Poor	364	PM ₁₀	1
80	Katni	Poor	234	PM ₁₀	1
81	Khanna	Moderate	140	PM ₁₀	1
82	Kishanganj	Poor	297	PM _{2.5}	1
83	Kochi	Satisfactory	65	PM _{2.5}	1
84	Kohima	Moderate	181	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Moderate	155	PM _{2.5}	1
86	Kolkata	Moderate	107	PM _{2.5} , PM ₁₀	7
87	Kollam	Satisfactory	73	PM ₁₀	1
88	Koppal	Satisfactory	96	03	1
89	Kota	Satisfactory	96	PM ₁₀	1
90	Kozhikode	Satisfactory	63	PM ₁₀	1
91	Kurukshetra	Poor	203	PM _{2.5}	1
92	Lucknow	Poor	213	PM _{2.5} , PM ₁₀	6
93	Ludhiana	Moderate	170	PM ₁₀	1
94	Madikeri	Satisfactory	90	PM ₁₀	1
95	Mandi Gobindgarh	Moderate	195	PM ₁₀	1
96	Mandikhera	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Moderate	168	PM _{2.5}	1
98	Manglore	Satisfactory	59	СО	1
99	Manguraha	Moderate	121	PM ₁₀	1
100	Meerut	Poor	247	PM _{2.5} , PM ₁₀	3
101	Moradabad	Moderate	176	PM _{2.5}	4
102	Motihari	Poor	248	PM _{2.5}	1
103	Mumbai	Moderate	189	PM _{2.5} , O ₃ , PM ₁₀	18
104	Munger	Poor	291	PM ₁₀	1
105	Muzaffarnagar	Poor	249	PM _{2.5}	1
106	Muzaffarpur	Poor	267	PM _{2.5} , PM ₁₀	3
107	Mysuru	Satisfactory	79	PM ₁₀	1
108	Nagpur	Satisfactory	75	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Moderate	175	PM ₁₀	1
110	Narnaul	Moderate	119	PM ₁₀	1
111	Nashik	Satisfactory	79	PM ₁₀	1
112	Navi Mumbai	Poor	231	PM ₁₀ , PM _{2.5}	2
113	Noida	Moderate	181	PM _{2.5} , PM ₁₀ , O ₃	3
114	Pali	Moderate	101	PM ₁₀	1
115	Palwal	Moderate	118	PM ₁₀	1
116	Panchkula	Moderate	180	PM _{2.5}	1
117	Panipat	Moderate	138	PM ₁₀	1
118	Patiala	Moderate	117	PM ₁₀	1
119	Patna	Poor	260	PM _{2.5}	5
120	Pithampur	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	156	PM ₁₀	3
122	Puducherry	Satisfactory	95	PM ₁₀	1
123	Pune	Moderate	188	PM _{2.5}	6
124	Purnia	Poor	274	PM _{2.5}	1
125	Raichur	Moderate	151	PM ₁₀	1
126	Rajamahendravaram	Satisfactory	100	PM ₁₀	1
127	Ramanagara	Moderate	146	PM ₁₀	1
128	Rohtak	Moderate	160	PM _{2.5}	1
129	Rupnagar	Moderate	168	PM ₁₀	1
130	Sagar	Satisfactory	70	PM _{2.5}	1
131	Saharsa	Very Poor	385	PM ₁₀	1
132	Sasaram	Poor	258	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	60	PM ₁₀	1
134	Shillong	Satisfactory	65	PM _{2.5}	1
135	Shivamogga	Satisfactory	67	NO ₂	1
136	Siliguri	Poor	285	PM _{2.5}	1
137	Singrauli	Very Poor	306	PM ₁₀	1
138	Sirsa	Moderate	113	PM ₁₀	1
139	Solapur	Satisfactory	72	PM ₁₀	1
140	Sonipat	Moderate	161	PM ₁₀	1
141	Srinagar	Good	39	PM ₁₀	1
142	Thane	Poor	267	PM ₁₀	1
143	Thiruvananthapuram	Satisfactory	66	PM _{2.5}	2
144	Thoothukudi	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thrissur	Satisfactory	85	PM ₁₀	1
146	Tirupati	Moderate	103	PM _{2.5}	1
147	Udaipur	Moderate	141	PM _{2.5}	1
148	Udupi	Satisfactory	53	03	1
149	Ujjain	Moderate	135	PM ₁₀	1
150	Varanasi	Moderate	118	PM ₁₀	4
151	Vatva	Moderate	120	PM ₁₀	1
152	Vijayapura	Satisfactory	51	PM ₁₀	1
153	Visakhapatnam	Moderate	133	PM ₁₀	1
154	Vrindavan	Moderate	112	PM ₁₀	1
155	Yadgir	Satisfactory	90	PM ₁₀	1
156	Yamunanagar	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bhilai, Chikkamagaluru, Coimbatore, Fatehabad, Gadag, Jorapokhar, Kalyan, Maihar, Mandideep, Nandesari, Rajgir, Ratlam, Siwan, Talcher, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.