

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	147	PM _{2.5}	1
2	Ahmedabad	Moderate	142	PM _{2.5}	1
3	Ajmer	Moderate	104	PM ₁₀	1
4	Alwar	Satisfactory	85	PM ₁₀	1
5	Amaravati	Satisfactory	80	PM _{2.5}	1
6	Ambala	Moderate	130	PM ₁₀	1
7	Amritsar	Moderate	124	PM ₁₀	1
8	Ankleshwar	Moderate	181	PM _{2.5}	1
9	Asanol	Poor	225	PM _{2.5}	1
10	Aurangabad	Moderate	104	O ₃	1
11	Bahadurgarh	Moderate	144	PM _{2.5}	1
12	Ballabgarh	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	175	PM _{2.5}	1
14	Bengaluru	Satisfactory	89	PM ₁₀ , PM _{2.5}	8
15	Bhiwadi	Moderate	188	PM _{2.5}	1
16	Bhiwani	Poor	211	O ₃	1
17	Bhopal	Moderate	150	O ₃	1
18	Brajrajnagar	Moderate	165	PM ₁₀	1
19	Bulandshahr	Poor	268	PM _{2.5}	1
20	Chandigarh	Moderate	108	PM ₁₀	1
21	Chandrapur	Satisfactory	79	PM ₁₀	1
22	Chennai	Satisfactory	75	PM _{2.5} , PM ₁₀ , O ₃	4
23	Chikkaballapur	Moderate	102	PM ₁₀	1
24	Coimbatore	Satisfactory	81	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	85	PM ₁₀	1
26	Delhi	Poor	230	PM ₁₀ , PM _{2.5}	36
27	Dewas	Moderate	120	PM ₁₀	1
28	Dharuhera	Moderate	172	PM ₁₀	1
29	Eloor	Moderate	109	PM ₁₀	1
30	Ernakulam	Moderate	104	PM _{2.5}	1
31	Faridabad	Moderate	180	PM _{2.5}	1
32	Fatehabad	Moderate	152	PM _{2.5}	1
33	GandhiNagar	Moderate	150	PM _{2.5}	1
34	Gaya	Moderate	181	PM _{2.5}	1
35	Ghaziabad	Poor	270	PM _{2.5}	4
36	Greater_Noida	Poor	246	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Moderate	180	PM _{2.5}	2
38	Guwahati	Poor	294	PM _{2.5}	1
39	Gwalior	Moderate	140	O ₃ , PM _{2.5}	2
40	Hapur	Moderate	102	PM ₁₀	1
41	Hisar	Poor	247	PM _{2.5}	1
42	Howrah	Moderate	124	PM _{2.5} , PM ₁₀	3
43	Hubballi	Moderate	115	PM ₁₀	1
44	Hyderabad	Satisfactory	91	PM ₁₀ , PM _{2.5}	5
45	Indore	Moderate	178	PM ₁₀	1
46	Jabalpur	Moderate	122	PM ₁₀	1
47	Jaipur	Satisfactory	95	PM ₁₀	3
48	Jalandhar	Satisfactory	83	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Poor	215	PM _{2.5}	1
50	Jodhpur	Poor	223	PM _{2.5}	1
51	Jorapokhar	Poor	238	PM ₁₀	1
52	Kaithal	Moderate	152	PM ₁₀	1
53	Kalaburgi	Satisfactory	89	PM ₁₀	1
54	Kalyan	Poor	245	PM _{2.5}	1
55	Kannur	Moderate	136	PM _{2.5}	1
56	Kanpur	Moderate	166	PM _{2.5}	1
57	Karnal	Poor	246	PM _{2.5}	1
58	Katni	Moderate	118	PM ₁₀	1
59	Khanna	Satisfactory	87	PM ₁₀	1
60	Kochi	Moderate	143	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Moderate	150	O ₃ , PM ₁₀ , PM _{2.5}	7
62	Kota	Satisfactory	66	PM ₁₀	1
63	Kozhikode	Moderate	123	PM _{2.5}	1
64	Kurukshetra	Poor	238	PM _{2.5}	1
65	Lucknow	Poor	215	PM _{2.5}	4
66	Ludhiana	Moderate	126	PM ₁₀	1
67	Maihar	Satisfactory	55	PM ₁₀	1
68	Mandi Gobindgarh	Satisfactory	70	PM ₁₀	1
69	Mandideep	Moderate	141	PM ₁₀	1
70	Mandikhera	Moderate	154	PM ₁₀	1
71	Manesar	Moderate	153	PM ₁₀	1
72	Meerut	Poor	277	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Moderate	155	PM ₁₀ , PM _{2.5}	10
74	Muzaffarnagar	Poor	232	PM _{2.5}	1
75	Muzaffarpur	Very Poor	320	PM _{2.5}	1
76	Mysuru	Satisfactory	68	03	1
77	Nagpur	Satisfactory	77	PM _{2.5}	1
78	Narnaul	Satisfactory	92	PM ₁₀	1
79	Nashik	Moderate	152	O ₃	1
80	Navi Mumbai	Moderate	199	PM _{2.5} , CO	3
81	Noida	Poor	253	PM _{2.5}	4
82	Pali	Moderate	101	PM ₁₀	1
83	Palwal	Poor	202	PM _{2.5}	1
84	Panchkula	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Poor	268	PM ₁₀	1
86	Patiala	Moderate	125	PM ₁₀	1
87	Patna	Poor	244	PM _{2.5}	4
88	Pithampur	Moderate	118	PM ₁₀	1
89	Pune	Moderate	151	PM _{2.5}	1
90	Rajamahendravaram	Satisfactory	93	PM ₁₀	1
91	Ramanagara	Satisfactory	79	PM ₁₀	1
92	Ratlam	Moderate	172	PM ₁₀	1
93	Rohtak	Poor	280	PM _{2.5}	1
94	Rupnagar	Moderate	154	PM _{2.5}	1
95	Sagar	Satisfactory	65	PM ₁₀	1
96	Shillong	Moderate	153	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Singrauli	Moderate	181	PM ₁₀	1
98	Sirsa	Moderate	122	PM ₁₀	1
99	Solapur	Moderate	150	PM ₁₀	1
100	Sonipat	Poor	253	PM ₁₀	1
101	Talcher	Moderate	172	PM _{2.5}	1
102	Thane	Moderate	162	PM ₁₀	1
103	Thiruvananthapuram	Satisfactory	80	O ₃ , PM _{2.5}	2
104	Tirupati	Satisfactory	62	PM _{2.5}	1
105	Udaipur	Moderate	108	PM ₁₀	1
106	Ujjain	Moderate	182	PM _{2.5}	1
107	Vapi	Poor	205	PM _{2.5}	1
108	Varanasi	Moderate	183	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vatva	Moderate	198	PM _{2.5}	1
110	Vijayapura	Moderate	108	PM _{2.5}	1
111	Visakhapatnam	Satisfactory	71	PM ₁₀	1
112	Yadgir	Satisfactory	71	O ₃	1
113	Yamunanagar	Moderate	197	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bagalkot, Chikkamagaluru, Haldia, Moradabad, Satna, Siliguri as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.