Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	138	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	96	PM_{10}	1
3	Ajmer	Moderate	106	PM_{10}	1
4	Alwar	Satisfactory	88	$PM_{2.5}$	1
5	Amaravati	Satisfactory	62	O_3	1
6	Ambala	Moderate	101	PM_{10}	1
7	Amritsar	Moderate	102	PM_{10}	1
8	Ankleshwar	Moderate	128	$PM_{2.5}$	1
9	Asanol	Moderate	171	$PM_{2.5}$	1
10	Aurangabad	Moderate	108	$PM_{2.5}$	1
11	Bagalkot	Satisfactory	61	O_3	1
12	Bahadurgarh	Poor	221	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	108	PM_{10}	1
14	Bengaluru	Satisfactory	80	PM_{10}, O_3, $PM_{2.5}$	8
15	Bhiwadi	Very Poor	305	$PM_{2.5}$	1
16	Bhiwani	Moderate	110	O_3	1
17	Bhopal	Moderate	156	$PM_{2.5}$	1
18	Brajrajnagar	Poor	207	$PM_{2.5}$	1
19	Bulandshahr	Poor	230	$PM_{2.5}$	1
20	Chandigarh	Satisfactory	66	PM_{10}	1
21	Chandrapur	Satisfactory	60	PM_{10}	1
22	Chennai	Satisfactory	56	$PM_{2.5}$, PM_{10}, O_3	4
23	Chikkaballapur	Satisfactory	66	O_3	1
24	Coimbatore	Satisfactory	67	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	139	$PM_{2.5}$	1
26	Delhi	Poor	225	$PM_{2.5}$	32
27	Dewas	Moderate	128	$PM_{2.5}$	1
28	Dharuhera	Poor	253	$PM_{2.5}$	1
29	Eloor	Satisfactory	73	PM_{10}	1
30	Ernakulam	Satisfactory	62	CO	1
31	Faridabad	Poor	224	O_3	1
32	Fatehabad	Moderate	115	$PM_{2.5}$	1
33	GandhiNagar	Satisfactory	88	PM_{10}	1
34	Gaya	Moderate	102	$PM_{2.5}$	1
35	Ghaziabad	Poor	248	$PM_{2.5}$	4
36	Greater_Noida	Poor	234	PM_{10}, $PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gurugram	Poor	220	$PM_{2.5}$	2
38	Guwahati	Poor	280	$PM_{2.5}$	1
39	Gwalior	Poor	258	$PM_{2.5}$	2
40	Hapur	Satisfactory	90	NO_2	1
41	Hisar	Moderate	133	$PM_{2.5}$	1
42	Howrah	Poor	218	$PM_{2.5}$, PM_{10}	3
43	Hubballi	Satisfactory	62	PM_{10}	1
44	Hyderabad	Satisfactory	65	PM_{10}, $PM_{2.5}$	5
45	Indore	Moderate	120	PM_{10}	1
46	Jabalpur	Moderate	200	$PM_{2.5}$	1
47	Jaipur	Moderate	111	$PM_{2.5}$, PM_{10}	3
48	Jalandhar	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Moderate	122	$PM_{2.5}$	1
50	Jodhpur	Moderate	166	$PM_{2.5}$	1
51	Jorapokhar	Moderate	158	$PM_{2.5}$	1
52	Kaithal	Satisfactory	78	PM_{10}	1
53	Kalaburgi	Satisfactory	76	PM_{10}	1
54	Kalyan	Poor	229	$PM_{2.5}$	1
55	Kannur	Moderate	132	$PM_{2.5}$	1
56	Kanpur	Poor	220	$PM_{2.5}$	1
57	Karnal	Moderate	107	PM_{10}	1
58	Katni	Poor	227	$PM_{2.5}$	1
59	Khanna	Satisfactory	58	PM_{10}	1
60	Kochi	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolkata	Poor	221	$PM_{2.5}$	7
62	Kota	Satisfactory	88	PM_{10}	1
63	Kozhikode	Satisfactory	87	PM_{10}	1
64	Kurukshetra	Satisfactory	100	$PM_{2.5}$	1
65	Lucknow	Moderate	176	$PM_{2.5}$	3
66	Ludhiana	Satisfactory	59	PM_{10}	1
67	Maihar	Satisfactory	74	PM_{10}	1
68	Mandideep	Moderate	104	PM_{10}	1
69	Mandikhera	Moderate	110	$PM_{2.5}$	1
70	Manesar	Poor	229	$PM_{2.5}$	1
71	Meerut	Moderate	191	$PM_{2.5}$	2
72	Mumbai	Moderate	193	PM_{10}, $PM_{2.5}$	10

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Poor	211	$PM_{2.5}$	1
74	Muzaffarpur	Poor	250	$PM_{2.5}$	1
75	Mysuru	Satisfactory	64	O_3	1
76	Narnaul	Poor	245	$PM_{2.5}$	1
77	Nashik	Moderate	125	O_3	1
78	Navi Mumbai	Moderate	195	$PM_{2.5}$, CO	3
79	Noida	Poor	232	$PM_{2.5}$	4
80	Pali	Moderate	107	$PM_{2.5}$	1
81	Palwal	Poor	209	$PM_{2.5}$	1
82	Panchkula	Satisfactory	52	O_3	1
83	Panipat	Moderate	159	PM_{10}	1
84	Patiala	Satisfactory	77	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Moderate	152	$PM_{2.5}$, PM_{10}	4
86	Pithampur	Moderate	133	$PM_{2.5}$	1
87	Pune	Moderate	123	$PM_{2.5}$	1
88	Rajamahendravaram	Moderate	105	O_3	1
89	Ramanagara	Satisfactory	53	PM_{10}	1
90	Ratlam	Moderate	103	PM_{10}	1
91	Rohtak	Moderate	104	$PM_{2.5}$	1
92	Sagar	Satisfactory	70	$PM_{2.5}$	1
93	Siliguri	Poor	267	$PM_{2.5}$	1
94	Singrauli	Moderate	178	$PM_{2.5}$	1
95	Sirsa	Satisfactory	69	PM_{10}	1
96	Solapur	Moderate	124	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Moderate	137	PM_{10}	1
98	Talcher	Moderate	139	$PM_{2.5}$	1
99	Thane	Moderate	127	PM_{10}	1
100	Thiruvananthapuram	Satisfactory	68	O_3	2
101	Tirupati	Good	50	$PM_{2.5}$	1
102	Udaipur	Satisfactory	90	$PM_{2.5}$	1
103	Ujjain	Moderate	162	O_3	1
104	Vapi	Poor	241	$PM_{2.5}$	1
105	Varanasi	Moderate	175	$PM_{2.5}$	1
106	Vatva	Moderate	185	PM_{10}	1
107	Vijayapura	Satisfactory	77	$PM_{2.5}$	1
108	Visakhapatnam	Moderate	115	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 23, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yadgir	Satisfactory	52	O_3	1
110	Yamunanagar	Moderate	156	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ballabgarh, Chikkamagaluru, Haldia, Mandi Gobindgarh, Moradabad, Nagpur, Rupnagar, Satna, Shillong as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.