Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	286	$PM_{2.5}$	2
2	Agra	Satisfactory	83	$PM_{2.5}$, PM_{10}	5
3	Ahmedabad	Moderate	122	PM_{10}, $PM_{2.5}$	7
4	Aizawl	Satisfactory	81	PM_{10}	1
5	Ajmer	Satisfactory	90	PM_{10}	1
6	Alwar	Moderate	106	$PM_{2.5}$	1
7	Amaravati	Moderate	171	$PM_{2.5}$	1
8	Ambala	Moderate	143	$PM_{2.5}$	1
9	Amritsar	Moderate	193	$PM_{2.5}$	1
10	Anantapur	Moderate	103	O_3	1
11	Araria	Poor	228	$PM_{2.5}$	1
12	Ariyalur	Moderate	118	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Poor	218	PM_{10}	1
14	Asansol	Moderate	146	$PM_{2.5}$	1
15	Aurangabad (Bihar)	Poor	227	$PM_{2.5}$	1
16	Aurangabad (Maharashtra)	Moderate	104	PM_{10}	1
17	Bagalkot	Good	50	PM_{10}	1
18	Baghpat	Very Poor	319	$PM_{2.5}$	1
19	Bahadurgarh	Poor	244	$PM_{2.5}$	1
20	Ballabgarh	Moderate	118	PM_{10}	1
21	Bareilly	Satisfactory	82	PM_{10}	2
22	Baripada	Moderate	164	$PM_{2.5}$	1
23	Bathinda	Moderate	102	$PM_{2.5}$	1
24	Begusarai	Very Poor	379	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	145	PM_{10}	1
26	Bengaluru	Satisfactory	81	PM_{10}, $PM_{2.5}$	7
27	Bettiah	Very Poor	342	$PM_{2.5}$	1
28	Bhagalpur	Very Poor	317	$PM_{2.5}$	2
29	Bhilai	Moderate	123	O_3	2
30	Bhiwadi	Poor	261	PM_{10}	1
31	Bhiwani	Poor	233	$PM_{2.5}$	1
32	Bhopal	Moderate	152	PM_{10}, $PM_{2.5}$	2
33	Bihar Sharif	Poor	277	$PM_{2.5}$	1
34	Bileipada	Poor	291	$PM_{2.5}$	1
35	Brajrajnagar	Satisfactory	95	PM_{10}	1
36	Bulandshahr	Poor	262	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	381	$PM_{2.5}$	1
38	Chamarajanagar	Good	39	PM_{10}	1
39	Chandigarh	Poor	258	$PM_{2.5}$	3
40	Chandrapur	Poor	210	O_3	2
41	Charkhi Dadri	Poor	271	$PM_{2.5}$	1
42	Chengalpattu	Moderate	122	$PM_{2.5}$	1
43	Chennai	Moderate	132	$PM_{2.5}$, PM_{10}	8
44	Chhapra	Very Poor	348	$PM_{2.5}$	1
45	Chikkaballapur	Moderate	116	PM_{10}	1
46	Chikkamagaluru	Satisfactory	55	PM_{10}	1
47	Coimbatore	Satisfactory	95	$PM_{2.5}$	1
48	Damoh	Good	42	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Davanagere	Satisfactory	74	PM_{10}	1
50	Delhi	Very Poor	331	$PM_{2.5}$	37
51	Dewas	Moderate	118	PM_{10}	1
52	Dharuhera	Poor	300	$PM_{2.5}$	1
53	Durgapur	Satisfactory	79	PM_{10}	1
54	Eloor	Satisfactory	91	PM_{10}	1
55	Faridabad	Very Poor	346	PM_{10}, $PM_{2.5}$	4
56	Fatehabad	Poor	289	$PM_{2.5}$	1
57	Firozabad	Moderate	136	$PM_{2.5}$	2
58	Gandhinagar	Moderate	126	$PM_{2.5}$, SO_2	3
59	Gangtok	Satisfactory	86	$PM_{2.5}$	1
60	Gaya	Poor	257	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ghaziabad	Poor	292	PM_{10}	4
62	Gorakhpur	Moderate	109	PM_{10}	1
63	Greater Noida	Very Poor	320	$PM_{2.5}$	2
64	Gummidipoondi	Poor	203	$PM_{2.5}$	1
65	Gurugram	Poor	290	$PM_{2.5}$	4
66	Guwahati	Very Poor	304	$PM_{2.5}$	4
67	Gwalior	Poor	273	$PM_{2.5}$	3
68	Hajipur	Poor	297	$PM_{2.5}$	1
69	Hapur	Moderate	131	$PM_{2.5}$	1
70	Hassan	Satisfactory	86	PM_{10}	1
71	Haveri	Satisfactory	83	$PM_{2.5}$	1
72	Howrah	Moderate	170	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Moderate	102	PM_{10}	2
74	Hyderabad	Moderate	106	$PM_{2.5}$	14
75	Imphal	Moderate	138	$PM_{2.5}, SO_2$	2
76	Indore	Moderate	117	PM_{10}	1
77	Jabalpur	Moderate	196	$PM_{2.5}$	1
78	Jaipur	Moderate	148	PM_{10}	3
79	Jalandhar	Satisfactory	93	$PM_{2.5}$	1
80	Jhansi	Satisfactory	100	PM_{10}	1
81	Jind	Moderate	168	$PM_{2.5}$	1
82	Jodhpur	Moderate	118	$PM_{2.5}$	1
83	Kadapa	Moderate	198	$PM_{2.5}$	1
84	Kaithal	Poor	223	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalaburgi	Satisfactory	86	$PM_{2.5}$	1
86	Kalyan	Moderate	182	PM_{10}	1
87	Kanchipuram	Satisfactory	86	PM_{10}	1
88	Kannur	Satisfactory	94	$PM_{2.5}$	1
89	Kanpur	Moderate	163	$PM_{2.5}$	3
90	Karnal	Moderate	134	$PM_{2.5}$	1
91	Katihar	Poor	282	$PM_{2.5}$	1
92	Keonjhar	Poor	246	$PM_{2.5}$	1
93	Khanna	Moderate	109	$PM_{2.5}$	1
94	Khurja	Moderate	186	$PM_{2.5}$	1
95	Kishanganj	Poor	288	$PM_{2.5}$	1
96	Kochi	Moderate	179	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Moderate	154	$PM_{2.5}$	1
98	Kolkata	Moderate	140	$PM_{2.5}$	7
99	Kollam	Moderate	101	PM_{10}	1
100	Koppal	Satisfactory	67	O_3	1
101	Korba	Satisfactory	74	PM_{10}	2
102	Kota	Moderate	136	$PM_{2.5}$	1
103	Kozhikode	Satisfactory	75	$PM_{2.5}$	1
104	Kurukshetra	Moderate	141	$PM_{2.5}$	1
105	Lucknow	Moderate	184	$PM_{2.5}$	6
106	Ludhiana	Poor	289	$PM_{2.5}$	1
107	Madikeri	Good	38	O_3	1
108	Maihar	Good	43	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Poor	235	$PM_{2.5}$	1
110	Mandideep	Moderate	133	$PM_{2.5}$	1
111	Mandikhera	Moderate	118	PM_{10}	1
112	Manesar	Very Poor	313	$PM_{2.5}$	1
113	Mangalore	Moderate	125	PM_{10}	1
114	Manguraha	Moderate	107	$PM_{2.5}$	1
115	Meerut	Very Poor	336	$PM_{2.5}$	3
116	Moradabad	Satisfactory	92	$PM_{2.5}$	6
117	Motihari	Poor	221	PM_{10}	1
118	Mumbai	Moderate	176	$PM_{2.5}$, PM_{10}	20
119	Munger	Poor	300	$PM_{2.5}$	1
120	Muzaffarnagar	Very Poor	338	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Very Poor	311	$PM_{2.5}$	3
122	Mysuru	Good	48	O_3	1
123	Nagpur	Poor	252	$PM_{2.5}$	1
124	Naharlagun	Satisfactory	57	PM_{10}	1
125	Nalbari	Poor	238	$PM_{2.5}$	1
126	Narnaul	Poor	290	$PM_{2.5}$	1
127	Nashik	Satisfactory	74	$PM_{2.5}$	1
128	Navi Mumbai	Poor	214	$PM_{2.5}$	3
129	Nayagarh	Poor	227	$PM_{2.5}$	1
130	Noida	Very Poor	302	$PM_{2.5}$	4
131	Ooty	Satisfactory	67	PM_{10}	1
132	Palwal	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Poor	223	$PM_{2.5}$	1
134	Panipat	Satisfactory	58	CO	1
135	Patiala	Moderate	136	PM_{10}	1
136	Patna	Very Poor	304	$PM_{2.5}$	5
137	Pithampur	Moderate	148	$PM_{2.5}$	1
138	Prayagraj	Moderate	110	PM_{10}	3
139	Puducherry	Moderate	114	$PM_{2.5}$	1
140	Pune	Moderate	172	$PM_{2.5}$, PM_{10}	4
141	Purnia	Very Poor	317	$PM_{2.5}$	1
142	Raichur	Moderate	109	PM_{10}	1
143	Raipur	Satisfactory	99	PM_{10}	4
144	Rairangpur	Moderate	199	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajamahendravaram	Poor	244	PM$_{2.5}$	1
146	Rajgir	Poor	275	PM$_{2.5}$	1
147	Ramanagara	Satisfactory	77	PM$_{10}$	1
148	Ramanathapuram	Satisfactory	87	PM$_{2.5}$	1
149	Ratlam	Moderate	101	PM$_{10}$	1
150	Rohtak	Poor	203	PM$_{2.5}$	1
151	Rourkela	Moderate	196	PM$_{2.5}$	3
152	Rupnagar	Moderate	158	PM$_{10}$	1
153	Sagar	Satisfactory	96	PM$_{2.5}$	1
154	Saharsa	Very Poor	312	PM$_{2.5}$	1
155	Samastipur	Very Poor	316	PM$_{2.5}$	1
156	Satna	Satisfactory	92	PM$_{10}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shillong	Moderate	160	$PM_{2.5}$	1
158	Shivamogga	Satisfactory	55	O_3	1
159	Siliguri	Moderate	149	$PM_{2.5}$	1
160	Singrauli	Poor	268	PM_{10}	1
161	Sirsa	Moderate	126	$PM_{2.5}$	1
162	Solapur	Moderate	123	PM_{10}	1
163	Srinagar	Good	44	PM_{10}	1
164	Suakati	Poor	268	$PM_{2.5}$	1
165	Talcher	Satisfactory	73	PM_{10}	1
166	Tensa	Moderate	180	$PM_{2.5}$	1
167	Thiruvananthapuram	Satisfactory	80	$PM_{2.5}$	2
168	Thoothukudi	Satisfactory	62	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thrissur	Moderate	121	PM_{10}	1
170	Tirupati	Moderate	134	$PM_{2.5}$	1
171	Tirupur	Moderate	106	PM_{10}	1
172	Udaipur	Moderate	115	PM_{10}	1
173	Udupi	Moderate	102	CO	1
174	Ujjain	Moderate	135	$PM_{2.5}$	1
175	Varanasi	Satisfactory	68	PM_{10}, O_3	4
176	Vatva	Moderate	127	$PM_{2.5}$	1
177	Vijayapura	Good	46	PM_{10}	1
178	Vijayawada	Moderate	187	$PM_{2.5}$	1
179	Visakhapatnam	Moderate	178	$PM_{2.5}$	1
180	Vrindavan	Poor	251	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yadgir	Satisfactory	87	$PM_{2.5}$	1
182	Yamunanagar	Poor	201	$PM_{2.5}$	1
183	vellore	Moderate	127	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baddi, Bidar, Bilaspur, Buxar, Chhal, Chittoor, Darbhanga, Dehradun, Dharwad, Dindigul, Ernakulam, Gadag, Haldia, Hisar, Hosur, Jorapokhar, Katni, Kolar, Kunjemura, Milupara, Nandesari, Pali, Salem, Sasaram, Silchar, Sivasagar, Siwan, Sonipat, Surat, Thane, Tumakuru, Tumidih, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.