

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	192	PM _{2.5}	1
2	Agra	Very Poor	378	PM _{2.5}	1
3	Ahmedabad	Moderate	131	NO ₂	1
4	Aizawl	Satisfactory	92	PM _{2.5}	1
5	Ajmer	Satisfactory	83	PM _{2.5}	1
6	Alwar	Moderate	107	PM _{2.5}	1
7	Amaravati	Moderate	126	PM _{2.5}	1
8	Ambala	Poor	266	PM _{2.5}	1
9	Amritsar	Moderate	118	PM _{2.5}	1
10	Ankleshwar	Moderate	177	PM _{2.5}	1
11	Asansol	Poor	264	PM _{2.5}	1
12	Aurangabad	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	56	PM ₁₀	1
14	Bahadurgarh	Very Poor	394	PM _{2.5}	1
15	Ballabgarh	Very Poor	314	PM _{2.5}	1
16	Bathinda	Poor	226	PM _{2.5}	1
17	Bengaluru	Satisfactory	75	PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Very Poor	363	PM _{2.5}	1
19	Bhiwani	Moderate	153	PM ₁₀	1
20	Bhopal	Satisfactory	97	O ₃	1
21	Bidar	Satisfactory	81	PM _{2.5}	1
22	Brajrajnagar	Satisfactory	99	PM ₁₀	1
23	Bulandshahr	Very Poor	394	PM _{2.5}	1
24	Chandigarh	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	93	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Poor	254	PM ₁₀	1
27	Chennai	Satisfactory	85	PM _{2.5} , PM ₁₀ , CO	6
28	Chikkaballapur	Satisfactory	69	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	59	O ₃	1
30	Damoh	Moderate	109	PM _{2.5}	1
31	Delhi	Severe	429	PM _{2.5}	36
32	Dewas	Satisfactory	75	PM ₁₀	1
33	Dharuhera	Very Poor	350	PM ₁₀	1
34	Durgapur	Very Poor	315	PM _{2.5}	1
35	Eloor	Satisfactory	91	PM ₁₀	1
36	Ernakulam	Satisfactory	75	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Severe	447	PM ₁₀	2
38	Fatehabad	Poor	244	PM _{2.5}	1
39	Gandhinagar	Satisfactory	72	PM ₁₀	1
40	Gaya	Moderate	179	PM _{2.5}	1
41	Ghaziabad	Severe	429	PM _{2.5}	4
42	Greater Noida	Severe	410	PM _{2.5}	2
43	Gurugram	Very Poor	364	PM _{2.5}	2
44	Guwahati	Severe	402	PM _{2.5}	1
45	Gwalior	Poor	273	PM _{2.5}	1
46	Hajipur	Poor	232	PM ₁₀	1
47	Haldia	Moderate	155	PM _{2.5}	1
48	Hisar	Poor	259	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	270	PM _{2.5}	2
50	Hubballi	Satisfactory	89	PM ₁₀	1
51	Hyderabad	Moderate	143	PM _{2.5}	6
52	Indore	Satisfactory	85	PM ₁₀	1
53	Jabalpur	Moderate	182	PM _{2.5}	1
54	Jaipur	Moderate	176	PM _{2.5}	3
55	Jalandhar	Moderate	102	PM ₁₀	1
56	Jind	Poor	237	PM _{2.5}	1
57	Jodhpur	Poor	203	PM ₁₀	1
58	Jorapokhar	Moderate	118	PM ₁₀	1
59	Kaithal	Moderate	170	PM _{2.5}	1
60	Kalaburgi	Satisfactory	90	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	154	PM _{2.5}	1
62	Kannur	Satisfactory	89	PM ₁₀	1
63	Kanpur	Very Poor	362	PM _{2.5}	2
64	Karnal	Poor	222	PM _{2.5}	1
65	Katni	Moderate	193	PM ₁₀	1
66	Khanna	Moderate	139	PM _{2.5}	1
67	Kohima	Moderate	137	PM _{2.5}	1
68	Kolkata	Poor	246	PM _{2.5}	7
69	Koppal	Satisfactory	72	PM ₁₀	1
70	Kota	Moderate	128	PM _{2.5}	1
71	Kozhikode	Satisfactory	86	со	1
72	Kurukshetra	Poor	242	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Very Poor	354	PM _{2.5}	4
74	Ludhiana	Moderate	177	PM ₁₀	1
75	Mandi Gobindgarh	Satisfactory	98	PM ₁₀	1
76	Mandideep	Moderate	130	PM _{2.5}	1
77	Mandikhera	Poor	244	PM _{2.5}	1
78	Manesar	Poor	265	PM _{2.5}	1
79	Manglore	Satisfactory	99	PM _{2.5}	1
80	Medikeri	Good	41	PM ₁₀	1
81	Meerut	Very Poor	305	PM _{2.5}	3
82	Moradabad	Very Poor	338	PM _{2.5}	1
83	Mumbai	Moderate	193	PM ₁₀ , PM _{2.5} , O ₃	19
84	Muzaffarpur	Very Poor	354	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	59	PM ₁₀	1
86	Nagpur	Satisfactory	63	PM ₁₀	1
87	Nandesari	Satisfactory	85	со	1
88	Narnaul	Poor	296	PM ₁₀	1
89	Nashik	Satisfactory	63	03	1
90	Navi Mumbai	Poor	262	PM _{2.5} , PM ₁₀	3
91	Noida	Severe	412	PM _{2.5} , PM ₁₀	4
92	Pali	Satisfactory	94	PM ₁₀	1
93	Panchkula	Poor	242	PM _{2.5}	1
94	Patiala	Moderate	158	PM _{2.5}	1
95	Patna	Very Poor	318	PM _{2.5}	5
96	Pithampur	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Satisfactory	58	PM _{2.5}	1
98	Pune	Satisfactory	90	PM _{2.5} , PM ₁₀	5
99	Raichur	Moderate	110	PM ₁₀	1
100	Rajamahendravaram	Moderate	159	PM _{2.5}	1
101	Ratlam	Satisfactory	94	PM ₁₀	1
102	Rohtak	Very Poor	341	PM _{2.5}	1
103	Rupnagar	Moderate	106	PM _{2.5}	1
104	Sagar	Satisfactory	54	PM _{2.5}	1
105	Satna	Moderate	114	PM ₁₀	1
106	Shivamogga	Satisfactory	58	PM ₁₀	1
107	Siliguri	Very Poor	351	PM _{2.5}	1
108	Singrauli	Moderate	197	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	111	PM _{2.5}	1
110	Solapur	Satisfactory	94	PM ₁₀	1
111	Sonipat	Poor	244	PM ₁₀	1
112	Talcher	Moderate	157	03	1
113	Thane	Moderate	184	PM ₁₀	1
114	Thiruvananthapuram	Good	36	со	2
115	Thoothukudi	Good	41	O ₃	1
116	Thrissur	Good	50	O ₃	1
117	Tirupati	Satisfactory	88	PM _{2.5}	1
118	Udaipur	Moderate	150	PM _{2.5}	1
119	Ujjain	Moderate	109	O ₃	1
120	Vapi	Poor	296	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	285	PM _{2.5}	1
122	Vatva	Moderate	125	PM ₁₀	1
123	Vijayapura	Satisfactory	60	со	1
124	Visakhapatnam	Moderate	184	PM _{2.5}	1
125	Yadgir	Satisfactory	84	PM ₁₀	1
126	Yamunanagar	Very Poor	334	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kochi, Kolar, Kollam, Maihar, Muzaffarnagar, Palwal, Panipat, Ramanagara, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.