

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	148	PM _{2.5}	1
2	Agra	Satisfactory	84	PM ₁₀	6
3	Ahmedabad	Satisfactory	68	PM ₁₀	7
4	Ajmer	Moderate	114	PM _{2.5}	1
5	Akola	Satisfactory	78	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Satisfactory	53	PM ₁₀	1
8	Ambala	Satisfactory	89	со	1
9	Amravati	Satisfactory	58	PM ₁₀	2
10	Anantapur	Satisfactory	76	PM ₁₀	1
11	Ankleshwar	Satisfactory	76	NO ₂	1
12	Araria	Satisfactory	95	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

 Good
 Minimal Impact

 Satisfactory
 Minor breathing discomfort to sensitive people

 Moderate
 Breathing discomfort to the people with lungs, asthma and heart diseases

 Poor
 Breathing discomfort to most people on prolonged exposure

 Very Poor
 Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	104	PM ₁₀	1
14	Asansol	Satisfactory	79	PM _{2.5}	1
15	Aurangabad (Bihar)	Satisfactory	54	со	1
16	Aurangabad (Maharashtra)	Good	43	PM ₁₀	1
17	Baddi	Satisfactory	100	PM ₁₀	1
18	Badlapur	Good	45	PM ₁₀	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Satisfactory	100	PM ₁₀	1
21	Bahadurgarh	Satisfactory	93	PM ₁₀	1
22	Ballabgarh	Satisfactory	65	PM ₁₀	1
23	Banswara	Moderate	103	PM ₁₀	1
24	Baran	Moderate	113	PM ₁₀	1

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,

ngalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhang

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Notes: Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	38	PM ₁₀	1
26	Barmer	Satisfactory	88	PM ₁₀	1
27	Bathinda	Satisfactory	78	PM ₁₀	1
28	Begusarai	Satisfactory	90	PM ₁₀	1
29	Belapur	Satisfactory	62	PM ₁₀	1
30	Belgaum	Good	47	СО	1
31	Bengaluru	Satisfactory	61	PM ₁₀	9
32	Bettiah	Poor	286	PM ₁₀	1
33	Bhagalpur	Satisfactory	100	PM ₁₀	2
34	Bharatpur	Moderate	114	PM ₁₀	1
35	Bhilai	Good	50	PM ₁₀ , CO	3
36	Bhilwara	Moderate	154	PM _{2.5}	1

Notes:

ngalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Severe

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	125	PM ₁₀	1
38	Bhiwandi	Satisfactory	62	PM ₁₀	1
39	Bhiwani	Good	50	СО	1
40	Bhopal	Satisfactory	59	PM ₁₀	3
41	Bidar	Good	22	PM ₁₀	1
42	Bihar Sharif	Satisfactory	91	СО	1
43	Bikaner	Moderate	165	PM ₁₀	1
44	Bileipada	Moderate	145	PM ₁₀	1
45	Bulandshahr	Satisfactory	66	PM ₁₀	1
46	Bundi	Moderate	132	PM ₁₀	1
47	Byrnihat	Moderate	192	PM _{2.5}	1
48	Chamarajanagar	Good	49	PM ₁₀	1

Notes:

ngalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	82	PM ₁₀	3
50	Chandrapur	Moderate	105	со	1
51	Charkhi Dadri	Satisfactory	75	PM ₁₀	1
52	Chennai	Satisfactory	67	со	7
53	Chhal	Good	44	PM ₁₀	1
54	Chhapra	Poor	202	PM _{2.5}	1
55	Chikkaballapur	Satisfactory	55	PM ₁₀	1
56	Chittoor	Good	42	03	1
57	Churu	Good	49	PM ₁₀	1
58	Cuddalore	Good	38	PM _{2.5}	1
59	Damoh	Good	46	PM ₁₀	1
60	Dausa	Moderate	151	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	77	СО	1
62	Delhi	Moderate	108	PM ₁₀	33
63	Dewas	Good	43	PM ₁₀	1
64	Dharuhera	Satisfactory	99	PM ₁₀	1
65	Dharwad	Moderate	129	PM _{2.5}	1
66	Dholpur	Satisfactory	75	PM ₁₀	1
67	Dhule	Satisfactory	73	PM ₁₀	1
68	Durgapur	Satisfactory	71	PM ₁₀	1
69	Eloor	Satisfactory	68	PM ₁₀	1
70	Faridabad	Satisfactory	84	PM ₁₀ , PM _{2.5}	4
71	Fatehabad	Moderate	120	O ₃	1
72	Firozabad	Satisfactory	78	PM ₁₀	2

Notes:

Chengalpattu, Chikkamagaluru, Chittergarh, Coimbatere, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	46	SO ₂	1
74	Gandhinagar	Satisfactory	70	SO ₂	1
75	Gangtok	Satisfactory	60	SO ₂	1
76	Gaya	Satisfactory	62	PM ₁₀ , PM _{2.5}	3
77	Ghaziabad	Moderate	110	PM ₁₀	3
78	Gorakhpur	Moderate	104	PM ₁₀	1
79	Greater Noida	Moderate	142	PM ₁₀	2
80	Gummidipoondi	Satisfactory	100	PM ₁₀	1
81	Gurugram	Moderate	109	PM _{2.5}	4
82	Guwahati	Satisfactory	78	CO, SO ₂	3
83	Gwalior	Good	48	PM ₁₀ , PM _{2.5}	3
84	Hajipur	Moderate	109	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhang

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Satisfactory	62	PM ₁₀	1
86	Hanumangarh	Moderate	111	PM ₁₀	1
87	Hapur	Satisfactory	70	NO ₂	1
88	Haveri	Good	47	PM ₁₀	1
89	Howrah	Satisfactory	88	CO, PM ₁₀	3
90	Hubballi	Satisfactory	88	PM ₁₀	2
91	Hyderabad	Satisfactory	73	PM ₁₀ , O ₃	12
92	Indore	Satisfactory	83	со	1
93	Jabalpur	Satisfactory	79	PM ₁₀	3
94	Jaipur	Moderate	115	PM ₁₀	5
95	Jaisalmer	Moderate	129	PM ₁₀	1
96	Jalandhar	Satisfactory	72	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittergarh, Coimbatere, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Good	43	PM ₁₀	1
98	Jalna	Good	37	NO ₂	1
99	Jhalawar	Satisfactory	67	PM ₁₀	1
100	Jhansi	Satisfactory	84	PM ₁₀	1
101	Jhunjhunu	Moderate	106	PM ₁₀	1
102	Jind	Satisfactory	71	PM ₁₀	1
103	Jodhpur	Moderate	127	PM ₁₀	5
104	Kaithal	Satisfactory	85	PM _{2.5}	1
105	Kanchipuram	Satisfactory	51	со	1
106	Kannur	Satisfactory	70	PM ₁₀	1
107	Kanpur	Satisfactory	62	CO, PM _{2.5}	4
108	Karauli	Satisfactory	57	O ₃	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	67	PM ₁₀	1
110	Kashipur	Satisfactory	70	PM ₁₀	1
111	Katihar	Moderate	108	PM ₁₀	1
112	Katni	Satisfactory	67	PM ₁₀	1
113	Khanna	Satisfactory	87	PM ₁₀	1
114	Khurja	Moderate	119	PM _{2.5}	1
115	Kishanganj	Satisfactory	73	PM ₁₀	1
116	Kochi	Satisfactory	69	PM ₁₀	1
117	Kohima	Good	50	SO ₂	1
118	Kolhapur	Good	49	PM ₁₀	1
119	Kolkata	Satisfactory	77	PM ₁₀	7
120	Kollam	Satisfactory	84	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	33	SO ₂	1
122	Korba	Satisfactory	54	O ₃	2
123	Kota	Satisfactory	85	PM ₁₀	3
124	Latur	Satisfactory	67	PM ₁₀	1
125	Lucknow	Satisfactory	71	O ₃ , PM ₁₀	6
126	Ludhiana	Satisfactory	74	PM ₁₀	1
127	Madikeri	Good	39	PM ₁₀	1
128	Mahad	Good	46	PM ₁₀	1
129	Maihar	Good	27	PM ₁₀	1
130	Mandi Gobindgarh	Good	46	PM ₁₀	1
131	Mandideep	Satisfactory	51	PM ₁₀	1
132	Mandikhera	Satisfactory	94	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	75	PM ₁₀	1
134	Meerut	Satisfactory	60	PM ₁₀ , PM _{2.5}	3
135	Moradabad	Satisfactory	87	PM ₁₀	5
136	Motihari	Satisfactory	73	PM ₁₀	1
137	Mumbai	Satisfactory	62	CO, PM ₁₀	19
138	Munger	Moderate	159	PM ₁₀	1
139	Muzaffarnagar	Satisfactory	89	PM ₁₀	1
140	Muzaffarpur	Moderate	126	PM ₁₀ , CO	2
141	Mysuru	Satisfactory	65	PM ₁₀	1
142	Nagaur	Moderate	126	PM ₁₀	1
143	Nagpur	Satisfactory	66	PM ₁₀	4
144	Nalbari	Satisfactory	92	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nanded	Satisfactory	77	PM _{2.5}	1
146	Narnaul	Satisfactory	87	PM ₁₀	1
147	Nashik	Good	42	PM _{2.5}	3
148	Navi Mumbai	Satisfactory	51	PM ₁₀	6
149	Nayagarh	Satisfactory	65	NO ₂	1
150	Noida	Moderate	102	PM ₁₀ , PM _{2.5}	4
151	Pali	Moderate	109	PM ₁₀	1
152	Palwal	Good	50	PM _{2.5}	1
153	Panchkula	Satisfactory	66	PM _{2.5}	1
154	Panipat	Moderate	147	PM ₁₀	1
155	Patiala	Satisfactory	62	O ₃	1
156	Patna	Satisfactory	89	PM ₁₀ , PM _{2.5}	6

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhang

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Severe

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pimpri Chinchwad	Good	41	PM ₁₀	2
158	Pithampur	Satisfactory	72	PM ₁₀	1
159	Pratapgarh	Satisfactory	100	PM ₁₀	1
160	Prayagraj	Satisfactory	74	PM _{2.5}	3
161	Puducherry	Satisfactory	68	PM ₁₀	1
162	Pune	Satisfactory	84	NO ₂ , PM _{2.5}	7
163	Purnia	Satisfactory	71	PM ₁₀	1
164	Raichur	Satisfactory	87	O ₃	1
165	Raipur	Good	39	PM ₁₀	3
166	Rajamahendravaram	Satisfactory	56	PM ₁₀	1
167	Rajgir	Moderate	101	PM ₁₀	1
168	Rajsamand	Moderate	107	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhan

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Satisfactory	63	PM ₁₀	1
170	Ramanathapuram	Good	36	PM ₁₀	1
171	Ratlam	Satisfactory	63	PM ₁₀	1
172	Rishikesh	Good	33	03	1
173	Rohtak	Moderate	120	PM _{2.5}	1
174	Rourkela	Satisfactory	78	PM _{2.5}	1
175	Rupnagar	Satisfactory	76	PM ₁₀	1
176	Sagar	Good	50	PM ₁₀	1
177	Saharsa	Moderate	149	со	1
178	Samastipur	Satisfactory	72	PM _{2.5}	1
179	Sangli	Good	36	PM ₁₀	1
180	Sasaram	Moderate	103	со	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Ceimbatore, Darbhang

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Satna	Satisfactory	64	PM ₁₀	1
182	Sawai Madhopur	Satisfactory	64	PM ₁₀	1
183	Shillong	Good	23	PM ₁₀ , PM _{2.5}	2
184	Shivamogga	Satisfactory	53	PM _{2.5}	1
185	Sikar	Moderate	125	PM ₁₀	1
186	Silchar	Good	42	со	1
187	Siliguri	Satisfactory	67	PM ₁₀	1
188	Singrauli	Satisfactory	99	NO ₂	1
189	Sirohi	Satisfactory	67	PM ₁₀	1
190	Sirsa	Satisfactory	56	PM _{2.5}	1
191	Sivasagar	Good	20	PM ₁₀	1
192	Siwan	Moderate	101	PM ₁₀	1

Notes:

Chengalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhang

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Satisfactory	67	PM _{2.5} , PM ₁₀	3
194	Sri Ganganagar	Moderate	179	PM ₁₀	1
195	Suakati	Satisfactory	75	PM ₁₀	1
196	Surat	Moderate	173	PM ₁₀	1
197	Tensa	Good	40	PM ₁₀	1
198	Thane	Good	49	PM ₁₀ , CO	2
199	Thiruvananthapuram	Good	33	CO, PM ₁₀	2
200	Thoothukudi	Satisfactory	67	PM ₁₀	1
201	Thrissur	Satisfactory	58	PM ₁₀	1
202	Tirupati	Good	46	PM ₁₀	2
203	Tirupur	Satisfactory	63	PM ₁₀	1
204	Tonk	Moderate	145	PM ₁₀	1

Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumakuru	Satisfactory	52	со	1
206	Udaipur	Satisfactory	82	PM ₁₀	1
207	Ujjain	Satisfactory	80	PM ₁₀	1
208	Ulhasnagar	Satisfactory	64	PM ₁₀	1
209	Vapi	Satisfactory	61	PM ₁₀	1
210	Varanasi	Good	45	O ₃ , PM ₁₀	4
211	Vatva	Satisfactory	80	PM ₁₀	1
212	Vijayapura	Good	46	PM ₁₀	1
213	Vijayawada	Satisfactory	54	PM ₁₀	1
214	Vrindavan	Good	38	PM ₁₀	1
215	Yadgir	Good	38	PM ₁₀	1
216	Yamunanagar	Satisfactory	72	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amritsar, Ariyalur, Baripada, Bilaspur, Boisar, Brajrajnagar, Buxar,

ngalpattu, Chikkamagaluru, Chittorgarh, Coimbatore, Darbhang Davanagere, Dhanbad, Dindigul, Ernakulam, Hassan, Hisar, Hosur, Imphal,

Jorapokhar, Kadapa, Kalaburgi, Kalyan, Keonjhar, Kolar, Kozhikode, Notes: Kunjemura, Kurukshetra, Malegaon, Mangalore, Manguraha, Milupara, Mira-Bhayandar, Nagaon, Naharlagun, Nandesari, Ooty, Palkalaiperur, Parbhani, Rairangpur, Salem, Sonipat, Srinagar, Talcher, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases