

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	224	PM _{2.5}	1
2	Agra	Poor	255	PM _{2.5}	5
3	Ahmedabad	Moderate	124	PM _{2.5} , PM ₁₀	9
4	Aizawl	Satisfactory	80	PM ₁₀	1
5	Ajmer	Moderate	161	PM _{2.5}	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	85	PM _{2.5}	1
8	Ambala	Poor	264	PM _{2.5}	1
9	Amritsar	Moderate	176	PM _{2.5}	1
10	Asansol	Poor	235	03	1
11	Aurangabad	Satisfactory	82	PM ₁₀	1
12	Bagalkot	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	356	PM _{2.5}	1
14	Bahadurgarh	Very Poor	357	PM _{2.5}	1
15	Ballabgarh	Very Poor	303	PM _{2.5}	1
16	Bathinda	Moderate	145	PM ₁₀	1
17	Bengaluru	Satisfactory	74	PM _{2.5} , PM ₁₀	10
18	Bettiah	Very Poor	335	PM ₁₀	1
19	Bhagalpur	Poor	239	PM _{2.5}	2
20	Bhilai	Satisfactory	67	PM ₁₀	1
21	Bhiwadi	Very Poor	346	PM ₁₀	1
22	Bhiwani	Poor	263	PM _{2.5}	1
23	Bhopal	Moderate	130	PM ₁₀	1
24	Bilaspur	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	174	O ₃	1
26	Bulandshahr	Very Poor	363	PM ₁₀	1
27	Chamarajanagar	Good	37	PM ₁₀	1
28	Chandigarh	Moderate	126	PM _{2.5} , PM ₁₀	2
29	Chandrapur	Moderate	142	PM _{2.5}	2
30	Charkhi Dadri	Very Poor	321	PM _{2.5}	1
31	Chennai	Good	49	PM ₁₀ , CO, PM _{2.5}	7
32	Chhapra	Very Poor	393	PM _{2.5}	1
33	Chikkaballapur	Good	46	PM _{2.5}	1
34	Chikkamagaluru	Good	38	PM ₁₀	1
35	Coimbatore	Good	44	PM _{2.5}	1
36	Damoh	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Very Poor	351	PM _{2.5}	1
38	Davanagere	Satisfactory	56	PM ₁₀	1
39	Delhi	Severe	406	PM _{2.5} , PM ₁₀	36
40	Dewas	Satisfactory	68	PM ₁₀	1
41	Dharuhera	Very Poor	313	PM _{2.5}	1
42	Ernakulam	Satisfactory	61	со	1
43	Faridabad	Severe	423	PM ₁₀ , PM _{2.5}	4
44	Fatehabad	Poor	263	PM _{2.5}	1
45	Firozabad	Poor	259	PM _{2.5}	1
46	Gandhinagar	Satisfactory	85	PM _{2.5} , PM ₁₀	3
47	Gaya	Moderate	194	PM _{2.5}	3
48	Ghaziabad	Very Poor	378	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Poor	281	PM _{2.5}	1
50	Greater Noida	Very Poor	386	PM _{2.5}	2
51	Gurugram	Very Poor	379	PM _{2.5}	4
52	Guwahati	Moderate	196	PM _{2.5}	1
53	Gwalior	Moderate	150	PM _{2.5}	2
54	Hajipur	Poor	283	PM _{2.5}	1
55	Haldia	Moderate	165	PM ₁₀	1
56	Hapur	Very Poor	388	PM _{2.5}	1
57	Hisar	Very Poor	384	PM _{2.5}	1
58	Howrah	Poor	228	PM _{2.5}	3
59	Hubballi	Satisfactory	69	PM ₁₀	1
60	Hyderabad	Moderate	143	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Moderate	107	PM ₁₀	1
62	Jabalpur	Moderate	186	PM _{2.5}	1
63	Jaipur	Moderate	157	PM _{2.5}	3
64	Jalandhar	Poor	230	PM _{2.5}	1
65	Jind	Very Poor	316	PM _{2.5}	1
66	Jodhpur	Poor	248	PM _{2.5}	1
67	Jorapokhar	Satisfactory	76	PM ₁₀	1
68	Kaithal	Poor	290	PM _{2.5}	1
69	Kalaburgi	Moderate	129	PM _{2.5}	1
70	Kalyan	Moderate	133	PM _{2.5}	1
71	Kannur	Satisfactory	74	PM _{2.5}	1
72	Kanpur	Poor	276	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Karnal	Poor	279	PM _{2.5}	1
74	Katihar	Poor	239	PM _{2.5}	1
75	Katni	Poor	247	PM ₁₀	1
76	Khanna	Moderate	117	PM _{2.5}	1
77	Kishanganj	Poor	223	PM _{2.5}	1
78	Kochi	Satisfactory	66	PM _{2.5}	1
79	Kohima	Moderate	138	PM _{2.5}	1
80	Kolkata	Moderate	194	PM _{2.5} , PM ₁₀	6
81	Kollam	Satisfactory	73	PM _{2.5}	1
82	Koppal	Satisfactory	78	O ₃	1
83	Kota	Moderate	173	PM _{2.5}	1
84	Kozhikode	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kurukshetra	Very Poor	304	PM _{2.5}	1
86	Lucknow	Poor	285	PM _{2.5} , PM ₁₀	6
87	Ludhiana	Moderate	142	PM ₁₀	1
88	Maihar	Satisfactory	88	PM _{2.5}	1
89	Mandideep	Moderate	114	PM ₁₀	1
90	Mandikhera	Moderate	158	PM _{2.5}	1
91	Manesar	Very Poor	346	PM _{2.5}	1
92	Manglore	Satisfactory	75	NO ₂	1
93	Medikeri	Good	36	PM ₁₀	1
94	Meerut	Very Poor	373	PM _{2.5} , PM ₁₀	3
95	Moradabad	Poor	238	PM _{2.5}	2
96	Mumbai	Moderate	136	PM _{2.5} , PM ₁₀	20

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Munger	Very Poor	335	PM _{2.5}	1
98	Muzaffarnagar	Severe	423	PM _{2.5}	1
99	Muzaffarpur	Very Poor	369	PM ₁₀ , PM _{2.5}	2
100	Mysuru	Good	45	PM ₁₀	1
101	Nagpur	Satisfactory	87	PM ₁₀	1
102	Naharlagun	Moderate	106	O ₃	1
103	Nandesari	Satisfactory	67	СО	1
104	Narnaul	Poor	230	PM _{2.5}	1
105	Nashik	Satisfactory	91	PM _{2.5}	1
106	Navi Mumbai	Moderate	142	PM _{2.5}	1
107	Noida	Very Poor	394	PM ₁₀ , PM _{2.5}	4
108	Pali	Moderate	122	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Poor	237	PM ₁₀	1
110	Panchkula	Moderate	112	PM _{2.5}	1
111	Panipat	Poor	222	PM _{2.5}	1
112	Patiala	Moderate	197	PM _{2.5}	1
113	Patna	Very Poor	308	PM _{2.5} , PM ₁₀	6
114	Pithampur	Moderate	145	PM _{2.5}	1
115	Prayagraj	Poor	247	PM _{2.5}	3
116	Puducherry	Good	35	СО	1
117	Pune	Moderate	112	PM _{2.5} , CO	3
118	Purnia	Poor	246	PM _{2.5}	1
119	Raichur	Moderate	106	PM ₁₀	1
120	Rajamahendravaram	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Poor	279	PM _{2.5}	1
122	Ramanagara	Satisfactory	60	PM ₁₀	1
123	Ratlam	Satisfactory	97	PM ₁₀	1
124	Rohtak	Very Poor	333	PM _{2.5}	1
125	Rupnagar	Poor	228	PM ₁₀	1
126	Sagar	Satisfactory	86	PM _{2.5}	1
127	Sasaram	Poor	281	PM _{2.5}	1
128	Satna	Satisfactory	72	PM ₁₀	1
129	Shivamogga	Good	45	PM ₁₀	1
130	Siliguri	Moderate	101	PM ₁₀	1
131	Singrauli	Poor	281	PM _{2.5}	1
132	Sirsa	Poor	245	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siwan	Severe	426	PM _{2.5}	1
134	Solapur	Satisfactory	88	PM _{2.5}	1
135	Sonipat	Poor	282	PM _{2.5}	1
136	Srinagar	Moderate	115	PM ₁₀	1
137	Talcher	Moderate	136	PM _{2.5}	1
138	Thane	Moderate	180	PM ₁₀	1
139	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
140	Thoothukudi	Good	41	СО	1
141	Thrissur	Good	48	PM ₁₀	1
142	Tirupati	Satisfactory	59	PM _{2.5}	1
143	Udaipur	Moderate	145	PM _{2.5}	1
144	Ujjain	Moderate	155	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vapi	Moderate	139	PM ₁₀	1
146	Varanasi	Poor	244	PM _{2.5}	4
147	Vatva	Moderate	177	PM _{2.5}	1
148	Vijayapura	Satisfactory	54	PM _{2.5}	1
149	Visakhapatnam	Moderate	156	PM _{2.5}	1
150	Vrindavan	Very Poor	307	PM _{2.5}	1
151	Yadgir	Satisfactory	82	PM _{2.5}	1
152	Yamunanagar	Poor	299	PM _{2.5}	1

Possible Health Impacts

Minimal Impact

Good

Satisfactory

Moderate

Minor breathing discomfort to sensitive people Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bidar, Bihar Sharif, Buxar, Durgapur, Eloor, Gadag, Gummidipoondi, Hassan, Kolar, Mandi Gobindgarh, Motihari, Saharsa, Shillong, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.