Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	230	$PM_{2.5}$	2
2	Agra	Moderate	106	$PM_{2.5}$	6
3	Ahmedabad	Moderate	143	NO_2	1
4	Ajmer	Moderate	130	$PM_{2.5}$	1
5	Alwar	Moderate	145	$PM_{2.5}$	1
6	Amaravati	Poor	247	$PM_{2.5}$	1
7	Ambala	Moderate	114	$PM_{2.5}$	1
8	Amritsar	Poor	202	$PM_{2.5}$	1
9	Anantapur	Satisfactory	77	O_3	1
10	Ankleshwar	Moderate	150	$PM_{2.5}$	1
11	Araria	Very Poor	338	$PM_{2.5}$	1
12	Ariyalur	Moderate	146	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	324	$PM_{2.5}$	1
14	Asansol	Very Poor	310	$PM_{2.5}$	1
15	Aurangabad (Bihar)	Very Poor	348	$PM_{2.5}$	1
16	Aurangabad (Maharashtra)	Moderate	155	$PM_{2.5}$	1
17	Baddi	Very Poor	343	$PM_{2.5}$	1
18	Bagalkot	Good	42	PM_{10}	1
19	Bahadurgarh	Poor	218	$PM_{2.5}$	1
20	Ballabgarh	Very Poor	317	$PM_{2.5}$	1
21	Bareilly	Moderate	113	PM_{10}	2
22	Baripada	Poor	295	$PM_{2.5}$	1
23	Bathinda	Moderate	124	$PM_{2.5}$	1
24	Begusarai	Severe	418	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Poor	218	$PM_{2.5}$	1
26	Bengaluru	Satisfactory	77	PM_{10}	9
27	Bettiah	Very Poor	398	$PM_{2.5}$	1
28	Bhagalpur	Very Poor	377	$PM_{2.5}$	2
29	Bhiwadi	Poor	233	$PM_{2.5}$	1
30	Bhiwani	Moderate	190	$PM_{2.5}$	1
31	Bhopal	Moderate	162	PM_{10}, $PM_{2.5}$	2
32	Bidar	Satisfactory	95	PM_{10}	1
33	Bilaspur	Satisfactory	69	PM_{10}	1
34	Bileipada	Moderate	179	PM_{10}	1
35	Bulandshahr	Moderate	195	$PM_{2.5}$	1
36	Chamarajanagar	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	186	$PM_{2.5}$	2
38	Chandrapur	Moderate	164	$PM_{2.5}$	2
39	Charkhi Dadri	Moderate	182	$PM_{2.5}$	1
40	Chengalpattu	Moderate	110	$PM_{2.5}$	1
41	Chennai	Moderate	124	$PM_{2.5}$, PM_{10}	8
42	Chhapra	Very Poor	385	$PM_{2.5}$	1
43	Chikkaballapur	Satisfactory	91	PM_{10}	1
44	Coimbatore	Moderate	139	$PM_{2.5}$	1
45	Darbhanga	Very Poor	385	$PM_{2.5}$	1
46	Davanagere	Satisfactory	72	PM_{10}	1
47	Delhi	Very Poor	342	$PM_{2.5}$	38
48	Dewas	Moderate	160	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Poor	269	$PM_{2.5}$	1
50	Dindigul	Moderate	190	NO_2	1
51	Durgapur	Poor	203	PM_{10}	1
52	Eloor	Satisfactory	52	PM_{10}	1
53	Faridabad	Very Poor	359	$PM_{2.5}$	4
54	Fatehabad	Moderate	156	$PM_{2.5}$	1
55	Firozabad	Satisfactory	95	$PM_{2.5}$, PM_{10}	2
56	Gadag	Satisfactory	53	O_3	1
57	Gandhinagar	Satisfactory	80	PM_{10}	1
58	Gangtok	Good	47	PM_{10}	1
59	Gaya	Very Poor	303	$PM_{2.5}$	3
60	Ghaziabad	Poor	292	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	341	$PM_{2.5}$	2
62	Gurugram	Poor	275	$PM_{2.5}$	3
63	Guwahati	Poor	227	$PM_{2.5}$	4
64	Gwalior	Very Poor	339	$PM_{2.5}$	3
65	Hajipur	Poor	206	$PM_{2.5}$	1
66	Haldia	Moderate	164	PM_{10}	1
67	Hapur	Moderate	113	$PM_{2.5}$	1
68	Hassan	Good	35	$PM_{2.5}$	1
69	Haveri	Satisfactory	98	PM_{10}	1
70	Howrah	Very Poor	320	$PM_{2.5}$	3
71	Hubballi	Satisfactory	100	PM_{10}	2
72	Hyderabad	Moderate	120	$PM_{2.5}$, PM_{10}	13

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Moderate	112	$PM_{2.5}$, SO_2	2
74	Indore	Moderate	133	PM_{10}	1
75	Jabalpur	Moderate	119	PM_{10}	1
76	Jaipur	Moderate	110	$PM_{2.5}$, PM_{10}	3
77	Jalandhar	Moderate	167	$PM_{2.5}$	1
78	Jhansi	Moderate	158	PM_{10}	1
79	Jodhpur	Moderate	132	$PM_{2.5}$	1
80	Kaithal	Moderate	186	$PM_{2.5}$	1
81	Kalaburgi	Moderate	145	$PM_{2.5}$	1
82	Kalyan	Poor	208	PM_{10}	1
83	Kanchipuram	Satisfactory	80	PM_{10}	1
84	Kannur	Satisfactory	74	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Moderate	120	PM_{10}, $PM_{2.5}$	4
86	Karnal	Moderate	164	$PM_{2.5}$	1
87	Katihar	Severe	412	$PM_{2.5}$	1
88	Katni	Poor	240	$PM_{2.5}$	1
89	Keonjhar	Poor	246	$PM_{2.5}$	1
90	Khanna	Moderate	127	$PM_{2.5}$	1
91	Khurja	Moderate	198	$PM_{2.5}$	1
92	Kishanganj	Very Poor	318	$PM_{2.5}$	1
93	Kochi	Moderate	141	$PM_{2.5}$	1
94	Kohima	Satisfactory	55	$PM_{2.5}$	1
95	Kolkata	Poor	300	$PM_{2.5}$	7
96	Kollam	Moderate	106	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumukuru as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	96	CO	1
98	Kota	Moderate	137	PM_{10}	1
99	Kozhikode	Satisfactory	75	$PM_{2.5}$	1
100	Kurukshetra	Moderate	134	$PM_{2.5}$	1
101	Lucknow	Moderate	183	$PM_{2.5}$	6
102	Ludhiana	Moderate	144	$PM_{2.5}$	1
103	Madikeri	Good	37	O_3	1
104	Maihar	Good	50	PM_{10}	1
105	Mandi Gobindgarh	Moderate	158	$PM_{2.5}$	1
106	Mandideep	Moderate	163	PM_{10}	1
107	Mandikhera	Moderate	155	PM_{10}	1
108	Manesar	Poor	278	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Satisfactory	98	$PM_{2.5}$	1
110	Meerut	Moderate	134	$PM_{2.5}$	3
111	Moradabad	Moderate	122	$PM_{2.5}$	6
112	Motihari	Poor	224	PM_{10}	1
113	Mumbai	Poor	242	$PM_{2.5}$, PM_{10}	18
114	Munger	Very Poor	338	$PM_{2.5}$	1
115	Muzaffarnagar	Moderate	196	$PM_{2.5}$	1
116	Muzaffarpur	Very Poor	330	$PM_{2.5}$	3
117	Mysuru	Satisfactory	57	O_3	1
118	Nagpur	Poor	212	$PM_{2.5}$	1
119	Nalbari	Poor	269	$PM_{2.5}$	1
120	Nandesari	Good	27	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nashik	Moderate	138	$PM_{2.5}$	1
122	Navi Mumbai	Poor	282	$PM_{2.5}$	3
123	Nayagarh	Moderate	145	$PM_{2.5}$	1
124	Noida	Very Poor	332	$PM_{2.5}$	4
125	Ooty	Satisfactory	86	CO	1
126	Pali	Moderate	110	$PM_{2.5}$	1
127	Palwal	Moderate	115	PM_{10}	1
128	Panchkula	Moderate	183	$PM_{2.5}$	1
129	Panipat	Moderate	110	CO	1
130	Patiala	Moderate	154	$PM_{2.5}$	1
131	Patna	Very Poor	333	PM_{10}, $PM_{2.5}$	6
132	Pithampur	Moderate	145	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:
* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Prayagraj	Moderate	128	$PM_{2.5}$	3
134	Puducherry	Satisfactory	92	$PM_{2.5}$	1
135	Purnia	Very Poor	381	$PM_{2.5}$	1
136	Raichur	Good	43	$PM_{2.5}$	1
137	Rairangpur	Poor	250	$PM_{2.5}$	1
138	Rajamahendravaram	Poor	254	$PM_{2.5}$	1
139	Rajgir	Very Poor	365	$PM_{2.5}$	1
140	Ramanagara	Satisfactory	78	PM_{10}	1
141	Ramanathapuram	Satisfactory	54	$PM_{2.5}$	1
142	Ratlam	Moderate	150	PM_{10}	1
143	Rohtak	Poor	216	$PM_{2.5}$	1
144	Rourkela	Poor	264	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rupnagar	Satisfactory	92	PM_{10}	1
146	Sagar	Satisfactory	83	O_3, CO	2
147	Salem	Satisfactory	75	SO_2	1
148	Samastipur	Very Poor	342	$PM_{2.5}$	1
149	Sasaram	Very Poor	309	$PM_{2.5}$	1
150	Satna	Satisfactory	91	PM_{10}	1
151	Shillong	Satisfactory	85	$PM_{2.5}$	1
152	Shivamogga	Satisfactory	68	NO_2	1
153	Siliguri	Moderate	146	$PM_{2.5}$	1
154	Singrauli	Very Poor	329	$PM_{2.5}$	1
155	Sirsa	Moderate	127	$PM_{2.5}$	1
156	Sivasagar	Good	33	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: * AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siwan	Very Poor	372	$PM_{2.5}$	1
158	Solapur	Satisfactory	92	$PM_{2.5}$	1
159	Sonipat	Poor	296	PM_{10}	1
160	Srinagar	Satisfactory	82	PM_{10}	1
161	Suakati	Moderate	185	$PM_{2.5}$	1
162	Surat	Moderate	174	$PM_{2.5}$	1
163	Talcher	Poor	241	$PM_{2.5}$	1
164	Tensa	Moderate	144	$PM_{2.5}$	1
165	Thane	Moderate	167	PM_{10}	1
166	Thiruvananthapuram	Satisfactory	90	$PM_{2.5}$	2
167	Thoothukudi	Good	50	PM_{10}	1
168	Thrissur	Satisfactory	92	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Satisfactory	97	$PM_{2.5}$	2
170	Tirupur	Good	45	PM_{10}	1
171	Udaipur	Moderate	157	$PM_{2.5}$	1
172	Udupi	Moderate	186	O_3	1
173	Ujjain	Moderate	165	$PM_{2.5}$	1
174	Vapi	Poor	272	$PM_{2.5}$	1
175	Varanasi	Satisfactory	97	$PM_{2.5}$	4
176	Vatva	Moderate	118	PM_{10}	1
177	Vijayapura	Satisfactory	58	PM_{10}	1
178	Visakhapatnam	Poor	246	$PM_{2.5}$	1
179	Vrindavan	Moderate	155	PM_{10}	1
180	Yadgir	Satisfactory	74	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Dec 22, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Moderate	180	PM$_{2.5}$	1
182	vellore	Satisfactory	92	PM$_{10}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Bhilai, Bihar Sharif, Brajrajnagar, Buxar, Byrnihat, Chikkamagaluru, Chittoor, Damoh, Dehradun, Dharwad, Ernakulam, Gorakhpur, Gummidipoondi, Hisar, Hosur, Jind, Jorapokhar, Kolar, Korba, Manguraha, Naharlagun, Narnaul, Pune, Raipur, Saharsa, Tumakuru as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.