



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	80	PM _{2.5}	1
2	Ahmedabad	Moderate	128	PM _{2.5}	1
3	Ajmer	Moderate	110	PM ₁₀	1
4	Alwar	Satisfactory	79	PM ₁₀	1
5	Amaravati	Moderate	122	PM _{2.5}	1
6	Ambala	Moderate	126	PM ₁₀	1
7	Amritsar	Moderate	106	PM ₁₀	1
8	Ankleshwar	Moderate	107	PM ₁₀	1
9	Asanol	Moderate	144	PM _{2.5}	1
10	Bagalkot	Moderate	124	PM ₁₀	1
11	Bahadurgarh	Satisfactory	93	PM ₁₀	1
12	Ballabgarh	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	87	CO	1
14	Bengaluru	Moderate	123	O ₃ , PM _{2.5} , PM ₁₀	7
15	Bhiwadi	Moderate	154	PM ₁₀	1
16	Bhiwani	Satisfactory	98	PM ₁₀	1
17	Bhopal	Moderate	161	PM ₁₀	1
18	Brajrajnagar	Moderate	157	PM _{2.5}	1
19	Bulandshahr	Poor	271	O ₃	1
20	Chandigarh	Satisfactory	90	PM ₁₀	1
21	Chandrapur	Moderate	134	O ₃ , PM ₁₀	2
22	Chennai	Moderate	139	PM _{2.5}	3
23	Chikkamagaluru	Satisfactory	79	PM _{2.5}	1
24	Damoh	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Moderate	167	PM _{2.5}	33
26	Dewas	Moderate	155	CO	1
27	Dharuhera	Moderate	148	PM ₁₀	1
28	Eloor	Moderate	108	PM ₁₀	1
29	Faridabad	Moderate	161	O ₃	1
30	Fatehabad	Moderate	106	PM ₁₀	1
31	GandhiNagar	Satisfactory	86	PM ₁₀	1
32	Gaya	Satisfactory	70	PM _{2.5}	1
33	Ghaziabad	Moderate	162	PM _{2.5} , PM ₁₀	4
34	Greater_Noida	Moderate	170	PM ₁₀	2
35	Gurugram	Moderate	143	O ₃ , PM ₁₀	2
36	Guwahati	Very Poor	309	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonipat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Moderate	143	O ₃ , PM ₁₀	2
38	Hapur	Satisfactory	79	PM ₁₀	1
39	Hisar	Moderate	104	PM ₁₀	1
40	Howrah	Moderate	182	PM _{2.5} , PM ₁₀	3
41	Hubballi	Moderate	114	PM ₁₀	1
42	Hyderabad	Moderate	142	PM _{2.5} , PM ₁₀	5
43	Indore	Moderate	152	PM ₁₀	1
44	Jabalpur	Moderate	192	PM ₁₀	1
45	Jaipur	Moderate	127	PM _{2.5} , PM ₁₀	3
46	Jalandhar	Moderate	108	PM _{2.5}	1
47	Jind	Moderate	113	PM ₁₀	1
48	Jodhpur	Moderate	193	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	123	PM ₁₀	1
50	Kaithal	Satisfactory	99	PM ₁₀	1
51	Kalaburgi	Moderate	108	PM ₁₀	1
52	Kalyan	Moderate	149	PM ₁₀	1
53	Kannur	Moderate	126	PM _{2.5}	1
54	Kanpur	Satisfactory	70	PM _{2.5}	1
55	Karnal	Moderate	112	PM ₁₀	1
56	Katni	Moderate	198	PM ₁₀	1
57	Khanna	Moderate	103	PM ₁₀	1
58	Kochi	Moderate	131	PM ₁₀	1
59	Kolkata	Moderate	168	PM ₁₀ , O ₃ , PM _{2.5}	7
60	Kota	Satisfactory	68	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	90	PM ₁₀	1
62	Kurukshetra	Moderate	104	PM ₁₀	1
63	Lucknow	Moderate	176	PM _{2.5} , NO ₂	4
64	Ludhiana	Satisfactory	84	PM ₁₀	1
65	Maihar	Satisfactory	57	PM ₁₀	1
66	Mandi Gobindgarh	Moderate	189	PM ₁₀	1
67	Mandideep	Moderate	174	PM ₁₀	1
68	Mandikhera	Moderate	105	PM ₁₀	1
69	Manesar	Moderate	105	PM ₁₀	1
70	Meerut	Moderate	133	PM ₁₀	2
71	Mumbai	Moderate	146	PM ₁₀ , O ₃	9
72	Muzaffarnagar	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarpur	Very Poor	326	PM _{2.5}	1
74	Narnaul	Satisfactory	81	PM ₁₀	1
75	Nashik	Moderate	175	O ₃	1
76	Navi Mumbai	Moderate	146	O ₃ , PM ₁₀ , CO	3
77	Noida	Moderate	153	O ₃ , PM ₁₀	4
78	Pali	Moderate	176	PM _{2.5}	1
79	Palwal	Moderate	119	PM ₁₀	1
80	Panchkula	Satisfactory	57	PM _{2.5}	1
81	Panipat	Moderate	144	PM ₁₀	1
82	Patiala	Satisfactory	81	PM ₁₀	1
83	Patna	Moderate	153	PM _{2.5} , PM ₁₀	4
84	Pithampur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	119	PM _{2.5}	1
86	Rajamahendravaram	Moderate	105	PM ₁₀	1
87	Ramanagara	Moderate	105	PM ₁₀	1
88	Ratlam	Moderate	142	PM ₁₀	1
89	Rohtak	Satisfactory	96	PM _{2.5}	1
90	Rupnagar	Satisfactory	97	PM ₁₀	1
91	Sagar	Satisfactory	71	PM ₁₀	1
92	Satna	Moderate	108	PM ₁₀	1
93	Shillong	Moderate	149	PM _{2.5}	1
94	Siliguri	Very Poor	342	PM _{2.5}	1
95	Singrauli	Moderate	143	PM ₁₀	1
96	Sirsa	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Solapur	Moderate	147	PM ₁₀	1
98	Talcher	Poor	263	PM _{2.5}	1
99	Thane	Moderate	109	PM ₁₀	1
100	Thiruvananthapuram	Satisfactory	65	PM ₁₀	1
101	Tirupati	Satisfactory	90	NO ₂	1
102	Udaipur	Moderate	101	PM ₁₀	1
103	Ujjain	Moderate	183	PM _{2.5}	1
104	Vapi	Poor	211	PM _{2.5}	1
105	Varanasi	Satisfactory	94	PM _{2.5}	1
106	Vatva	Moderate	188	PM _{2.5}	1
107	Vijayapura	Moderate	166	PM _{2.5}	1
108	Visakhapatnam	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yamunanagar	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Sonapat, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.