

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	137	PM <sub>2.5</sub>	1
2	Agra	Poor	253	PM <sub>2.5</sub>	1
3	Ahmedabad	Satisfactory	89	PM <sub>10</sub>	1
4	Aizawl	Satisfactory	67	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	98	PM <sub>10</sub>	1
6	Alwar	Moderate	107	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	94	PM <sub>10</sub>	1
8	Ambala	Moderate	101	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	174	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	133	NO <sub>2</sub>	1
11	Asansol	Moderate	168	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	68	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	31	PM <sub>2.5</sub>	1
14	Baghpat	Poor	256	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	206	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	273	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	88	PM <sub>10</sub> , PM <sub>2.5</sub>	8
18	Bhiwadi	Very Poor	350	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	139	O <sub>3</sub>	1
20	Bhopal	Moderate	121	PM <sub>10</sub>	1
21	Bidar	Satisfactory	91	PM <sub>10</sub>	1
22	Brajrajnagar	Satisfactory	76	PM <sub>10</sub>	1
23	Bulandshahr	Very Poor	323	PM <sub>2.5</sub>	1
24	Chamarajanagar	Satisfactory	91	03	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	139	PM <sub>2.5</sub>	1
26	Chandrapur	Satisfactory	57	PM <sub>10</sub>	1
27	Charkhi Dadri	Satisfactory	93	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub>	7
29	Chikkaballapur	Moderate	105	PM <sub>2.5</sub>	1
30	Damoh	Satisfactory	51	PM <sub>2.5</sub>	1
31	Davanagere	Satisfactory	82	PM <sub>10</sub>	1
32	Delhi	Very Poor	311	PM <sub>10</sub> , PM <sub>2.5</sub>	37
33	Dewas	Satisfactory	77	O <sub>3</sub>	1
34	Dharuhera	Very Poor	323	PM <sub>10</sub>	1
35	Durgapur	Poor	261	PM <sub>2.5</sub>	1
36	Eloor	Good	47	СО	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	77	PM <sub>2.5</sub>	1
38	Faridabad	Poor	288	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Fatehabad	Satisfactory	59	со	1
40	Gandhinagar	Satisfactory	83	PM <sub>10</sub>	1
41	Gaya	Moderate	185	PM <sub>2.5</sub>	2
42	Ghaziabad	Very Poor	352	PM <sub>2.5</sub>	3
43	Greater Noida	Very Poor	304	PM <sub>2.5</sub>	1
44	Gummidipoondi	Moderate	143	PM <sub>10</sub>	1
45	Gurugram	Very Poor	338	PM <sub>2.5</sub>	3
46	Guwahati	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	2
47	Gwalior	Moderate	186	PM <sub>2.5</sub>	1
48	Hajipur	Moderate	156	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	126	со	1
50	Hisar	Poor	239	PM <sub>2.5</sub>	1
51	Howrah	Poor	247	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Hubballi	Satisfactory	78	PM <sub>2.5</sub>	1
53	Hyderabad	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	5
54	Jabalpur	Moderate	147	PM <sub>10</sub>	1
55	Jaipur	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	3
56	Jalandhar	Moderate	177	03	1
57	Jind	Moderate	170	PM <sub>2.5</sub>	1
58	Jodhpur	Moderate	132	PM <sub>10</sub>	1
59	Kaithal	Satisfactory	52	со	1
60	Kalaburgi	Satisfactory	100	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Minimal Impact

Coou	William Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	109	PM <sub>10</sub>	1
62	Kanpur	Poor	239	PM <sub>2.5</sub>	2
63	Karnal	Moderate	173	PM <sub>2.5</sub>	1
64	Khanna	Satisfactory	75	PM <sub>10</sub>	1
65	Kochi	Moderate	121	PM <sub>2.5</sub>	1
66	Kohima	Moderate	119	PM <sub>10</sub>	1
67	Kolkata	Poor	241	PM <sub>2.5</sub> , PM <sub>10</sub>	5
68	Kollam	Moderate	116	PM <sub>2.5</sub>	1
69	Koppal	Satisfactory	88	PM <sub>10</sub>	1
70	Kota	Moderate	123	PM <sub>2.5</sub>	1
71	Kozhikode	Satisfactory	86	PM <sub>10</sub>	1
72	Kurukshetra	Moderate	160	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	4
74	Ludhiana	Satisfactory	77	PM <sub>10</sub>	1
75	Maihar	Satisfactory	63	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	188	PM <sub>2.5</sub>	1
77	Mandideep	Moderate	120	PM <sub>10</sub>	1
78	Mandikhera	Moderate	107	PM <sub>2.5</sub>	1
79	Manesar	Very Poor	309	PM <sub>2.5</sub>	1
80	Manglore	Satisfactory	76	PM <sub>10</sub>	1
81	Medikeri	Satisfactory	56	PM <sub>10</sub>	1
82	Meerut	Poor	296	PM <sub>2.5</sub>	2
83	Moradabad	Very Poor	352	PM <sub>2.5</sub>	1
84	Mumbai	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	19

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	280	PM <sub>2.5</sub>	1
86	Muzaffarpur	Very Poor	358	PM <sub>2.5</sub>	1
87	Nagpur	Satisfactory	83	PM <sub>10</sub>	1
88	Nandesari	Moderate	112	СО	1
89	Narnaul	Poor	255	PM <sub>2.5</sub>	1
90	Nashik	Satisfactory	60	PM <sub>2.5</sub>	1
91	Navi Mumbai	Moderate	116	O <sub>3</sub> , PM <sub>10</sub>	2
92	Noida	Very Poor	324	PM <sub>2.5</sub>	3
93	Pali	Satisfactory	97	PM <sub>2.5</sub>	1
94	Palwal	Moderate	140	PM <sub>10</sub>	1
95	Panchkula	Satisfactory	94	PM <sub>2.5</sub>	1
96	Panipat	Moderate	179	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Satisfactory	97	PM <sub>2.5</sub>	1
98	Patna	Poor	277	PM <sub>2.5</sub> , PM <sub>10</sub>	6
99	Pithampur	Moderate	116	PM <sub>2.5</sub>	1
100	Puducherry	Satisfactory	63	PM <sub>2.5</sub>	1
101	Pune	Satisfactory	66	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	6
102	Raichur	Moderate	117	PM <sub>10</sub>	1
103	Rohtak	Moderate	178	PM <sub>2.5</sub>	1
104	Rupnagar	Moderate	114	PM <sub>10</sub>	1
105	Sagar	Good	50	PM <sub>2.5</sub>	1
106	Satna	Moderate	143	PM <sub>10</sub>	1
107	Shillong	Good	16	PM <sub>2.5</sub>	1
108	Shivamogga	Satisfactory	87	O <sub>3</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Moderate	153	PM <sub>10</sub>	1
110	Singrauli	Poor	246	PM <sub>10</sub>	1
111	Sirsa	Moderate	108	PM <sub>2.5</sub>	1
112	Solapur	Moderate	101	PM <sub>10</sub>	1
113	Sonipat	Moderate	140	PM <sub>10</sub>	1
114	Srinagar	Moderate	146	PM <sub>10</sub>	1
115	Talcher	Satisfactory	69	PM <sub>2.5</sub>	1
116	Thane	Moderate	133	PM <sub>10</sub>	1
117	Thiruvananthapuram	Satisfactory	60	PM <sub>10</sub>	1
118	Thoothukudi	Satisfactory	72	PM <sub>10</sub>	1
119	Thrissur	Satisfactory	98	PM <sub>2.5</sub>	1
120	Tirupati	Satisfactory	89	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	133	PM <sub>10</sub>	1
122	Udupi	Satisfactory	87	O <sub>3</sub>	1
123	Ujjain	Moderate	115	PM <sub>10</sub>	1
124	Vapi	Satisfactory	97	PM <sub>10</sub>	1
125	Vatva	Moderate	187	PM <sub>2.5</sub>	1
126	Vijayapura	Satisfactory	63	PM <sub>10</sub>	1
127	Visakhapatnam	Moderate	101	PM <sub>10</sub>	1
128	Yadgir	Satisfactory	92	PM <sub>10</sub>	1
129	Yamunanagar	Poor	265	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bathinda, Chikkamagaluru, Coimbatore, Gadag, Haldia, Indore, Jorapokhar, Kannur, Katni, Kolar, Mysuru, Rajamahendravaram, Ramanagara, Ratlam, Varanasi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.