

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	129	PM <sub>2.5</sub>	1
2	Agra	Very Poor	337	PM <sub>2.5</sub>	1
3	Ahmedabad	Satisfactory	93	NO <sub>2</sub>	1
4	Aizawl	Moderate	106	PM <sub>2.5</sub>	1
5	Ajmer	Satisfactory	76	PM <sub>10</sub>	1
6	Alwar	Moderate	121	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	101	PM <sub>2.5</sub>	1
8	Ambala	Moderate	182	PM <sub>2.5</sub>	1
9	Ankleshwar	Poor	232	03	1
10	Asansol	Poor	262	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	91	PM <sub>10</sub>	1
12	Bagalkot	Satisfactory	64	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	371	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	398	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	300	PM <sub>2.5</sub>	1
16	Bengaluru	Satisfactory	82	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	6
17	Bhiwadi	Very Poor	344	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	139	PM <sub>10</sub>	1
19	Bhopal	Satisfactory	98	O <sub>3</sub>	1
20	Bidar	Moderate	101	PM <sub>2.5</sub>	1
21	Brajrajnagar	Moderate	101	PM <sub>10</sub>	1
22	Bulandshahr	Severe	452	PM <sub>2.5</sub>	1
23	Chandigarh	Moderate	187	PM <sub>2.5</sub>	1
24	Chandrapur	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	2

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	216	PM <sub>2.5</sub>	1
26	Chennai	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
27	Chikkaballapur	Satisfactory	83	PM <sub>2.5</sub>	1
28	Chikkamagaluru	Satisfactory	56	PM <sub>2.5</sub>	1
29	Damoh	Moderate	110	PM <sub>2.5</sub>	1
30	Delhi	Severe	460	PM <sub>2.5</sub>	32
31	Dewas	Satisfactory	72	O <sub>3</sub>	1
32	Dharuhera	Very Poor	353	PM <sub>10</sub>	1
33	Durgapur	Very Poor	330	PM <sub>2.5</sub>	1
34	Eloor	Satisfactory	87	PM <sub>10</sub>	1
35	Ernakulam	Moderate	107	со	1
36	Faridabad	Severe	467	PM <sub>2.5</sub> , PM <sub>10</sub>	2

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	167	PM <sub>2.5</sub>	1
38	Gandhinagar	Good	47	PM <sub>10</sub>	1
39	Gaya	Moderate	132	PM <sub>2.5</sub>	2
40	Ghaziabad	Severe	458	PM <sub>2.5</sub> , PM <sub>10</sub>	4
41	Greater Noida	Severe	464	PM <sub>2.5</sub>	2
42	Gurugram	Very Poor	367	PM <sub>2.5</sub>	2
43	Guwahati	Very Poor	307	PM <sub>2.5</sub>	1
44	Gwalior	Very Poor	303	PM <sub>2.5</sub>	1
45	Hajipur	Moderate	194	PM <sub>10</sub>	1
46	Haldia	Moderate	193	PM <sub>2.5</sub>	1
47	Hisar	Poor	289	PM <sub>2.5</sub>	1
48	Howrah	Poor	284	PM <sub>2.5</sub>	2

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	86	PM <sub>10</sub>	1
50	Hyderabad	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	6
51	Indore	Satisfactory	90	PM <sub>10</sub>	1
52	Jabalpur	Moderate	191	PM <sub>10</sub>	1
53	Jaipur	Moderate	138	PM <sub>2.5</sub>	3
54	Jalandhar	Moderate	120	PM <sub>10</sub>	1
55	Jind	Poor	251	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	130	PM <sub>2.5</sub>	1
57	Jorapokhar	Moderate	128	PM <sub>10</sub>	1
58	Kaithal	Poor	213	PM <sub>2.5</sub>	1
59	Kalyan	Poor	245	PM <sub>2.5</sub>	1
60	Kannur	Satisfactory	61	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	380	PM <sub>2.5</sub>	2
62	Karnal	Poor	217	PM <sub>2.5</sub>	1
63	Katni	Poor	245	PM <sub>2.5</sub>	1
64	Khanna	Moderate	130	PM <sub>2.5</sub>	1
65	Kohima	Moderate	143	PM <sub>2.5</sub>	1
66	Kolkata	Poor	263	PM <sub>2.5</sub>	7
67	Kollam	Good	43	PM <sub>10</sub>	1
68	Koppal	Moderate	106	PM <sub>10</sub>	1
69	Kota	Poor	203	PM <sub>2.5</sub>	1
70	Kozhikode	Satisfactory	61	со	1
71	Kurukshetra	Poor	249	PM <sub>2.5</sub>	1
72	Lucknow	Very Poor	354	PM <sub>2.5</sub>	4

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	125	PM <sub>10</sub>	1
74	Mandi Gobindgarh	Moderate	166	PM <sub>2.5</sub>	1
75	Mandideep	Moderate	107	PM <sub>10</sub>	1
76	Mandikhera	Poor	267	PM <sub>2.5</sub>	1
77	Manesar	Very Poor	335	PM <sub>2.5</sub>	1
78	Manglore	Satisfactory	69	PM <sub>2.5</sub>	1
79	Medikeri	Good	42	СО	1
80	Meerut	Very Poor	381	PM <sub>2.5</sub> , PM <sub>10</sub>	2
81	Moradabad	Very Poor	383	PM <sub>2.5</sub>	1
82	Mumbai	Moderate	145	PM <sub>10</sub> , PM <sub>2.5</sub>	20
83	Muzaffarnagar	Very Poor	380	PM <sub>2.5</sub>	1
84	Muzaffarpur	Very Poor	314	PM <sub>2.5</sub>	2

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	53	PM <sub>10</sub>	1
86	Nagpur	Satisfactory	65	PM <sub>10</sub>	1
87	Nandesari	Satisfactory	61	со	1
88	Narnaul	Poor	237	PM <sub>10</sub>	1
89	Nashik	Satisfactory	67	PM <sub>2.5</sub>	1
90	Navi Mumbai	Poor	263	PM <sub>2.5</sub>	3
91	Noida	Severe	475	PM <sub>2.5</sub>	4
92	Pali	Satisfactory	95	PM <sub>10</sub>	1
93	Palwal	Moderate	167	PM <sub>10</sub>	1
94	Panchkula	Poor	294	PM <sub>2.5</sub>	1
95	Patiala	Moderate	165	PM <sub>2.5</sub>	1
96	Patna	Poor	240	PM <sub>2.5</sub> , PM <sub>10</sub>	6

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	99	PM <sub>10</sub>	1
98	Puducherry	Satisfactory	57	PM <sub>2.5</sub>	1
99	Pune	Moderate	118	PM <sub>2.5</sub>	4
100	Raichur	Moderate	108	PM <sub>10</sub>	1
101	Rajamahendravaram	Moderate	127	PM <sub>2.5</sub>	1
102	Ramanagara	Good	48	PM <sub>2.5</sub>	1
103	Ratlam	Satisfactory	93	PM <sub>10</sub>	1
104	Rohtak	Very Poor	365	PM <sub>2.5</sub>	1
105	Rupnagar	Moderate	124	PM <sub>2.5</sub>	1
106	Sagar	Satisfactory	74	PM <sub>2.5</sub>	1
107	Satna	Satisfactory	99	PM <sub>10</sub>	1
108	Shillong	Satisfactory	63	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	51	PM <sub>10</sub>	1
110	Siliguri	Very Poor	336	PM <sub>2.5</sub>	1
111	Singrauli	Very Poor	311	PM <sub>2.5</sub>	1
112	Sirsa	Satisfactory	86	PM <sub>10</sub>	1
113	Solapur	Moderate	105	PM <sub>10</sub>	1
114	Sonipat	Poor	251	PM <sub>2.5</sub>	1
115	Talcher	Moderate	128	PM <sub>10</sub>	1
116	Thiruvananthapuram	Good	48	PM <sub>10</sub> , CO	2
117	Thoothukudi	Good	46	03	1
118	Thrissur	Good	50	03	1
119	Tirupati	Moderate	118	PM <sub>2.5</sub>	1
120	Udaipur	Moderate	127	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Moderate	178	O <sub>3</sub>	1
122	Vapi	Moderate	123	PM <sub>10</sub>	1
123	Varanasi	Poor	240	PM <sub>2.5</sub>	1
124	Vatva	Satisfactory	88	PM <sub>10</sub>	1
125	Vijayapura	Satisfactory	52	PM <sub>2.5</sub>	1
126	Visakhapatnam	Moderate	169	PM <sub>2.5</sub>	1
127	Yadgir	Satisfactory	76	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kochi, Kolar, Maihar, Panipat, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.