Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	97	$PM_{2.5}$	1
2	Ahmedabad	Moderate	121	NO_2	1
3	Ajmer	Moderate	127	$PM_{2.5}$	1
4	Alwar	Satisfactory	91	OZONE	1
5	Amaravati	Satisfactory	77	PM_{10}	1
6	Ambala	Moderate	190	OZONE	1
7	Amritsar	Satisfactory	79	PM_{10}	1
8	Ankleshwar	Moderate	103	PM_{10}	1
9	Asanol	Satisfactory	81	PM_{10}	1
10	Aurangabad	Moderate	104	PM_{10}	1
11	Baghpat	Moderate	167	OZONE	1
12	Bahadurgarh	Moderate	104	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	202	PM_{10}	1
14	Bengaluru	Satisfactory	77	PM_{10}	10
15	Bhiwani	Moderate	102	$PM_{2.5}$	1
16	Brajrajnagar	Moderate	114	CO	1
17	Bulandshahr	Moderate	170	OZONE	1
18	Chandrapur	Moderate	155	PM_{10}	1
19	Chennai	Moderate	127	$PM_{2.5}$	3
20	Chikkaballapur	Moderate	104	PM_{10}	1
21	Delhi	Moderate	177	OZONE, PM_{10}, $PM_{2.5}$	34
22	Dewas	Moderate	123	PM_{10}	1
23	Durgapur	Satisfactory	55	PM_{10}	1
24	Faridabad	Moderate	199	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Fatehabad	Moderate	142	PM_{10}	1
26	GandhiNagar	Moderate	109	PM_{10}	1
27	Gaya	Moderate	121	$PM_{2.5}$	1
28	Ghaziabad	Moderate	186	PM_{10}	2
29	Greater_Noida	Poor	201	OZONE	1
30	Gurugram	Moderate	163	$PM_{2.5}$	2
31	Guwahati	Good	49	OZONE	1
32	Haldia	Satisfactory	63	PM_{10}	1
33	Hapur	Moderate	149	PM_{10}	1
34	Hisar	Moderate	121	OZONE	1
35	Howrah	Satisfactory	79	PM_{10}	3
36	Hyderabad	Moderate	110	PM_{10}, $PM_{2.5}$	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Moderate	124	OZONE, PM_{10}	3
38	Jalandhar	Moderate	132	PM_{10}	1
39	Jind	Moderate	105	PM_{10}	1
40	Jodhpur	Poor	242	$PM_{2.5}$	1
41	Jorapokhar	Satisfactory	95	PM_{10}	1
42	Kaithal	Satisfactory	89	PM_{10}	1
43	Kanpur	Moderate	141	OZONE	1
44	Karnal	Moderate	153	$PM_{2.5}$	1
45	Khanna	Moderate	105	PM_{10}	1
46	Kolkata	Moderate	111	PM_{10}	1
47	Kota	Moderate	102	PM_{10}	1
48	Kurukshetra	Moderate	107	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Loni_Dehat	Poor	203	PM_{10}	1
50	Lucknow	Moderate	192	$PM_{2.5}$	4
51	Ludhiana	Satisfactory	85	PM_{10}	1
52	Maihar	Satisfactory	75	PM_{10}	1
53	Mandideep	Poor	219	PM_{10}	1
54	Mandikhera	Moderate	155	OZONE	1
55	Manesar	Moderate	154	$PM_{2.5}$	1
56	Mumbai	Satisfactory	88	CO	1
57	Muzaffarnagar	Moderate	180	OZONE	1
58	Muzaffarpur	Satisfactory	90	$PM_{2.5}$	1
59	Nagpur	Moderate	136	OZONE	1
60	Narnaul	Satisfactory	97	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Nashik	Satisfactory	82	PM_{10}	1
62	Noida	Moderate	164	PM_{10}	2
63	Pali	Moderate	154	PM_{10}	1
64	Palwal	Moderate	193	$PM_{2.5}$	1
65	Panchkula	Satisfactory	65	OZONE	1
66	Panipat	Moderate	127	PM_{10}	1
67	Patiala	Satisfactory	95	PM_{10}	1
68	Patna	Poor	224	OZONE	1
69	Pithampur	Moderate	149	PM_{10}	1
70	Rajamahendravaram	Satisfactory	72	OZONE	1
71	Ratlam	Moderate	142	PM_{10}	1
72	Rohtak	Satisfactory	76	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rupnagar	Moderate	124	$PM_{2.5}$	1
74	Satna	Satisfactory	99	PM_{10}	1
75	Siliguri	Satisfactory	54	PM_{10}	1
76	Singrauli	Poor	286	PM_{10}	1
77	Sirsa	Satisfactory	98	PM_{10}	1
78	Solapur	Satisfactory	100	PM_{10}	1
79	Sonipat	Moderate	169	OZONE	1
80	Thiruvananthapuram	Satisfactory	71	PM_{10}	1
81	Tirupati	Satisfactory	78	PM_{10}	1
82	Udaipur	Moderate	115	PM_{10}	1
83	Ujjain	Moderate	127	PM_{10}	1
84	Vapi	Satisfactory	76	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on May 28, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Varanasi	Poor	249	PM$_{10}$	1
86	Vatva	Moderate	127	PM$_{10}$	1
87	Visakhapatnam	Satisfactory	98	PM$_{10}$	1
88	Yamunanagar	Moderate	121	PM$_{10}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Bathinda, Bhiwadi, Damoh, Dharuhera, Hubballi, Kalaburagi, Mandi Gobindgarh, Moradabad, Navi Mumbai, Pune, Talcher, Thane, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.