



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	163	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	146	PM _{2.5}	6
3	Ahmedabad	Moderate	123	PM ₁₀	1
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Moderate	142	PM _{2.5}	1
6	Alwar	Moderate	147	PM _{2.5}	1
7	Amaravati	Moderate	146	PM _{2.5}	1
8	Ambala	Moderate	165	PM _{2.5}	1
9	Amritsar	Poor	242	PM _{2.5}	1
10	Anantapur	Satisfactory	95	O ₃	1
11	Araria	Poor	249	PM _{2.5}	1
12	Ariyalur	Moderate	176	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	286	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	338	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	93	PM ₁₀	1
16	Baddi	Severe	402	PM _{2.5}	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Baghpat	Moderate	179	PM _{2.5}	1
19	Bahadurgarh	Poor	210	PM _{2.5}	1
20	Ballabgarh	Moderate	153	PM ₁₀	1
21	Bareilly	Moderate	110	PM ₁₀	2
22	Baripada	Moderate	120	PM ₁₀	1
23	Bathinda	Moderate	183	PM _{2.5}	1
24	Begusarai	Severe	420	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Poor	235	PM _{2.5}	1
26	Bengaluru	Moderate	113	PM _{2.5} , CO	9
27	Bettiah	Very Poor	347	PM _{2.5}	1
28	Bhagalpur	Very Poor	394	PM _{2.5}	2
29	Bhilai	Satisfactory	80	PM ₁₀	2
30	Bhiwadi	Poor	208	PM ₁₀	1
31	Bhiwani	Moderate	176	PM _{2.5}	1
32	Bhopal	Moderate	178	PM ₁₀ , PM _{2.5}	2
33	Bidar	Satisfactory	80	CO	1
34	Bileipada	Moderate	160	PM _{2.5}	1
35	Brajrajnagar	Satisfactory	79	PM ₁₀	1
36	Bulandshahr	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	383	PM _{2.5}	1
38	Chamarajanagar	Satisfactory	55	PM ₁₀	1
39	Chandigarh	Very Poor	340	PM _{2.5}	2
40	Chandrapur	Moderate	128	PM ₁₀ , PM _{2.5}	2
41	Charkhi Dadri	Moderate	186	PM _{2.5}	1
42	Chennai	Moderate	184	PM _{2.5}	8
43	Chhapra	Severe	413	PM ₁₀	1
44	Chikkaballapur	Moderate	160	PM _{2.5}	1
45	Chikkamagaluru	Satisfactory	86	PM ₁₀	1
46	Chittoor	Satisfactory	68	O ₃	1
47	Coimbatore	Poor	263	PM ₁₀	1
48	Damoh	Good	34	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Very Poor	305	PM ₁₀	1
50	Davanagere	Moderate	114	PM _{2.5}	1
51	Delhi	Very Poor	371	PM ₁₀ , PM _{2.5}	38
52	Dewas	Moderate	107	PM ₁₀	1
53	Dharuhera	Very Poor	329	PM _{2.5}	1
54	Dindigul	Poor	249	NO ₂	1
55	Durgapur	Moderate	165	PM ₁₀	1
56	Eloor	Satisfactory	60	PM ₁₀	1
57	Faridabad	Very Poor	339	PM _{2.5}	4
58	Fatehabad	Moderate	124	PM _{2.5}	1
59	Firozabad	Poor	202	PM _{2.5}	2
60	Gandhinagar	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	30	O ₃	1
62	Gaya	Very Poor	316	PM _{2.5}	3
63	Ghaziabad	Very Poor	336	PM _{2.5}	4
64	Gorakhpur	Moderate	132	PM ₁₀	1
65	Greater Noida	Severe	402	PM _{2.5}	2
66	Gummidipoondi	Poor	245	PM _{2.5}	1
67	Gurugram	Very Poor	311	PM _{2.5}	4
68	Guwahati	Poor	244	PM _{2.5}	4
69	Gwalior	Poor	271	PM _{2.5}	3
70	Hajipur	Poor	217	PM _{2.5}	1
71	Haldia	Moderate	172	PM ₁₀	1
72	Hapur	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	82	PM ₁₀	1
74	Haveri	Moderate	196	PM _{2.5}	1
75	Howrah	Poor	297	PM _{2.5}	3
76	Hubballi	Moderate	146	PM _{2.5}	2
77	Hyderabad	Moderate	117	PM _{2.5} , PM ₁₀	12
78	Imphal	Moderate	142	PM _{2.5} , SO ₂	2
79	Indore	Moderate	113	PM ₁₀	1
80	Jabalpur	Poor	217	PM _{2.5}	1
81	Jaipur	Poor	206	PM _{2.5} , PM ₁₀	3
82	Jalandhar	Poor	218	PM _{2.5}	1
83	Jhansi	Moderate	114	PM ₁₀	1
84	Jind	Poor	213	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	194	PM _{2.5}	1
86	Jorapokhar	Moderate	136	PM ₁₀	1
87	Kaithal	Poor	218	PM _{2.5}	1
88	Kalaburgi	Satisfactory	99	PM _{2.5}	1
89	Kalyan	Moderate	192	PM ₁₀	1
90	Kannur	Satisfactory	93	PM _{2.5}	1
91	Kanpur	Poor	295	PM _{2.5}	4
92	Karnal	Moderate	163	PM _{2.5}	1
93	Katihar	Very Poor	393	PM _{2.5}	1
94	Katni	Moderate	178	PM _{2.5}	1
95	Keonjhar	Moderate	110	PM _{2.5}	1
96	Khanna	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khurja	Poor	283	PM _{2.5}	1
98	Kishanganj	Poor	214	PM _{2.5}	1
99	Kochi	Moderate	115	PM _{2.5}	1
100	Kohima	Satisfactory	67	PM ₁₀	1
101	Kolkata	Very Poor	311	PM _{2.5}	7
102	Kollam	Moderate	112	PM ₁₀	1
103	Koppal	Satisfactory	78	CO	1
104	Korba	Satisfactory	66	PM _{2.5}	1
105	Kota	Poor	259	PM _{2.5}	1
106	Kozhikode	Satisfactory	75	PM _{2.5}	1
107	Kurukshetra	Poor	208	PM _{2.5}	1
108	Lucknow	Poor	253	PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ludhiana	Poor	224	PM _{2.5}	1
110	Madikeri	Good	40	O ₃	1
111	Maihar	Good	21	PM ₁₀	1
112	Mandi Gobindgarh	Very Poor	312	PM _{2.5}	1
113	Mandideep	Moderate	108	PM ₁₀	1
114	Mandikhera	Moderate	141	PM ₁₀	1
115	Manesar	Poor	282	PM _{2.5}	1
116	Mangalore	Moderate	130	PM _{2.5}	1
117	Manguraha	Moderate	175	PM _{2.5}	1
118	Meerut	Very Poor	383	PM _{2.5}	3
119	Moradabad	Moderate	114	CO, PM _{2.5}	6
120	Motihari	Moderate	188	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Moderate	198	PM _{2.5} , PM ₁₀	17
122	Munger	Very Poor	368	PM ₁₀	1
123	Muzaffarnagar	Poor	289	PM _{2.5}	1
124	Muzaffarpur	Very Poor	338	PM _{2.5}	3
125	Mysuru	Good	49	O ₃	1
126	Nagpur	Moderate	139	PM _{2.5}	1
127	Naharlagun	Good	46	PM ₁₀	1
128	Nalbari	Very Poor	310	PM _{2.5}	1
129	Nandesari	Good	43	PM _{2.5}	1
130	Narnaul	Poor	247	PM _{2.5}	1
131	Nashik	Moderate	135	PM _{2.5}	1
132	Navi Mumbai	Poor	230	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Moderate	127	PM ₁₀	1
134	Noida	Very Poor	364	PM _{2.5}	4
135	Ooty	Satisfactory	62	PM _{2.5}	1
136	Pali	Moderate	126	PM _{2.5}	1
137	Palwal	Moderate	112	PM _{2.5}	1
138	Panipat	Moderate	165	PM ₁₀	1
139	Patiala	Moderate	176	PM _{2.5}	1
140	Patna	Very Poor	366	PM ₁₀ , PM _{2.5}	6
141	Pithampur	Moderate	114	PM ₁₀	1
142	Prayagraj	Moderate	116	PM ₁₀	3
143	Puducherry	Moderate	158	PM _{2.5}	1
144	Purnia	Very Poor	349	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raichur	Moderate	129	PM ₁₀	1
146	Raipur	Moderate	106	NO ₂ , PM ₁₀	3
147	Rairangpur	Moderate	163	PM _{2.5}	1
148	Rajamahendravaram	Poor	208	PM _{2.5}	1
149	Rajgir	Very Poor	377	PM _{2.5}	1
150	Ramanagara	Moderate	130	PM _{2.5}	1
151	Ramanathapuram	Satisfactory	81	PM _{2.5}	1
152	Ratlam	Satisfactory	94	PM ₁₀	1
153	Rohtak	Poor	207	PM _{2.5}	1
154	Rourkela	Moderate	132	PM ₁₀	1
155	Rupnagar	Moderate	187	PM _{2.5}	1
156	Sagar	Satisfactory	79	PM _{2.5} , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Salem	Moderate	111	PM _{2.5}	1
158	Samastipur	Very Poor	354	PM _{2.5}	1
159	Sasaram	Very Poor	312	PM _{2.5}	1
160	Satna	Satisfactory	56	PM ₁₀	1
161	Shillong	Good	34	SO ₂	1
162	Shivamogga	Good	44	O ₃	1
163	Siliguri	Moderate	169	PM _{2.5}	1
164	Singrauli	Moderate	162	PM ₁₀	1
165	Sirsa	Poor	205	PM _{2.5}	1
166	Sivasagar	Good	43	PM ₁₀	1
167	Solapur	Moderate	150	PM _{2.5}	1
168	Sonipat	Moderate	106	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Suakati	Moderate	125	PM ₁₀	1
170	Surat	Poor	261	PM _{2.5}	1
171	Thane	Moderate	166	PM ₁₀	1
172	Thiruvananthapuram	Satisfactory	72	PM _{2.5}	2
173	Thoothukudi	Satisfactory	69	PM ₁₀	1
174	Thrissur	Moderate	123	PM ₁₀	1
175	Tirupati	Moderate	156	PM _{2.5}	2
176	Tirupur	Satisfactory	68	PM ₁₀	1
177	Udaipur	Poor	227	PM _{2.5}	1
178	Udupi	Moderate	103	CO	1
179	Ujjain	Poor	220	PM _{2.5}	1
180	Vapi	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 08, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Varanasi	Moderate	110	PM _{2.5} , PM ₁₀	4
182	Vatva	Moderate	121	PM ₁₀	1
183	Vijayapura	Good	46	PM ₁₀	1
184	Visakhapatnam	Moderate	195	PM ₁₀	1
185	Yadgir	Satisfactory	88	PM _{2.5}	1
186	Yamunanagar	Poor	226	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Gadag, Hisar, Hosur, Kanchipuram, Kolar, Panchkula, Pune, Saharsa, Siwan, Srinagar, Talcher, Tensa, Tumakuru, Vrindavan, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.