# Air Quality Index on Jan 24, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|---|---|---|---|---|---|
| 1 | Agra | Very Poor | 314 | $PM_{2.5}$ | 1 |
| 2 | Ahmedabad | Moderate | 153 | $PM_{2.5}$ | 1 |
| 3 | Ajmer | Satisfactory | 100 | $PM_{2.5}$ | 1 |
| 4 | Alwar | Satisfactory | 97 | $PM_{10}$ | 1 |
| 5 | Amaravati | Moderate | 128 | $PM_{2.5}$ | 1 |
| 6 | Ambala | Moderate | 121 | $PM_{10}$ | 1 |
| 7 | Asanol | Poor | 228 | $PM_{2.5}$ | 1 |
| 8 | Aurangabad | Satisfactory | 75 | OZONE | 1 |
| 9 | Baghpat | Poor | 250 | $PM_{2.5}$ | 1 |
| 10 | Bahadurgarh | Poor | 253 | $PM_{2.5}$ | 1 |
| 11 | Bathinda | Satisfactory | 60 | $PM_{10}$ | 1 |
| 12 | Bengaluru | Moderate | 122 | OZONE, $PM_{2.5}$, $PM_{10}$ | 9 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

\* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Jan 24, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 13 | Bhiwadi | Very Poor | 371 | $PM_{2.5}$ | 1 |
| 14 | Bhiwani | Satisfactory | 78 | $PM_{10}$ | 1 |
| 15 | Brajrajnagar | Poor | 234 | $PM_{2.5}$ | 1 |
| 16 | Bulandshahr | Poor | 292 | $PM_{2.5}$ | 1 |
| 17 | Chandrapur | Satisfactory | 93 | $PM_{2.5}$, OZONE | 2 |
| 18 | Chennai | Satisfactory | 94 | $PM_{2.5}$, OZONE | 3 |
| 19 | Chikkaballapur | Moderate | 142 | $PM_{10}$ | 1 |
| 20 | Damoh | Poor | 231 | $PM_{2.5}$ | 1 |
| 21 | Delhi | Very Poor | 311 | $PM_{2.5}$ | 34 |
| 22 | Dewas | Moderate | 149 | $PM_{2.5}$ | 1 |
| 23 | Dharuhera | Poor | 260 | $PM_{2.5}$ | 1 |
| 24 | Durgapur | Moderate | 145 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|--|--|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Jan 24, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|---|---|---|---|---|---|
| 25 | Faridabad | Poor | 296 | $PM_{2.5}$ | 1 |
| 26 | Fatehabad | Moderate | 188 | $PM_{2.5}$ | 1 |
| 27 | Ghaziabad | Poor | 289 | $PM_{2.5}$ | 1 |
| 28 | Greater_Noida | Poor | 286 | $PM_{2.5}$ | 1 |
| 29 | Gurugram | Poor | 286 | $PM_{2.5}$ | 2 |
| 30 | Haldia | Moderate | 148 | $PM_{10}$ | 1 |
| 31 | Hapur | Poor | 233 | $PM_{2.5}$ | 1 |
| 32 | Howrah | Very Poor | 344 | $PM_{2.5}$ | 2 |
| 33 | Hubballi | Moderate | 103 | $PM_{10}$ | 1 |
| 34 | Hyderabad | Moderate | 111 | $PM_{2.5}$, $PM_{10}$ | 5 |
| 35 | Jaipur | Moderate | 116 | $PM_{2.5}$, $PM_{10}$ | 3 |
| 36 | Jodhpur | Moderate | 129 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Jan 24, 2019 @ 4 PM

### *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 37 | Jorapokhar | Moderate | 168 | $PM_{10}$ | 1 |
| 38 | Kalaburgi | Moderate | 140 | $PM_{10}$ | 1 |
| 39 | Kanpur | Moderate | 200 | $PM_{2.5}$ | 1 |
| 40 | Khanna | Good | 48 | $PM_{10}$ | 1 |
| 41 | Kolkata | Very Poor | 373 | $PM_{2.5}$ | 2 |
| 42 | Kota | Moderate | 146 | $PM_{2.5}$ | 1 |
| 43 | Kurushketra | Moderate | 126 | $PM_{2.5}$ | 1 |
| 44 | Lucknow | Poor | 204 | $PM_{2.5}$ | 4 |
| 45 | Ludhiana | Satisfactory | 52 | $PM_{10}$ | 1 |
| 46 | Mandi Gobindgarh | Moderate | 114 | $NO_2$ | 1 |
| 47 | Mandideep | Moderate | 167 | $PM_{10}$ | 1 |
| 48 | Manesar | Very Poor | 318 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Jan 24, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 49 | Moradabad | Very Poor | 303 | $PM_{2.5}$ | 1 |
| 50 | Mumbai | Moderate | 134 | $PM_{10}$ | 1 |
| 51 | Muzaffarnagar | Moderate | 160 | $PM_{2.5}$ | 1 |
| 52 | Muzaffarpur | Moderate | 197 | $PM_{2.5}$ | 1 |
| 53 | Nagpur | Poor | 211 | $PM_{2.5}$ | 1 |
| 54 | Nashik | Satisfactory | 73 | $PM_{10}$ | 1 |
| 55 | Navi Mumbai | Moderate | 112 | CO | 1 |
| 56 | Noida | Poor | 292 | $PM_{2.5}$ | 2 |
| 57 | Pali | Moderate | 117 | $PM_{2.5}$ | 1 |
| 58 | Palwal | Poor | 264 | $PM_{2.5}$ | 1 |
| 59 | Panchkula | Good | 46 | OZONE | 1 |
| 60 | Panipat | Moderate | 122 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Jan 24, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 61 | Patiala | Satisfactory | 62 | $PM_{10}$ | 1 |
| 62 | Patna | Poor | 244 | $PM_{2.5}$ | 1 |
| 63 | Pithampur | Moderate | 140 | $PM_{10}$ | 1 |
| 64 | Pune | Moderate | 105 | $PM_{2.5}$ | 1 |
| 65 | Ratlam | Moderate | 157 | $PM_{2.5}$ | 1 |
| 66 | Rohtak | Satisfactory | 77 | $PM_{2.5}$ | 1 |
| 67 | Rupnagar | Moderate | 127 | $PM_{10}$ | 1 |
| 68 | Satna | Satisfactory | 99 | CO | 1 |
| 69 | Siliguri | Moderate | 151 | $PM_{10}$ | 1 |
| 70 | Singrauli | Very Poor | 322 | $PM_{2.5}$ | 1 |
| 71 | Solapur | Moderate | 160 | $PM_{10}$ | 1 |
| 72 | Sonipat | Poor | 231 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Jan 24, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 73 | Talcher | Moderate | 176 | $PM_{10}$ | 1 |
| 74 | Thane | Moderate | 116 | $PM_{10}$ | 1 |
| 75 | Thiruvananthapuram | Moderate | 172 | $PM_{2.5}$ | 1 |
| 76 | Tirupati | Satisfactory | 76 | $NO_2$ | 1 |
| 77 | Udaipur | Moderate | 154 | $PM_{10}$ | 1 |
| 78 | Ujjain | Moderate | 140 | $PM_{2.5}$ | 1 |
| 79 | Varanasi | Poor | 207 | $PM_{2.5}$ | 1 |
| 80 | Vijayawada | Satisfactory | 68 | $PM_{10}$ | 1 |
| 81 | Yamunanagar | Moderate | 153 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Jalandhar, Rajamahendravaram, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.