

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	90	PM _{2.5}	1
2	Agra	Moderate	125	PM ₁₀	6
3	Ahmedabad	Satisfactory	80	PM ₁₀	5
4	Aizawl	Good	42	PM ₁₀	1
5	Ajmer	Satisfactory	65	PM ₁₀	1
6	Alwar	Moderate	127	PM _{2.5}	1
7	Amaravati	Good	34	O ₃	1
8	Ambala	Satisfactory	53	PM ₁₀	1
9	Amravati	Satisfactory	70	PM ₁₀	2
10	Amritsar	Moderate	107	PM ₁₀	1
11	Anantapur	Good	48	PM ₁₀	1
12	Ankleshwar	Moderate	124	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Satisfactory	78	PM ₁₀	1
14	Ariyalur	Good	32	PM ₁₀	1
15	Arrah	Moderate	136	PM ₁₀	1
16	Asansol	Moderate	110	PM ₁₀	1
17	Aurangabad (Bihar)	Moderate	162	PM ₁₀	1
18	Aurangabad (Maharashtra)	Satisfactory	59	PM ₁₀	1
19	Baddi	Moderate	178	O ₃	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Moderate	194	03	1
22	Bahadurgarh	Moderate	134	PM ₁₀	1
23	Ballabgarh	Moderate	149	PM _{2.5}	1
24	Banswara	Satisfactory	80	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, hinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used

to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	94	PM ₁₀	2
26	Baripada	Satisfactory	98	PM ₁₀	1
27	Barmer	Satisfactory	81	PM ₁₀	1
28	Begusarai	Moderate	183	PM ₁₀	1
29	Belgaum	Good	47	со	1
30	Bengaluru	Good	39	CO, O ₃	11
31	Bettiah	Moderate	146	PM ₁₀	1
32	Bharatpur	Poor	212	PM ₁₀	1
33	Bhilai	Good	44	O ₃	2
34	Bhilwara	Satisfactory	65	PM ₁₀	1
35	Bhiwadi	Moderate	154	PM _{2.5}	1
36	Bhiwani	Moderate	147	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	65	PM ₁₀	3
38	Bihar Sharif	Moderate	121	PM ₁₀	1
39	Bikaner	Moderate	120	PM ₁₀	1
40	Bilaspur	Satisfactory	64	PM ₁₀	1
41	Bileipada	Moderate	192	PM ₁₀	1
42	Bulandshahr	Moderate	125	PM ₁₀	1
43	Bundi	Satisfactory	85	03	1
44	Byrnihat	Good	49	03	1
45	Chamarajanagar	Good	46	PM ₁₀	1
46	Chandigarh	Moderate	152	O ₃ , PM ₁₀	3
47	Chandrapur	Moderate	106	PM ₁₀	1
48	Charkhi Dadri	Poor	229	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Chha Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dha

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	54	NO ₂	7
50	Chikkaballapur	Good	35	PM ₁₀	1
51	Chittoor	Good	44	03	1
52	Chittorgarh	Satisfactory	60	03	1
53	Churu	Poor	236	PM ₁₀	1
54	Damoh	Good	18	PM ₁₀	1
55	Dausa	Moderate	196	PM ₁₀	1
56	Davanagere	Good	26	PM _{2.5}	1
57	Dehradun	Satisfactory	71	PM ₁₀	1
58	Delhi	Moderate	169	PM ₁₀ , PM _{2.5}	29
59	Dewas	Satisfactory	82	PM ₁₀	1
60	Dhanbad	Moderate	150	СО	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Moderate	147	PM ₁₀	1
62	Dindigul	Good	32	03	1
63	Durgapur	Satisfactory	97	PM ₁₀	1
64	Faridabad	Moderate	131	PM _{2.5}	4
65	Firozabad	Moderate	140	PM ₁₀	2
66	Gadag	Good	47	SO ₂	1
67	Gandhinagar	Satisfactory	71	PM _{2.5} , PM ₁₀	3
68	Gangtok	Good	45	SO ₂	1
69	Gaya	Moderate	105	PM ₁₀ , PM _{2.5}	3
70	Ghaziabad	Moderate	154	PM ₁₀	4
71	Greater Noida	Moderate	168	PM ₁₀	2
72	Gummidipoondi	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

ninda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Moderate	193	PM _{2.5}	3
74	Guwahati	Good	45	O ₃ , SO ₂	3
75	Gwalior	Moderate	103	PM ₁₀ , PM _{2.5}	4
76	Hajipur	Moderate	118	PM ₁₀	1
77	Hanumangarh	Poor	258	PM ₁₀	1
78	Hapur	Moderate	101	O ₃	1
79	Hassan	Good	49	PM ₁₀	1
80	Hisar	Satisfactory	78	PM _{2.5}	1
81	Hosur	Good	37	PM ₁₀	1
82	Howrah	Satisfactory	60	PM ₁₀	3
83	Hubballi	Good	49	со	1
84	Hyderabad	Satisfactory	56	PM ₁₀ , NO ₂	10

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

hinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Good	48	PM ₁₀	2
86	Jabalpur	Moderate	102	PM ₁₀	1
87	Jaipur	Moderate	133	PM ₁₀	5
88	Jaisalmer	Satisfactory	73	PM ₁₀	1
89	Jalandhar	Satisfactory	64	PM ₁₀	1
90	Jhalawar	Satisfactory	62	O ₃	1
91	Jhansi	Satisfactory	55	SO ₂	1
92	Jhunjhunu	Poor	234	PM ₁₀	1
93	Jind	Moderate	106	СО	1
94	Jodhpur	Satisfactory	74	O ₃	5
95	Kadapa	Good	30	03	1
96	Kaithal	Satisfactory	77	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available. # Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	64	PM ₁₀	1
98	Kanchipuram	Good	28	PM ₁₀	1
99	Kannur	Satisfactory	77	PM ₁₀	1
100	Kanpur	Moderate	156	PM ₁₀	3
101	Karauli	Satisfactory	81	03	1
102	Karnal	Satisfactory	53	PM _{2.5}	1
103	Katihar	Poor	216	O ₃	1
104	Katni	Moderate	126	PM ₁₀	1
105	Keonjhar	Moderate	111	PM ₁₀	1
106	Khanna	Satisfactory	71	PM ₁₀	1
107	Kochi	Satisfactory	70	со	1
108	Kohima	Good	40	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Good	50	PM ₁₀	1
110	Kolkata	Satisfactory	61	PM ₁₀	7
111	Kollam	Satisfactory	78	PM ₁₀	1
112	Korba	Satisfactory	95	PM ₁₀	2
113	Kota	Satisfactory	84	PM ₁₀ , PM _{2.5}	3
114	Kurukshetra	Moderate	111	O ₃	1
115	Latur	Satisfactory	52	PM ₁₀	1
116	Lucknow	Moderate	176	PM _{2.5}	6
117	Ludhiana	Satisfactory	98	PM ₁₀	1
118	Madikeri	Good	21	PM ₁₀	1
119	Maihar	Good	48	PM ₁₀	1
120	Mandi Gobindgarh	Moderate	129	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Satisfactory	76	O ₃	1
122	Mandikhera	Moderate	106	PM ₁₀	1
123	Manesar	Moderate	143	PM ₁₀	1
124	Mangalore	Good	41	PM _{2.5}	1
125	Manguraha	Moderate	106	03	1
126	Meerut	Moderate	194	O ₃	2
127	Milupara	Satisfactory	54	PM ₁₀	1
128	Moradabad	Satisfactory	96	PM ₁₀	6
129	Motihari	Moderate	125	PM ₁₀	1
130	Mumbai	Satisfactory	90	PM ₁₀ , CO	16
131	Munger	Moderate	182	PM ₁₀	1
132	Muzaffarnagar	Moderate	113	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarpur	Moderate	182	PM ₁₀ , O ₃	3
134	Mysuru	Good	49	03	1
135	Nagaon	Satisfactory	55	03	1
136	Nagaur	Satisfactory	81	PM ₁₀	1
137	Nagpur	Satisfactory	61	PM ₁₀	1
138	Nalbari	Good	31	PM ₁₀	1
139	Narnaul	Moderate	190	PM _{2.5}	1
140	Nashik	Satisfactory	100	PM ₁₀	2
141	Nayagarh	Moderate	163	PM ₁₀	1
142	Noida	Moderate	200	NO ₂	3
143	Ooty	Good	50	SO ₂	1
144	Pali	Satisfactory	96	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur,

Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Palkalaiperur	Satisfactory	62	SO ₂	1
146	Palwal	Satisfactory	97	PM ₁₀	1
147	Panipat	Satisfactory	95	PM ₁₀	1
148	Patiala	Satisfactory	81	03	1
149	Patna	Moderate	166	PM _{2.5}	6
150	Pimpri Chinchwad	Satisfactory	62	PM ₁₀	2
151	Pithampur	Satisfactory	86	PM ₁₀	1
152	Pratapgarh	Moderate	170	PM ₁₀	1
153	Prayagraj	Satisfactory	89	PM ₁₀	3
154	Puducherry	Satisfactory	52	O ₃	1
155	Pune	Moderate	107	NO ₂	3
156	Purnia	Satisfactory	75	СО	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

- Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Raichur	Satisfactory	58	O ₃	1
158	Raipur	Satisfactory	69	PM ₁₀ , NO ₂	4
159	Rajamahendravaram	Satisfactory	59	PM ₁₀	1
160	Rajgir	Moderate	102	PM ₁₀	1
161	Rajsamand	Good	50	PM ₁₀	1
162	Ramanagara	Good	41	O ₃	1
163	Ratlam	Satisfactory	60	PM ₁₀	1
164	Rishikesh	Satisfactory	52	PM ₁₀	1
165	Rohtak	Satisfactory	70	PM _{2.5}	1
166	Rourkela	Moderate	145	PM ₁₀	3
167	Sagar	Satisfactory	82	O ₃	1
168	Saharsa	Moderate	115	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Moderate	155	NO ₂	1
170	Satna	Moderate	123	PM ₁₀	1
171	Sawai Madhopur	Satisfactory	74	PM ₁₀	1
172	Shillong	Good	26	SO ₂	1
173	Shivamogga	Satisfactory	58	O ₃	1
174	Sikar	Moderate	151	PM ₁₀	1
175	Siliguri	Good	40	O ₃	1
176	Singrauli	Moderate	116	PM ₁₀	1
177	Sirohi	Satisfactory	75	O ₃	1
178	Sirsa	Moderate	137	PM ₁₀	1
179	Sivasagar	Good	12	NO ₂	1
180	Siwan	Moderate	191	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, - Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Solapur	Satisfactory	89	PM ₁₀	2
182	Sonipat	Moderate	157	PM ₁₀	1
183	Sri Ganganagar	Poor	219	PM ₁₀	1
184	Srinagar	Satisfactory	79	PM ₁₀	1
185	Suakati	Moderate	113	PM ₁₀	1
186	Surat	Satisfactory	84	PM ₁₀	1
187	Thiruvananthapuram	Good	32	со	2
188	Thoothukudi	Good	44	PM ₁₀	1
189	Thrissur	Satisfactory	52	PM _{2.5}	1
190	Tirupati	Good	48	NO ₂	1
191	Tirupur	Good	28	PM ₁₀	1
192	Tonk	Moderate	113	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, hinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai,

Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tumakuru	Satisfactory	98	PM ₁₀	1
194	Tumidih	Moderate	134	PM _{2.5}	1
195	Udaipur	Satisfactory	78	PM ₁₀	1
196	Ujjain	Satisfactory	72	03	1
197	Vapi	Satisfactory	58	со	1
198	Varanasi	Satisfactory	93	PM ₁₀	3
199	Vatva	Satisfactory	76	PM ₁₀	1
200	Vijayapura	Good	49	PM ₁₀	1
201	Vijayawada	Good	46	O ₃	1
202	Visakhapatnam	Moderate	130	PM ₁₀	1
203	Vrindavan	Moderate	185	PM ₁₀	1
204	Yadgir	Good	29	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Baran, - Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Ch

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yamunanagar	Satisfactory	68	PM ₁₀	1

 * AQI is not calculated for today's bulletin for Ahmednagar, Baran,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Bathinda, Bhagalpur, Bidar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra, Chikkamagaluru, Coimbatore, Cuddalore, Darbhanga, Dharuhera, Dharwad, Eloor, Ernakulam, Fatehabad, Gorakhpur, Haldia, Haveri, Imphal, Jalgaon, Jorapokhar, Kalaburgi, Kashipur, Khurja, Kishanganj, Kolar, Koppal, Kozhikode, Kunjemura, Naharlagun, Nandesari, Navi Mumbai, Panchkula, Rairangpur, Ramanathapuram, Rupnagar, Salem, Samastipur, Silchar, Talcher, Tensa, Thane, Udupi, vellore as data was not available.

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.