



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	316	PM _{2.5}	2
2	Agra	Good	47	PM ₁₀	6
3	Ahmedabad	Moderate	168	PM _{2.5}	7
4	Aizawl	Moderate	130	PM ₁₀	1
5	Ajmer	Moderate	126	PM _{2.5}	1
6	Alwar	Moderate	101	PM ₁₀	1
7	Amaravati	Satisfactory	62	PM ₁₀	1
8	Ambala	Moderate	141	PM _{2.5}	1
9	Amritsar	Moderate	180	PM _{2.5}	1
10	Anantapur	Moderate	160	O ₃	1
11	Ankleshwar	Moderate	187	PM _{2.5}	1
12	Araria	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	60	NO ₂	1
14	Arrah	Very Poor	306	PM _{2.5}	1
15	Asansol	Poor	289	PM _{2.5}	1
16	Aurangabad (Bihar)	Poor	211	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Moderate	176	PM _{2.5}	1
18	Baddi	Poor	218	PM _{2.5}	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Bahadurgarh	Moderate	110	PM ₁₀	1
21	Ballabgarh	Moderate	107	PM ₁₀	1
22	Bareilly	Satisfactory	100	PM ₁₀	2
23	Baripada	Moderate	140	O ₃	1
24	Bathinda	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpatt, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	410	PM _{2.5}	1
26	Belgaum	Satisfactory	51	PM ₁₀	1
27	Bengaluru	Satisfactory	87	PM ₁₀	11
28	Bettiah	Very Poor	362	PM _{2.5}	1
29	Bhagalpur	Very Poor	344	PM _{2.5}	2
30	Bharatpur	Moderate	132	PM ₁₀	1
31	Bhilai	Satisfactory	74	PM ₁₀	2
32	Bhiwadi	Moderate	153	PM ₁₀	1
33	Bhiwani	Moderate	116	PM ₁₀	1
34	Bhopal	Moderate	129	PM ₁₀ , O ₃	2
35	Bidar	Satisfactory	86	PM ₁₀	1
36	Bihar Sharif	Moderate	161	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	66	CO	1
38	Bileipada	Moderate	184	PM ₁₀	1
39	Brajrajnagar	Satisfactory	99	PM ₁₀	1
40	Bulandshahr	Moderate	117	PM ₁₀	1
41	Byrnihat	Severe	424	PM ₁₀	1
42	Chamarajanagar	Good	40	PM ₁₀	1
43	Chandigarh	Poor	268	PM _{2.5}	3
44	Chandrapur	Poor	207	PM _{2.5}	1
45	Charkhi Dadri	Moderate	133	PM ₁₀	1
46	Chennai	Satisfactory	97	PM _{2.5} , PM ₁₀	6
47	Chhapra	Very Poor	328	PM ₁₀	1
48	Chikkaballapur	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	60	PM ₁₀	1
50	Chittoor	Satisfactory	65	PM _{2.5}	1
51	Damoh	Satisfactory	52	PM ₁₀	1
52	Dehradun	Moderate	114	PM ₁₀	1
53	Delhi	Poor	245	PM _{2.5}	38
54	Dewas	Moderate	157	PM ₁₀	1
55	Dindigul	Very Poor	321	NO ₂	1
56	Durgapur	Poor	278	PM _{2.5}	1
57	Eloor	Satisfactory	77	PM ₁₀	1
58	Faridabad	Moderate	194	PM _{2.5}	4
59	Fatehabad	Moderate	192	PM _{2.5}	1
60	Firozabad	Satisfactory	74	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	64	O ₃	1
62	Gandhinagar	Poor	225	PM _{2.5} , PM ₁₀	3
63	Gangtok	Satisfactory	86	PM _{2.5}	1
64	Gaya	Poor	221	PM _{2.5}	3
65	Ghaziabad	Poor	208	PM _{2.5} , O ₃	4
66	Gorakhpur	Moderate	107	PM ₁₀	1
67	Greater Noida	Moderate	178	PM ₁₀	2
68	Gummidipoondi	Moderate	114	PM _{2.5}	1
69	Gurugram	Poor	248	PM _{2.5}	3
70	Guwahati	Very Poor	341	PM _{2.5}	4
71	Gwalior	Moderate	128	PM ₁₀	3
72	Hajipur	Poor	246	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haldia	Satisfactory	63	PM ₁₀	1
74	Hapur	Satisfactory	72	O ₃	1
75	Hisar	Moderate	187	PM ₁₀	1
76	Howrah	Satisfactory	91	PM ₁₀	3
77	Hubballi	Moderate	128	PM ₁₀	2
78	Hyderabad	Satisfactory	100	PM _{2.5} , PM ₁₀	14
79	Imphal	Moderate	148	PM _{2.5} , SO ₂	2
80	Indore	Moderate	111	PM ₁₀	1
81	Jabalpur	Moderate	152	PM ₁₀	1
82	Jaipur	Moderate	108	PM ₁₀	3
83	Jalandhar	Moderate	173	PM _{2.5}	1
84	Jhansi	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jind	Moderate	165	PM _{2.5}	1
86	Jodhpur	Moderate	101	PM ₁₀	2
87	Jorapokhar	Moderate	173	PM ₁₀	1
88	Kadapa	Moderate	154	PM _{2.5}	1
89	Kaithal	Poor	266	PM _{2.5}	1
90	Kalaburgi	Moderate	128	PM _{2.5}	1
91	Kalyan	Moderate	179	PM ₁₀	1
92	Kanchipuram	Satisfactory	65	PM ₁₀	1
93	Kannur	Satisfactory	64	PM _{2.5}	1
94	Kanpur	Moderate	108	PM ₁₀ , PM _{2.5}	3
95	Karnal	Moderate	127	PM ₁₀	1
96	Kashipur	Moderate	135	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katihar	Very Poor	320	PM ₁₀	1
98	Keonjhar	Moderate	199	PM _{2.5}	1
99	Khanna	Moderate	125	PM ₁₀	1
100	Khurja	Satisfactory	90	PM _{2.5}	1
101	Kishanganj	Poor	273	PM _{2.5}	1
102	Kohima	Moderate	198	PM _{2.5}	1
103	Kolkata	Satisfactory	77	PM ₁₀ , PM _{2.5}	7
104	Kollam	Satisfactory	71	PM ₁₀	1
105	Koppal	Satisfactory	71	CO	1
106	Korba	Moderate	126	PM _{2.5} , PM ₁₀	2
107	Kota	Moderate	123	O ₃	3
108	Kozhikode	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Poor	297	PM _{2.5}	1
110	Lucknow	Moderate	145	PM _{2.5}	6
111	Ludhiana	Poor	275	PM _{2.5}	1
112	Madikeri	Good	44	PM ₁₀	1
113	Maihar	Good	42	PM ₁₀	1
114	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
115	Mandideep	Poor	285	PM ₁₀	1
116	Mandikhera	Satisfactory	97	PM ₁₀	1
117	Manesar	Moderate	121	PM ₁₀	1
118	Mangalore	Moderate	124	PM ₁₀	1
119	Meerut	Poor	299	PM _{2.5}	3
120	Moradabad	Satisfactory	99	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Poor	201	PM _{2.5} , PM ₁₀	18
122	Munger	Very Poor	324	PM _{2.5}	1
123	Muzaffarnagar	Poor	256	PM _{2.5}	1
124	Muzaffarpur	Very Poor	334	PM _{2.5}	2
125	Mysuru	Satisfactory	57	PM ₁₀	1
126	Nagaon	Very Poor	386	PM _{2.5}	1
127	Nagpur	Poor	221	PM _{2.5}	1
128	Naharlagun	Satisfactory	65	PM _{2.5}	1
129	Nalbari	Very Poor	341	PM _{2.5}	1
130	Nandesari	Good	34	PM _{2.5}	1
131	Narnaul	Satisfactory	97	PM ₁₀	1
132	Nashik	Satisfactory	79	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Navi Mumbai	Very Poor	309	PM _{2.5}	3
134	Nayagarh	Poor	239	PM ₁₀	1
135	Noida	Moderate	199	PM _{2.5}	4
136	Ooty	Satisfactory	89	PM _{2.5}	1
137	Pali	Satisfactory	83	PM ₁₀	1
138	Palwal	Satisfactory	75	PM ₁₀	1
139	Panchkula	Moderate	113	PM _{2.5}	1
140	Panipat	Poor	206	PM ₁₀	1
141	Patiala	Moderate	135	PM ₁₀	1
142	Patna	Very Poor	302	PM ₁₀ , PM _{2.5}	5
143	Pithampur	Moderate	140	PM ₁₀	1
144	Prayagraj	Satisfactory	98	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	54	PM _{2.5}	1
146	Pune	Moderate	126	PM _{2.5}	3
147	Purnia	Poor	213	PM _{2.5}	1
148	Raichur	Moderate	112	PM ₁₀	1
149	Raipur	Moderate	106	PM _{2.5} , PM ₁₀	4
150	Rairangpur	Moderate	187	PM _{2.5}	1
151	Rajamahendravaram	Satisfactory	55	PM ₁₀	1
152	Rajgir	Very Poor	314	PM _{2.5}	1
153	Ramanagara	Satisfactory	94	PM ₁₀	1
154	Ramanathapuram	Good	44	PM ₁₀	1
155	Ratlam	Moderate	132	PM ₁₀	1
156	Rishikesh	Satisfactory	86	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katri, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Moderate	121	PM _{2.5}	1
158	Rourkela	Moderate	178	PM ₁₀	3
159	Rupnagar	Moderate	199	PM ₁₀	1
160	Sagar	Satisfactory	66	CO	2
161	Saharsa	Very Poor	370	PM _{2.5}	1
162	Salem	Moderate	101	SO ₂	1
163	Samastipur	Very Poor	374	PM ₁₀	1
164	Sasaram	Moderate	194	PM _{2.5}	1
165	Satna	Moderate	120	PM ₁₀	1
166	Shillong	Poor	215	PM _{2.5}	1
167	Shivamogga	Good	41	O ₃	1
168	Siliguri	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Singrauli	Poor	217	PM ₁₀	1
170	Sirsa	Moderate	117	PM ₁₀	1
171	Sivasagar	Satisfactory	71	PM _{2.5}	1
172	Siwan	Very Poor	345	PM _{2.5}	1
173	Solapur	Moderate	128	PM ₁₀	1
174	Sonipat	Poor	229	PM ₁₀	1
175	Srinagar	Good	33	PM ₁₀	1
176	Suakati	Moderate	147	PM _{2.5}	1
177	Surat	Poor	270	PM _{2.5}	1
178	Talcher	Poor	216	PM _{2.5}	1
179	Tensa	Moderate	106	PM ₁₀	1
180	Thane	Poor	278	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thiruvananthapuram	Satisfactory	58	PM ₁₀ , PM _{2.5}	2
182	Thoothukudi	Good	31	PM ₁₀	1
183	Thrissur	Moderate	151	PM _{2.5}	1
184	Tirupati	Satisfactory	100	PM _{2.5}	1
185	Tirupur	Satisfactory	68	PM ₁₀	1
186	Udaipur	Satisfactory	99	PM ₁₀	1
187	Udupi	Moderate	105	CO	1
188	Ujjain	Moderate	122	PM ₁₀	1
189	Vapi	Very Poor	303	PM _{2.5}	1
190	Varanasi	Satisfactory	71	PM ₁₀	4
191	Vatva	Poor	224	PM _{2.5}	1
192	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 21, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vijayawada	Moderate	199	O ₃	1
194	Visakhapatnam	Satisfactory	95	PM ₁₀	1
195	Vrindavan	Moderate	135	PM ₁₀	1
196	Yadgir	Satisfactory	83	PM ₁₀	1
197	Yamunanagar	Poor	261	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Baghpat, Bikaner, Buxar, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Ernakulam, Hassan, Haveri, Hosur, Katni, Kochi, Kolar, Kunjemura, Manguraha, Milupara, Motihari, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.