

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	38	PM ₁₀ , O ₃ , PM _{2.5}	5
2	Ahmedabad	Satisfactory	79	O ₃ , PM _{2.5} , PM ₁₀	9
3	Aizawl	Good	19	SO ₂	1
4	Ajmer	Satisfactory	84	PM ₁₀	1
5	Alwar	Satisfactory	79	PM ₁₀	1
6	Amaravati	Good	46	03	1
7	Ambala	Moderate	151	PM _{2.5}	1
8	Amritsar	Satisfactory	73	PM ₁₀	1
9	Ankleshwar	Satisfactory	87	PM ₁₀	1
10	Asansol	Satisfactory	58	PM _{2.5}	1
11	Aurangabad	Satisfactory	77	PM ₁₀	1
12	Bagalkot	Good	41	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	97	PM ₁₀	1
14	Bahadurgarh	Satisfactory	66	PM ₁₀	1
15	Ballabgarh	Satisfactory	82	PM ₁₀	1
16	Bathinda	Good	35	PM ₁₀	1
17	Bengaluru	Satisfactory	53	CO, PM ₁₀ , NO ₂	9
18	Bettiah	Good	18	NO ₂	1
19	Bhiwadi	Moderate	124	PM ₁₀	1
20	Bhiwani	Satisfactory	93	PM ₁₀	1
21	Bhopal	Satisfactory	74	PM ₁₀	1
22	Bidar	Satisfactory	94	SO ₂	1
23	Bihar Sharif	Moderate	105	PM ₁₀	1
24	Bulandshahr	Satisfactory	80	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	41	PM ₁₀	1
26	Chandigarh	Moderate	112	O ₃ , PM ₁₀	2
27	Chandrapur	Satisfactory	74	PM ₁₀	1
28	Charkhi Dadri	Satisfactory	100	PM _{2.5}	1
29	Chennai	Satisfactory	51	CO, PM ₁₀ , O ₃	7
30	Chikkaballapur	Good	32	NO ₂	1
31	Chikkamagaluru	Good	32	PM ₁₀	1
32	Damoh	Good	19	PM ₁₀	1
33	Darbhanga	Moderate	178	PM ₁₀	1
34	Davanagere	Good	20	PM ₁₀	1
35	Delhi	Moderate	101	PM ₁₀	35
36	Dewas	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Moderate	121	PM ₁₀	1
38	Eloor	Satisfactory	82	СО	1
39	Ernakulam	Good	32	со	1
40	Faridabad	Satisfactory	88	PM ₁₀ , O ₃	3
41	Fatehabad	Satisfactory	84	PM ₁₀	1
42	Gadag	Good	26	SO ₂	1
43	Gandhinagar	Satisfactory	68	PM _{2.5} , PM ₁₀	2
44	Gaya	Satisfactory	71	03	2
45	Ghaziabad	Moderate	114	PM ₁₀ , CO	4
46	Gorakhpur	Good	17	со	1
47	Greater Noida	Satisfactory	95	PM ₁₀	1
48	Gurugram	Satisfactory	91	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Satisfactory	56	SO ₂ , PM _{2.5}	2
50	Gwalior	Satisfactory	54	PM ₁₀ , O ₃	2
51	Hajipur	Satisfactory	65	СО	1
52	Haldia	Good	50	PM ₁₀	1
53	Hapur	Satisfactory	65	PM ₁₀	1
54	Hassan	Satisfactory	65	PM ₁₀	1
55	Howrah	Satisfactory	60	PM ₁₀	3
56	Hubballi	Satisfactory	63	PM ₁₀	1
57	Hyderabad	Satisfactory	62	PM ₁₀ , PM _{2.5}	6
58	Indore	Satisfactory	87	PM ₁₀	1
59	Jabalpur	Satisfactory	80	PM ₁₀	1
60	Jaipur	Satisfactory	70	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	86	PM ₁₀	1
62	Jind	Satisfactory	90	PM ₁₀	1
63	Jodhpur	Moderate	101	PM ₁₀	1
64	Kaithal	Satisfactory	78	PM ₁₀	1
65	Kalaburgi	Satisfactory	54	PM ₁₀	1
66	Kannur	Good	47	PM ₁₀	1
67	Kanpur	Good	37	NO ₂ , O ₃ , PM ₁₀	3
68	Katni	Good	43	O ₃	1
69	Khanna	Satisfactory	62	PM ₁₀	1
70	Kochi	Good	45	PM ₁₀	1
71	Kohima	Good	37	PM ₁₀	1
72	Kolar	Good	29	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Satisfactory	67	O ₃ , PM _{2.5} , PM ₁₀	7
74	Kollam	Satisfactory	90	СО	1
75	Koppal	Good	36	со	1
76	Kota	Satisfactory	69	PM _{2.5}	1
77	Kozhikode	Good	33	со	1
78	Kurukshetra	Satisfactory	94	PM _{2.5}	1
79	Lucknow	Satisfactory	52	PM ₁₀ , CO, PM _{2.5}	5
80	Ludhiana	Satisfactory	60	PM ₁₀	1
81	Maihar	Good	24	PM _{2.5}	1
82	Mandi Gobindgarh	Moderate	144	PM _{2.5}	1
83	Mandideep	Satisfactory	54	PM ₁₀	1
84	Mandikhera	Satisfactory	51	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Moderate	119	PM _{2.5}	1
86	Medikeri	Good	29	O ₃	1
87	Meerut	Moderate	113	O ₃ , PM ₁₀	3
88	Moradabad	Satisfactory	92	PM _{2.5}	1
89	Motihari	Good	44	PM ₁₀	1
90	Mumbai	Satisfactory	68	O ₃ , CO, PM ₁₀	18
91	Muzaffarnagar	Moderate	101	PM ₁₀	1
92	Muzaffarpur	Good	45	O ₃ , CO, PM ₁₀	3
93	Mysuru	Good	29	СО	1
94	Nagpur	Satisfactory	65	СО	1
95	Narnaul	Satisfactory	51	PM _{2.5}	1
96	Nashik	Good	43	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Satisfactory	64	PM ₁₀ , CO	3
98	Noida	Satisfactory	99	PM ₁₀	3
99	Pali	Moderate	103	PM ₁₀	1
100	Palwal	Satisfactory	60	PM ₁₀	1
101	Panchkula	Satisfactory	72	PM _{2.5}	1
102	Patiala	Satisfactory	58	PM ₁₀	1
103	Patna	Satisfactory	53	CO, O ₃ , PM ₁₀	5
104	Pithampur	Satisfactory	78	PM _{2.5}	1
105	Prayagraj	Good	20	со	2
106	Puducherry	Satisfactory	52	O ₃	1
107	Pune	Satisfactory	64	PM _{2.5} , CO	7
108	Rajamahendravaram	Satisfactory	57	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	34	PM ₁₀	1
110	Ratlam	Satisfactory	73	PM ₁₀	1
111	Rohtak	Satisfactory	82	PM _{2.5}	1
112	Sagar	Good	24	NO ₂	1
113	Satna	Good	48	PM ₁₀	1
114	Shivamogga	Good	38	PM ₁₀	1
115	Siliguri	Satisfactory	58	PM ₁₀	1
116	Singrauli	Good	45	СО	1
117	Sirsa	Satisfactory	96	PM ₁₀	1
118	Sonipat	Poor	202	PM ₁₀	1
119	Srinagar	Satisfactory	69	PM ₁₀	1
120	Talcher	Satisfactory	84	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	42	CO, PM ₁₀	2
122	Thoothukudi	Good	37	PM ₁₀	1
123	Thrissur	Satisfactory	84	SO ₂	1
124	Tirupati	Good	38	со	1
125	Udaipur	Moderate	106	PM ₁₀	1
126	Udupi	Satisfactory	99	со	1
127	Ujjain	Moderate	103	PM ₁₀	1
128	Vapi	Satisfactory	70	PM ₁₀	1
129	Varanasi	Good	31	O ₃ , NO ₂ , CO	4
130	Vatva	Moderate	112	PM ₁₀	1
131	Visakhapatnam	Satisfactory	95	PM ₁₀	1
132	Vrindavan	Good	42	PM ₁₀	1

Possible Health Impacts

Minimal Impact

Good	Willima impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agartala, Brajrajnagar, Coimbatore, Dharuhera, Firozabad, Gummidipoondi, Hisar, Jorapokhar, Kalyan, Karnal, Manglore, Naharlagun, Nandesari, Panipat, Raichur, Rupnagar, Shillong, Solapur, Thane, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.