

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	83	PM ₁₀	1
2	Agra	Severe	486	PM _{2.5}	5
3	Ahmedabad	Moderate	128	PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	14	со	1
5	Ajmer	Satisfactory	99	PM _{2.5}	1
6	Alwar	Poor	236	PM _{2.5}	1
7	Amaravati	Moderate	141	PM _{2.5}	1
8	Ambala	Very Poor	366	PM _{2.5}	1
9	Amritsar	Moderate	174	PM _{2.5}	1
10	Ankleshwar	Poor	262	PM _{2.5}	1
11	Asansol	Moderate	188	03	1
12	Aurangabad	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	71	PM _{2.5}	1
14	Baghpat	Severe	427	PM _{2.5}	1
15	Bahadurgarh	Very Poor	338	PM _{2.5}	1
16	Ballabgarh	Severe	431	PM ₁₀	1
17	Bathinda	Moderate	172	PM _{2.5}	1
18	Bengaluru	Moderate	101	PM _{2.5} , PM ₁₀ , CO	7
19	Bhiwadi	Severe	409	PM _{2.5}	1
20	Bhiwani	Very Poor	355	PM _{2.5}	1
21	Bhopal	Poor	257	PM _{2.5}	1
22	Bidar	Satisfactory	82	PM ₁₀	1
23	Bilaspur	Satisfactory	76	со	1
24	Brajrajnagar	Moderate	166	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Very Poor	397	PM _{2.5}	1
26	Chamarajanagar	Satisfactory	56	PM ₁₀	1
27	Chandigarh	Moderate	122	PM _{2.5} , PM ₁₀	2
28	Chandrapur	Moderate	163	O ₃ , PM ₁₀	2
29	Charkhi Dadri	Very Poor	374	PM _{2.5}	1
30	Chennai	Satisfactory	93	PM _{2.5} , PM ₁₀ , CO	5
31	Chikkaballapur	Moderate	119	PM _{2.5}	1
32	Chikkamagaluru	Satisfactory	54	PM _{2.5}	1
33	Coimbatore	Moderate	166	СО	1
34	Delhi	Very Poor	390	PM _{2.5} , PM ₁₀	37
35	Dewas	Satisfactory	92	PM ₁₀	1
36	Dharuhera	Very Poor	326	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Durgapur	Poor	264	PM _{2.5}	1
38	Eloor	Good	48	со	1
39	Ernakulam	Satisfactory	52	PM ₁₀	1
40	Faridabad	Very Poor	360	PM _{2.5} , PM ₁₀	4
41	Fatehabad	Very Poor	330	PM _{2.5}	1
42	Gandhinagar	Moderate	132	PM _{2.5} , PM ₁₀	3
43	Gaya	Moderate	130	PM _{2.5}	1
44	Ghaziabad	Severe	437	PM _{2.5}	4
45	Gorakhpur	Very Poor	345	PM _{2.5}	1
46	Greater Noida	Very Poor	328	PM _{2.5}	2
47	Gurugram	Very Poor	369	PM _{2.5}	4
48	Guwahati	Moderate	103	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Very Poor	308	PM _{2.5}	1
50	Hajipur	Very Poor	302	PM _{2.5}	1
51	Haldia	Moderate	118	PM ₁₀	1
52	Hapur	Severe	414	PM _{2.5}	1
53	Hassan	Satisfactory	68	PM _{2.5}	1
54	Hisar	Very Poor	379	PM _{2.5}	1
55	Howrah	Moderate	185	PM _{2.5}	3
56	Hubballi	Moderate	114	PM _{2.5}	1
57	Hyderabad	Moderate	134	PM _{2.5} , PM ₁₀	6
58	Indore	Moderate	179	PM _{2.5}	1
59	Jabalpur	Moderate	199	PM ₁₀	1
60	Jaipur	Poor	251	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Poor	244	PM _{2.5}	1
62	Jind	Severe	401	PM _{2.5}	1
63	Jodhpur	Poor	222	PM _{2.5}	1
64	Kaithal	Very Poor	380	PM _{2.5}	1
65	Kalaburgi	Moderate	115	PM _{2.5}	1
66	Kalyan	Moderate	190	PM _{2.5}	1
67	Kannur	Satisfactory	59	PM _{2.5}	1
68	Kanpur	Severe	404	PM _{2.5}	4
69	Karnal	Very Poor	327	PM _{2.5}	1
70	Katni	Poor	289	PM _{2.5}	1
71	Khanna	Poor	280	PM _{2.5}	1
72	Kochi	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Good	49	PM ₁₀	1
74	Kolkata	Moderate	146	PM _{2.5} , PM ₁₀	7
75	Kollam	Satisfactory	94	PM ₁₀	1
76	Koppal	Satisfactory	81	O ₃	1
77	Kota	Poor	245	PM _{2.5}	1
78	Kozhikode	Satisfactory	53	PM ₁₀	1
79	Kurukshetra	Very Poor	363	PM _{2.5}	1
80	Lucknow	Very Poor	338	PM _{2.5} , PM ₁₀	6
81	Ludhiana	Poor	254	PM _{2.5}	1
82	Mandi Gobindgarh	Moderate	187	PM ₁₀	1
83	Mandideep	Poor	227	PM ₁₀	1
84	Mandikhera	Poor	253	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Very Poor	390	PM _{2.5}	1
86	Manglore	Satisfactory	69	PM ₁₀	1
87	Medikeri	Good	45	PM _{2.5}	1
88	Meerut	Severe	408	PM _{2.5}	3
89	Moradabad	Very Poor	325	PM _{2.5}	1
90	Mumbai	Moderate	176	PM _{2.5}	18
91	Muzaffarnagar	Very Poor	383	PM _{2.5}	1
92	Muzaffarpur	Very Poor	342	PM _{2.5}	2
93	Mysuru	Satisfactory	81	PM ₁₀	1
94	Nandesari	Satisfactory	73	PM _{2.5}	1
95	Narnaul	Very Poor	338	PM _{2.5}	1
96	Nashik	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Navi Mumbai	Poor	206	PM _{2.5}	3
98	Noida	Severe	412	PM ₁₀ , PM _{2.5}	4
99	Pali	Moderate	137	PM _{2.5}	1
100	Palwal	Poor	207	PM ₁₀	1
101	Panchkula	Moderate	127	PM _{2.5}	1
102	Panipat	Very Poor	398	PM ₁₀	1
103	Patiala	Very Poor	326	PM _{2.5}	1
104	Patna	Poor	260	PM _{2.5} , PM ₁₀	5
105	Pithampur	Moderate	146	PM _{2.5}	1
106	Prayagraj	Very Poor	387	PM _{2.5}	3
107	Puducherry	Satisfactory	62	O ₃	1
108	Pune	Moderate	157	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Raichur	Moderate	112	PM _{2.5}	1
110	Rajamahendravaram	Moderate	153	PM _{2.5}	1
111	Ramanagara	Satisfactory	100	PM _{2.5}	1
112	Ratlam	Moderate	162	PM _{2.5}	1
113	Rohtak	Very Poor	354	PM _{2.5}	1
114	Rupnagar	Moderate	194	PM ₁₀	1
115	Satna	Satisfactory	95	PM ₁₀	1
116	Shillong	Good	11	O ₃	1
117	Shivamogga	Good	46	PM ₁₀	1
118	Siliguri	Satisfactory	83	PM ₁₀	1
119	Singrauli	Very Poor	348	PM _{2.5}	1
120	Sirsa	Poor	258	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Solapur	Satisfactory	89	PM _{2.5}	1
122	Sonipat	Very Poor	303	PM _{2.5}	1
123	Srinagar	Satisfactory	71	PM ₁₀	1
124	Talcher	Moderate	168	PM _{2.5}	1
125	Thane	Moderate	177	PM ₁₀	1
126	Thiruvananthapuram	Good	46	PM ₁₀ , NO ₂	2
127	Thrissur	Good	40	PM ₁₀	1
128	Tirupati	Moderate	120	PM _{2.5}	1
129	Udaipur	Moderate	195	PM _{2.5}	1
130	Udupi	Good	48	O ₃	1
131	Ujjain	Moderate	146	PM ₁₀	1
132	Vapi	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Very Poor	338	PM _{2.5}	4
134	Vatva	Satisfactory	90	PM _{2.5}	1
135	Vijayapura	Satisfactory	51	PM ₁₀	1
136	Visakhapatnam	Moderate	120	PM _{2.5}	1
137	Vrindavan	Severe	475	PM _{2.5}	1
138	Yadgir	Moderate	128	PM ₁₀	1
139	Yamunanagar	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Damoh, Darbhanga, Davanagere, Firozabad, Gadag, Gummidipoondi, Jorapokha
 Kolar, Maihar, Motihari, Nagpur, Naharlagun, Sagar, Thoothukudi as data
 was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.