

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	44	PM ₁₀ , PM _{2.5}	2
2	Agra	Satisfactory	51	PM ₁₀	6
3	Ahmedabad	Satisfactory	86	PM ₁₀ , NO ₂	7
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	76	03	1
6	Alwar	Satisfactory	64	NO ₂	1
7	Amaravati	Satisfactory	53	СО	1
8	Amritsar	Satisfactory	55	PM _{2.5}	1
9	Anantapur	Good	46	NO ₂	1
10	Ankleshwar	Satisfactory	63	NO ₂	1
11	Araria	Satisfactory	86	O ₃	1
12	Ariyalur	Satisfactory	64	NO ₂	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu

Notes:

available.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	128	NO ₂	1
14	Asansol	Moderate	142	PM _{2.5}	1
15	Aurangabad (Bihar)	Satisfactory	98	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	79	PM ₁₀	1
17	Baddi	Moderate	128	PM _{2.5}	1
18	Bagalkot	Satisfactory	52	O ₃	1
19	Baghpat	Satisfactory	62	O ₃	1
20	Bahadurgarh	Satisfactory	53	NO ₂	1
21	Ballabgarh	Satisfactory	63	со	1
22	Baripada	Satisfactory	55	O ₃	1
23	Barmer	Satisfactory	84	O ₃	1
24	Bathinda	Satisfactory	59	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengal

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Notes: Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura,

Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Satisfactory	57	PM ₁₀	1
26	Bengaluru	Satisfactory	53	PM ₁₀	9
27	Bettiah	Satisfactory	61	PM _{2.5}	1
28	Bhagalpur	Satisfactory	96	PM ₁₀	2
29	Bharatpur	Moderate	141	PM _{2.5}	1
30	Bhilai	Satisfactory	55	PM ₁₀ , CO	2
31	Bhiwadi	Satisfactory	77	PM ₁₀	1
32	Bhiwani	Moderate	112	PM ₁₀	1
33	Bhopal	Satisfactory	72	O ₃ , PM ₁₀	3
34	Bidar	Satisfactory	99	со	1
35	Bihar Sharif	Satisfactory	94	PM ₁₀	1
36	Bikaner	Moderate	134	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Banswara,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengal

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	69	PM _{2.5}	1
38	Bileipada	Moderate	166	PM ₁₀	1
39	Brajrajnagar	Satisfactory	64	PM ₁₀	1
40	Bulandshahr	Satisfactory	65	03	1
41	Chamarajanagar	Good	43	PM ₁₀	1
42	Chandigarh	Satisfactory	66	O ₃ , PM _{2.5}	3
43	Chandrapur	Satisfactory	76	PM _{2.5}	1
44	Chennai	Good	48	со	8
45	Chhal	Good	45	PM ₁₀	1
46	Chhapra	Moderate	143	PM ₁₀	1
47	Chikkaballapur	Satisfactory	65	PM ₁₀	1
48	Chikkamagaluru	Good	32	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Banswara,

Notes: Dh

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Satisfactory	81	O ₃	1
50	Cuddalore	Satisfactory	52	NO ₂	2
51	Damoh	Good	26	со	1
52	Dausa	Moderate	101	PM ₁₀	1
53	Davanagere	Satisfactory	55	PM ₁₀	1
54	Dehradun	Good	28	O ₃	1
55	Delhi	Satisfactory	75	O ₃ , PM _{2.5}	34
56	Dharuhera	Satisfactory	62	PM _{2.5}	1
57	Faridabad	Moderate	127	PM ₁₀	3
58	Firozabad	Good	47	PM ₁₀	2
59	Gadag	Good	32	SO ₂	1
60	Gandhinagar	Satisfactory	88	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Banswara,

eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengal<mark>ı</mark>

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Satisfactory	88	O ₃ , PM _{2.5}	3
62	Ghaziabad	Satisfactory	63	NO ₂ , O ₃	4
63	Greater Noida	Satisfactory	68	NO ₂ , PM ₁₀	2
64	Gurugram	Satisfactory	71	PM ₁₀ , PM _{2.5}	4
65	Guwahati	Good	42	O ₃	4
66	Gwalior	Moderate	158	СО	3
67	Hajipur	Moderate	121	PM ₁₀	1
68	Haldia	Good	26	O ₃	1
69	Hanumangarh	Satisfactory	74	PM ₁₀	1
70	Hapur	Satisfactory	59	O ₃	1
71	Hassan	Satisfactory	78	PM ₁₀	1
72	Haveri	Satisfactory	64	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Banswara,

Notes:

eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Cheng Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Satisfactory	70	PM _{2.5}	1
74	Hosur	Moderate	110	co	1
75	Howrah	Satisfactory	55	NO ₂	3
76	Hubballi	Satisfactory	77	PM ₁₀	2
77	Hyderabad	Satisfactory	93	PM ₁₀	13
78	Imphal	Good	47	SO ₂	1
79	Indore	Satisfactory	84	PM ₁₀	2
80	Jabalpur	Satisfactory	52	PM ₁₀	1
81	Jaipur	Satisfactory	68	PM _{2.5} , O ₃	5
82	Jalandhar	Good	42	PM ₁₀	1
83	Jhalawar	Satisfactory	87	O ₃	1
84	Jhansi	Satisfactory	55	SO ₂	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, —Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura,

Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhunjhunu	Poor	205	O ₃	1
86	Jodhpur	Moderate	164	PM ₁₀ , O ₃	2
87	Jorapokhar	Moderate	115	PM ₁₀	1
88	Kadapa	Moderate	131	PM _{2.5}	1
89	Kaithal	Good	30	PM ₁₀	1
90	Kalaburgi	Moderate	113	PM _{2.5} , PM ₁₀	2
91	Kalyan	Satisfactory	89	PM ₁₀	1
92	Kanchipuram	Good	31	PM ₁₀	1
93	Kanpur	Satisfactory	66	PM ₁₀	3
94	Karauli	Satisfactory	51	O ₃	1
95	Karnal	Good	23	PM ₁₀	1
96	Katihar	Satisfactory	76	со	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Katni	Satisfactory	75	PM ₁₀	1
98	Keonjhar	Satisfactory	69	PM ₁₀	1
99	Khanna	Satisfactory	70	PM ₁₀	1
100	Khurja	Satisfactory	65	SO ₂	1
101	Kishanganj	Good	43	NO ₂	1
102	Kochi	Moderate	102	PM _{2.5}	1
103	Kohima	Satisfactory	55	PM _{2.5}	1
104	Kolar	Satisfactory	84	PM ₁₀	1
105	Kolkata	Good	45	03	6
106	Kollam	Satisfactory	66	PM ₁₀	1
107	Koppal	Satisfactory	63	O ₃	1
108	Korba	Satisfactory	56	NO ₂	2

* AQI is not calculated for today's bulletin for Ambala, Banswara,

Notes: Dholpu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kota	Satisfactory	70	PM ₁₀	3
110	Kurukshetra	Satisfactory	57	03	1
111	Lucknow	Satisfactory	78	PM _{2.5}	5
112	Ludhiana	Satisfactory	92	PM ₁₀	1
113	Madikeri	Good	22	O ₃	1
114	Maihar	Good	50	СО	1
115	Mandideep	Moderate	103	PM ₁₀	1
116	Mandikhera	Good	46	PM ₁₀	1
117	Manesar	Good	48	PM _{2.5}	1
118	Mangalore	Satisfactory	80	PM ₁₀	1
119	Meerut	Satisfactory	57	O ₃ , NO ₂	3
120	Milupara	Satisfactory	54	NO ₂	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu

Notes: Dho

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat Tumakuru, Tumidih Liduni, Vani, Yamunanggar as data was not

Wandi Gobinogarn, Mangurana, Motinari, Munger, Namaui, Sanarsa, Sasars Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Moradabad	Good	47	CO, SO ₂	6
122	Mumbai	Satisfactory	91	NO ₂ , PM ₁₀	19
123	Muzaffarnagar	Satisfactory	58	PM _{2.5}	1
124	Muzaffarpur	Satisfactory	66	со	3
125	Mysuru	Good	46	03	1
126	Nagaon	Satisfactory	68	PM ₁₀	1
127	Nagpur	Satisfactory	100	PM _{2.5}	1
128	Naharlagun	Good	18	PM _{2.5}	1
129	Nalbari	Good	50	O ₃	1
130	Nandesari	Good	21	PM _{2.5}	1
131	Nashik	Good	49	PM ₁₀	1
132	Navi Mumbai	Moderate	113	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ambala, Banswara, eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengal

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nayagarh	Satisfactory	99	PM ₁₀	1
134	Noida	Satisfactory	72	PM _{2.5} , CO	4
135	Ooty	Good	48	SO ₂	1
136	Pali	Satisfactory	73	PM ₁₀	1
137	Palkalaiperur	Satisfactory	53	SO ₂	1
138	Palwal	Satisfactory	59	O ₃	1
139	Panchkula	Good	42	PM _{2.5}	1
140	Panipat	Good	33	PM ₁₀	1
141	Patiala	Good	38	O ₃	1
142	Patna	Moderate	117	PM _{2.5}	6
143	Pithampur	Satisfactory	93	PM ₁₀	1
144	Pratapgarh	Satisfactory	73	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat Tumakuru, Tumidih Liduni, Vani, Yamunanggar as data was not

Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Prayagraj	Satisfactory	63	PM ₁₀	3
146	Puducherry	Good	26	PM ₁₀	1
147	Pune	Satisfactory	100	NO ₂ , CO	3
148	Purnia	Satisfactory	69	PM ₁₀	1
149	Raichur	Moderate	110	PM ₁₀	1
150	Raipur	Satisfactory	71	NO ₂	4
151	Rairangpur	Satisfactory	65	PM _{2.5}	1
152	Rajamahendravaram	Good	39	PM ₁₀	1
153	Rajgir	Satisfactory	82	со	1
154	Rajsamand	Satisfactory	53	03	1
155	Ramanagara	Good	46	PM ₁₀	1
156	Ramanathapuram	Good	15	SO ₂	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu

Notes: Dho

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not

available.
Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ratlam	Satisfactory	80	NO ₂	1
158	Rishikesh	Good	33	PM ₁₀	1
159	Rohtak	Good	38	PM _{2.5}	1
160	Rourkela	Satisfactory	74	PM ₁₀	2
161	Rupnagar	Satisfactory	60	PM ₁₀	1
162	Sagar	Satisfactory	76	03	1
163	Salem	Satisfactory	98	SO ₂	1
164	Samastipur	Moderate	123	PM ₁₀	1
165	Satna	Moderate	150	PM ₁₀	1
166	Sawai Madhopur	Satisfactory	76	PM ₁₀	1
167	Shillong	Good	33	SO ₂	1
168	Shivamogga	Satisfactory	51	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengal

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Notes: Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram, Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sikar	Satisfactory	87	O ₃	1
170	Silchar	Good	33	со	1
171	Siliguri	Good	47	03	1
172	Singrauli	Moderate	102	PM _{2.5}	1
173	Sirohi	Satisfactory	73	O ₃	1
174	Sirsa	Satisfactory	61	O ₃	1
175	Sivasagar	Good	34	PM _{2.5}	1
176	Siwan	Satisfactory	89	PM _{2.5}	1
177	Solapur	Moderate	126	PM ₁₀	1
178	Sri Ganganagar	Moderate	131	PM ₁₀	1
179	Srinagar	Satisfactory	55	PM ₁₀	1
180	Suakati	Satisfactory	55	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, eilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengal

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Satisfactory	79	со	1
182	Talcher	Satisfactory	54	PM ₁₀	1
183	Tensa	Good	39	PM ₁₀	1
184	Thane	Satisfactory	98	PM ₁₀	1
185	Thiruvananthapuram	Good	50	PM _{2.5} , PM ₁₀	2
186	Thoothukudi	Good	43	PM ₁₀	1
187	Thrissur	Satisfactory	100	PM ₁₀	1
188	Tirupati	Good	42	со	1
189	Tirupur	Satisfactory	51	PM ₁₀	1
190	Tonk	Satisfactory	74	PM ₁₀	1
191	Udaipur	Satisfactory	67	PM ₁₀	1
192	Ujjain	Satisfactory	74	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Banswara,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bareilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalpattu,
Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Varanasi	Satisfactory	56	PM ₁₀ , O ₃	4
194	Vatva	Moderate	101	PM ₁₀	1
195	Vijayapura	Good	42	PM ₁₀	1
196	Vijayawada	Moderate	115	PM _{2.5}	1
197	Visakhapatnam	Satisfactory	67	PM ₁₀	1
198	Vrindavan	Moderate	114	PM ₁₀	1
199	Yadgir	Satisfactory	55	PM ₁₀	1
200	vellore	Good	32	SO ₂	1

* AQI is not calculated for today's bulletin for Ambala, Banswara, cilly, Begusarai, Buxar, Byrnihat, Charkhi Dadri, Chengalp

Chittorgarh, Churu, Coimbatore, Darbhanga, Dewas, Dhanbad, Dharwad, Notes: Dholpur, Dindigul, Durgapur, Eloor, Ernakulam, Fatehabad, Gangtok, Gorakhpur, Gummidipoondi, Jind, Kannur, Kashipur, Kozhikode, Kunjemura, Mandi Gobindgarh, Manguraha, Motihari, Munger, Narnaul, Saharsa, Sasaram,

available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

Sonipat, Tumakuru, Tumidih, Udupi, Vapi, Yamunanagar as data was not

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases