

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	181	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	103	PM _{2.5}	6
3	Ahmedabad	Moderate	110	PM ₁₀	1
4	Aizawl	Good	26	PM ₁₀	1
5	Ajmer	Moderate	108	PM _{2.5}	1
6	Alwar	Moderate	181	PM _{2.5}	1
7	Amaravati	Moderate	128	PM _{2.5}	1
8	Ambala	Moderate	157	PM _{2.5}	1
9	Amritsar	Moderate	173	PM _{2.5}	1
10	Anantapur	Satisfactory	66	O ₃	1
11	Ankleshwar	Satisfactory	69	SO ₂	1
12	Araria	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	86	PM _{2.5}	1
14	Asansol	Poor	292	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	331	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	197	PM _{2.5}	1
17	Baddi	Poor	240	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Bahadurgarh	Moderate	183	PM _{2.5}	1
20	Ballabgarh	Poor	267	PM _{2.5}	1
21	Bareilly	Moderate	106	PM ₁₀	2
22	Baripada	Poor	299	PM _{2.5}	1
23	Bathinda	Moderate	119	PM _{2.5}	1
24	Begusarai	Very Poor	358	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	157	PM ₁₀	1
26	Bengaluru	Satisfactory	87	PM _{2.5} , CO	9
27	Bhagalpur	Very Poor	348	PM _{2.5}	2
28	Bhilai	Moderate	114	PM _{2.5}	2
29	Bhiwadi	Poor	203	PM _{2.5}	1
30	Bhiwani	Very Poor	301	PM _{2.5}	1
31	Bhopal	Moderate	170	PM _{2.5}	2
32	Bidar	Satisfactory	90	со	1
33	Bihar Sharif	Very Poor	331	PM _{2.5}	1
34	Bileipada	Very Poor	319	PM _{2.5}	1
35	Brajrajnagar	Moderate	117	PM ₁₀	1
36	Bulandshahr	Poor	241	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	367	PM _{2.5}	1
38	Chamarajanagar	Good	38	PM ₁₀	1
39	Chandigarh	Poor	278	PM _{2.5}	2
40	Chandrapur	Very Poor	330	PM _{2.5}	2
41	Charkhi Dadri	Poor	254	PM _{2.5}	1
42	Chennai	Satisfactory	80	PM _{2.5} , SO ₂	8
43	Chhapra	Very Poor	334	PM _{2.5}	1
44	Chikkaballapur	Satisfactory	97	PM ₁₀	1
45	Chikkamagaluru	Good	48	PM ₁₀	1
46	Chittoor	Satisfactory	74	03	1
47	Coimbatore	Moderate	131	PM _{2.5}	1
48	Damoh	Good	42	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Very Poor	331	PM _{2.5}	1
50	Delhi	Very Poor	340	PM _{2.5}	38
51	Dewas	Moderate	136	PM ₁₀	1
52	Dharuhera	Very Poor	310	PM _{2.5}	1
53	Dindigul	Moderate	196	NO ₂	1
54	Durgapur	Moderate	133	PM ₁₀	1
55	Eloor	Satisfactory	68	PM ₁₀	1
56	Faridabad	Very Poor	337	PM _{2.5}	4
57	Fatehabad	Poor	221	PM _{2.5}	1
58	Firozabad	Moderate	106	PM ₁₀	2
59	Gadag	Moderate	102	PM ₁₀	1
60	Gandhinagar	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	38	PM ₁₀	1
62	Gaya	Poor	250	PM _{2.5}	2
63	Ghaziabad	Very Poor	360	PM ₁₀	4
64	Gorakhpur	Moderate	109	PM ₁₀	1
65	Greater Noida	Very Poor	383	PM ₁₀ , PM _{2.5}	2
66	Gummidipoondi	Poor	268	PM _{2.5}	1
67	Gurugram	Poor	290	PM _{2.5}	4
68	Guwahati	Poor	240	PM _{2.5}	4
69	Gwalior	Very Poor	367	PM _{2.5}	3
70	Hajipur	Moderate	173	PM ₁₀	1
71	Hapur	Moderate	145	PM _{2.5}	1
72	Hassan	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Satisfactory	85	PM ₁₀	1
74	Hosur	Satisfactory	98	со	1
75	Howrah	Poor	234	PM _{2.5}	3
76	Hubballi	Satisfactory	84	PM ₁₀	2
77	Hyderabad	Moderate	102	PM _{2.5} , PM ₁₀	14
78	Imphal	Moderate	128	PM _{2.5} , SO ₂	2
79	Indore	Moderate	118	PM ₁₀	1
80	Jabalpur	Very Poor	351	PM _{2.5}	1
81	Jaipur	Moderate	150	PM _{2.5}	3
82	Jhansi	Moderate	144	PM ₁₀	1
83	Jind	Moderate	188	PM _{2.5}	1
84	Jodhpur	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam, Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune, Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru, Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Moderate	194	PM _{2.5}	1
86	Kalaburgi	Satisfactory	68	PM _{2.5}	1
87	Kalyan	Moderate	200	PM ₁₀	1
88	Kanchipuram	Satisfactory	71	PM ₁₀	1
89	Kanpur	Poor	215	PM _{2.5}	4
90	Karnal	Moderate	159	PM _{2.5}	1
91	Katihar	Very Poor	339	PM _{2.5}	1
92	Katni	Poor	243	PM _{2.5}	1
93	Keonjhar	Very Poor	328	PM _{2.5}	1
94	Khanna	Satisfactory	83	PM ₁₀	1
95	Khurja	Moderate	170	PM _{2.5}	1
96	Kishanganj	Poor	205	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	182	PM _{2.5}	1
98	Kohima	Satisfactory	63	PM ₁₀	1
99	Kolkata	Poor	233	PM _{2.5}	6
100	Kollam	Satisfactory	90	PM ₁₀	1
101	Koppal	Satisfactory	78	со	1
102	Korba	Moderate	142	PM _{2.5} , PM ₁₀	2
103	Kota	Poor	275	PM _{2.5}	1
104	Kurukshetra	Poor	252	PM _{2.5}	1
105	Lucknow	Moderate	180	PM _{2.5}	6
106	Ludhiana	Moderate	192	PM _{2.5}	1
107	Madikeri	Good	44	03	1
108	Maihar	Satisfactory	75	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Poor	228	PM _{2.5}	1
110	Mandideep	Moderate	105	SO ₂	1
111	Mandikhera	Moderate	112	PM ₁₀	1
112	Manesar	Poor	282	PM _{2.5}	1
113	Mangalore	Satisfactory	97	PM ₁₀	1
114	Manguraha	Poor	257	PM _{2.5}	1
115	Meerut	Poor	259	PM _{2.5}	3
116	Moradabad	Moderate	116	PM _{2.5}	6
117	Motihari	Moderate	135	PM ₁₀	1
118	Mumbai	Poor	223	PM _{2.5} , PM ₁₀	17
119	Munger	Poor	286	PM _{2.5}	1
120	Muzaffarnagar	Poor	214	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Poor	289	PM _{2.5}	3
122	Mysuru	Good	43	PM ₁₀	1
123	Nagpur	Very Poor	332	PM _{2.5}	1
124	Naharlagun	Good	36	PM ₁₀	1
125	Nalbari	Very Poor	301	PM _{2.5}	1
126	Nandesari	Satisfactory	79	PM _{2.5}	1
127	Narnaul	Poor	209	PM _{2.5}	1
128	Nashik	Moderate	104	PM _{2.5}	1
129	Navi Mumbai	Very Poor	309	PM _{2.5}	3
130	Nayagarh	Very Poor	307	PM _{2.5}	1
131	Noida	Very Poor	349	PM _{2.5}	4
132	Ooty	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pali	Moderate	101	PM ₁₀	1
134	Palwal	Satisfactory	98	PM ₁₀	1
135	Panchkula	Poor	225	PM _{2.5}	1
136	Panipat	Moderate	198	PM ₁₀	1
137	Patiala	Moderate	156	PM _{2.5}	1
138	Patna	Very Poor	313	PM ₁₀ , PM _{2.5}	6
139	Pithampur	Moderate	178	PM _{2.5}	1
140	Prayagraj	Moderate	127	PM ₁₀	3
141	Puducherry	Satisfactory	76	PM ₁₀	1
142	Purnia	Poor	297	PM _{2.5}	1
143	Raichur	Good	43	PM _{2.5}	1
144	Raipur	Moderate	112	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Very Poor	314	PM _{2.5}	1
146	Rajamahendravaram	Moderate	161	PM _{2.5}	1
147	Rajgir	Very Poor	340	PM _{2.5}	1
148	Ramanagara	Satisfactory	81	PM _{2.5}	1
149	Ramanathapuram	Satisfactory	64	PM ₁₀	1
150	Ratlam	Satisfactory	98	PM ₁₀	1
151	Rohtak	Moderate	181	PM _{2.5}	1
152	Rourkela	Poor	286	PM _{2.5}	1
153	Rupnagar	Moderate	119	PM ₁₀	1
154	Sagar	Satisfactory	92	PM _{2.5} , CO	2
155	Salem	Satisfactory	73	SO ₂	1
156	Sasaram	Very Poor	312	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Satna	Satisfactory	54	PM ₁₀	1
158	Shillong	Good	41	PM _{2.5}	1
159	Shivamogga	Good	45	PM ₁₀	1
160	Siliguri	Moderate	140	PM _{2.5}	1
161	Sirsa	Moderate	164	PM _{2.5}	1
162	Sivasagar	Good	43	PM ₁₀	1
163	Siwan	Very Poor	338	PM _{2.5}	1
164	Sonipat	Moderate	138	PM _{2.5}	1
165	Surat	Moderate	191	PM _{2.5}	1
166	Talcher	Moderate	139	PM _{2.5}	1
167	Tensa	Very Poor	325	PM _{2.5}	1
168	Thane	Moderate	187	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam, Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune, Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru, Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Satisfactory	78	PM _{2.5}	2
170	Thoothukudi	Satisfactory	87	03	1
171	Thrissur	Moderate	108	PM ₁₀	1
172	Tirupati	Satisfactory	76	NO ₂ , PM _{2.5}	2
173	Tirupur	Satisfactory	62	PM ₁₀	1
174	Udaipur	Satisfactory	97	PM ₁₀	1
175	Ujjain	Poor	210	PM _{2.5}	1
176	Varanasi	Satisfactory	82	PM _{2.5} , PM ₁₀	4
177	Vatva	Moderate	125	PM ₁₀	1
178	Vijayapura	Satisfactory	53	PM ₁₀	1
179	Visakhapatnam	Poor	228	PM _{2.5}	1
180	Yadgir	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah,
 Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam,
 Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune,
 Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru,
 Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Moderate	151	PM _{2.5}	1
182	vellore	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Baghpat, Bettiah, Bilaspur, Buxar, Chengalpattu, Davanagere, Dehradun, Dharwad, Ernakulam, Haldia, Hisar, Jalandhar, Jorapokhar, Kannur, Kolar, Kozhikode, Pune, Saharsa, Samastipur, Singrauli, Solapur, Srinagar, Suakati, Tumakuru, Udupi, Vapi, Vrindavan as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.