

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	180	PM _{2.5}	1
2	Agra	Moderate	142	PM _{2.5}	1
3	Ahmedabad	Poor	233	PM ₁₀	1
4	Aizawl	Good	40	PM ₁₀	1
5	Ajmer	Moderate	118	PM ₁₀	1
6	Alwar	Moderate	114	PM ₁₀	1
7	Amaravati	Moderate	102	PM _{2.5}	1
8	Ambala	Satisfactory	58	PM ₁₀	1
9	Amritsar	Good	43	PM ₁₀	1
10	Ankleshwar	Poor	211	PM _{2.5}	1
11	Asansol	Poor	277	PM _{2.5}	1
12	Bagalkot	Good	33	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	283	PM _{2.5}	1
14	Bahadurgarh	Poor	277	PM _{2.5}	1
15	Ballabgarh	Moderate	131	PM _{2.5}	1
16	Bathinda	Moderate	101	PM ₁₀	1
17	Bengaluru	Satisfactory	91	PM ₁₀ , PM _{2.5}	8
18	Bhiwadi	Poor	214	PM _{2.5}	1
19	Bhiwani	Moderate	116	PM ₁₀	1
20	Bhopal	Moderate	117	PM ₁₀	1
21	Brajrajnagar	Moderate	101	PM ₁₀	1
22	Bulandshahr	Poor	298	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	63	PM ₁₀	1
24	Chandigarh	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	105	PM ₁₀	2
26	Charkhi Dadri	Poor	277	PM _{2.5}	1
27	Chennai	Satisfactory	84	PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Satisfactory	81	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	74	PM _{2.5}	1
30	Damoh	Satisfactory	84	PM ₁₀	1
31	Davanagere	Satisfactory	83	PM ₁₀	1
32	Delhi	Very Poor	316	PM _{2.5}	37
33	Dewas	Moderate	124	PM ₁₀	1
34	Dharuhera	Poor	237	PM ₁₀	1
35	Ernakulam	Moderate	105	PM _{2.5}	1
36	Faridabad	Very Poor	308	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	182	PM _{2.5}	1
38	Gadag	Satisfactory	57	O ₃	1
39	Gandhinagar	Moderate	115	PM _{2.5}	1
40	Gaya	Moderate	192	PM _{2.5}	2
41	Ghaziabad	Very Poor	338	PM _{2.5}	1
42	Greater Noida	Very Poor	312	PM _{2.5}	1
43	Gummidipoondi	Moderate	145	PM ₁₀	1
44	Gurugram	Very Poor	303	PM _{2.5}	4
45	Guwahati	Poor	246	PM _{2.5}	2
46	Gwalior	Moderate	138	PM _{2.5}	1
47	Haldia	Poor	217	PM _{2.5}	1
48	Hisar	Moderate	103	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Very Poor	314	PM _{2.5}	3
50	Hubballi	Satisfactory	97	PM ₁₀	1
51	Hyderabad	Moderate	125	PM ₁₀	5
52	Indore	Poor	209	PM ₁₀	1
53	Jabalpur	Moderate	136	PM ₁₀	1
54	Jaipur	Moderate	129	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Satisfactory	52	PM ₁₀	1
56	Jind	Moderate	191	PM _{2.5}	1
57	Jodhpur	Poor	209	PM _{2.5}	1
58	Kaithal	Moderate	123	PM _{2.5}	1
59	Kannur	Satisfactory	99	PM _{2.5}	1
60	Kanpur	Poor	232	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	175	PM _{2.5}	1
62	Katni	Moderate	160	PM ₁₀	1
63	Khanna	Good	48	PM ₁₀	1
64	Kohima	Satisfactory	93	PM ₁₀	1
65	Kolar	Satisfactory	64	O ₃	1
66	Kolkata	Very Poor	301	PM _{2.5}	7
67	Kollam	Moderate	105	PM _{2.5}	1
68	Koppal	Satisfactory	75	PM ₁₀	1
69	Kota	Moderate	122	PM _{2.5}	1
70	Kozhikode	Satisfactory	77	PM ₁₀	1
71	Kurukshetra	Moderate	145	PM _{2.5}	1
72	Lucknow	Poor	288	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	86	NO ₂	1
74	Maihar	Satisfactory	58	PM ₁₀	1
75	Mandi Gobindgarh	Satisfactory	53	PM ₁₀	1
76	Mandideep	Poor	235	PM ₁₀	1
77	Mandikhera	Moderate	158	PM _{2.5}	1
78	Manesar	Poor	247	PM _{2.5}	1
79	Manglore	Satisfactory	89	PM _{2.5}	1
80	Medikeri	Satisfactory	83	PM ₁₀	1
81	Meerut	Very Poor	305	PM _{2.5}	2
82	Moradabad	Very Poor	342	PM _{2.5}	1
83	Mumbai	Moderate	182	PM _{2.5} , PM ₁₀	20
84	Muzaffarpur	Poor	267	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	76	PM ₁₀	1
86	Nandesari	Good	32	со	1
87	Nashik	Satisfactory	85	PM ₁₀	1
88	Navi Mumbai	Poor	244	PM _{2.5}	3
89	Noida	Very Poor	322	PM _{2.5}	4
90	Pali	Moderate	180	PM _{2.5}	1
91	Palwal	Moderate	116	PM ₁₀	1
92	Panchkula	Satisfactory	54	O ₃	1
93	Patiala	Satisfactory	79	PM ₁₀	1
94	Patna	Poor	282	PM _{2.5} , PM ₁₀	6
95	Pithampur	Moderate	131	PM _{2.5}	1
96	Puducherry	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	169	PM _{2.5} , PM ₁₀	4
98	Rajamahendravaram	Moderate	128	PM ₁₀	1
99	Ramanagara	Satisfactory	96	03	1
100	Ratlam	Poor	224	PM ₁₀	1
101	Rohtak	Poor	274	PM _{2.5}	1
102	Sagar	Moderate	103	PM _{2.5}	1
103	Satna	Moderate	109	PM ₁₀	1
104	Shivamogga	Satisfactory	55	PM ₁₀	1
105	Siliguri	Poor	250	PM _{2.5}	1
106	Singrauli	Very Poor	340	PM ₁₀	1
107	Sirsa	Moderate	159	PM _{2.5}	1
108	Solapur	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Moderate	183	PM ₁₀	1
110	Talcher	Moderate	137	PM ₁₀	1
111	Thane	Poor	276	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	76	PM ₁₀	2
113	Thoothukudi	Satisfactory	55	PM ₁₀	1
114	Thrissur	Moderate	111	O ₃	1
115	Tirupati	Satisfactory	70	PM ₁₀	1
116	Udaipur	Moderate	133	PM _{2.5}	1
117	Ujjain	Moderate	181	PM ₁₀	1
118	Vapi	Moderate	192	PM ₁₀	1
119	Varanasi	Poor	267	PM _{2.5}	1
120	Vatva	Poor	296	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Poor	212	PM ₁₀	1
122	Yadgir	Satisfactory	81	PM ₁₀	1
123	Yamunanagar	Moderate	111	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Durgapur, Eloor, Hajipur, Hapur, Jorapokhar, Kalaburgi, Kalyan, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Raichur, Rupnagar, Shillong, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.