

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	314	PM _{2.5}	1
2	Agra	Poor	220	PM _{2.5}	1
3	Ahmedabad	Very Poor	322	PM ₁₀	1
4	Aizawl	Moderate	136	PM ₁₀	1
5	Ajmer	Moderate	108	PM ₁₀	1
6	Alwar	Satisfactory	98	PM ₁₀	1
7	Amaravati	Satisfactory	76	PM ₁₀	1
8	Ambala	Moderate	112	PM ₁₀	1
9	Amritsar	Satisfactory	89	PM ₁₀	1
10	Ankleshwar	Poor	229	03	1
11	Asansol	Poor	233	PM _{2.5}	1
12	Aurangabad	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	40	PM ₁₀	1
14	Baghpat	Poor	291	PM ₁₀	1
15	Ballabgarh	Poor	210	PM _{2.5}	1
16	Bathinda	Moderate	132	PM _{2.5}	1
17	Bengaluru	Satisfactory	96	PM _{2.5} , PM ₁₀ , O ₃	7
18	Bhiwadi	Very Poor	336	PM ₁₀	1
19	Bhopal	Moderate	152	O ₃	1
20	Brajrajnagar	Satisfactory	66	со	1
21	Bulandshahr	Poor	249	PM ₁₀	1
22	Chandigarh	Moderate	124	PM ₁₀	1
23	Chandrapur	Moderate	116	PM ₁₀ , PM _{2.5}	2
24	Charkhi Dadri	Moderate	146	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	70	PM ₁₀ , PM _{2.5} , CO	6
26	Chikkamagaluru	Satisfactory	81	PM _{2.5}	1
27	Damoh	Satisfactory	56	PM ₁₀	1
28	Davanagere	Moderate	106	PM ₁₀	1
29	Delhi	Poor	244	PM ₁₀ , PM _{2.5}	29
30	Dewas	Satisfactory	89	O ₃	1
31	Dharuhera	Poor	251	PM ₁₀	1
32	Durgapur	Poor	248	PM _{2.5}	1
33	Eloor	Satisfactory	86	O ₃	1
34	Faridabad	Poor	287	PM _{2.5} , PM ₁₀	3
35	Gandhinagar	Moderate	128	PM ₁₀	1
36	Gaya	Satisfactory	93	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	300	PM ₁₀	4
38	Greater Noida	Very Poor	301	PM ₁₀	1
39	Gummidipoondi	Moderate	136	PM ₁₀	1
40	Gurugram	Poor	245	PM ₁₀ , PM _{2.5}	3
41	Guwahati	Very Poor	306	PM ₁₀	2
42	Gwalior	Moderate	154	PM _{2.5}	1
43	Hajipur	Poor	218	PM ₁₀	1
44	Haldia	Moderate	108	PM ₁₀	1
45	Hapur	Moderate	191	PM ₁₀	1
46	Hisar	Poor	239	PM _{2.5}	1
47	Howrah	Poor	202	PM _{2.5}	3
48	Hubballi	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	109	PM ₁₀ , PM _{2.5}	6
50	Indore	Satisfactory	91	PM ₁₀	1
51	Jabalpur	Moderate	106	PM ₁₀	1
52	Jaipur	Moderate	123	PM ₁₀	2
53	Jalandhar	Moderate	125	PM ₁₀	1
54	Jind	Moderate	194	PM _{2.5}	1
55	Jodhpur	Poor	223	PM ₁₀	1
56	Kaithal	Moderate	135	PM ₁₀	1
57	Kalaburgi	Satisfactory	77	O ₃	1
58	Kalyan	Poor	211	PM ₁₀	1
59	Kannur	Moderate	109	PM ₁₀	1
60	Kanpur	Moderate	192	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Moderate	121	PM _{2.5}	1
62	Katni	Moderate	156	PM ₁₀	1
63	Khanna	Moderate	122	PM ₁₀	1
64	Kochi	Moderate	111	PM _{2.5}	1
65	Kohima	Poor	206	PM _{2.5}	1
66	Kolar	Satisfactory	61	со	1
67	Kolkata	Poor	201	PM _{2.5} , O ₃ , PM ₁₀	7
68	Kollam	Moderate	124	PM _{2.5}	1
69	Koppal	Satisfactory	89	PM ₁₀	1
70	Kota	Moderate	125	PM _{2.5}	1
71	Kozhikode	Satisfactory	76	PM ₁₀	1
72	Kurukshetra	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	206	PM _{2.5}	4
74	Ludhiana	Moderate	118	PM _{2.5}	1
75	Mandi Gobindgarh	Poor	212	PM _{2.5}	1
76	Mandideep	Good	41	O ₃	1
77	Mandikhera	Moderate	101	PM ₁₀	1
78	Manesar	Poor	240	PM _{2.5}	1
79	Manglore	Satisfactory	98	PM ₁₀	1
80	Medikeri	Satisfactory	64	PM ₁₀	1
81	Meerut	Poor	284	PM ₁₀	2
82	Moradabad	Poor	232	PM _{2.5}	1
83	Mumbai	Moderate	171	PM _{2.5} , PM ₁₀ , O ₃	20
84	Muzaffarnagar	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Poor	229	PM _{2.5} , PM ₁₀	2
86	Mysuru	Satisfactory	85	PM ₁₀	1
87	Nandesari	Satisfactory	82	PM _{2.5}	1
88	Narnaul	Poor	252	PM ₁₀	1
89	Nashik	Satisfactory	94	PM _{2.5}	1
90	Navi Mumbai	Poor	203	PM ₁₀	3
91	Noida	Poor	260	PM ₁₀	3
92	Pali	Moderate	133	PM ₁₀	1
93	Palwal	Moderate	135	PM ₁₀	1
94	Panipat	Poor	236	PM _{2.5}	1
95	Patiala	Moderate	113	PM ₁₀	1
96	Patna	Poor	265	PM _{2.5} , PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	106	O ₃	1
98	Puducherry	Satisfactory	78	PM _{2.5}	1
99	Pune	Moderate	151	PM _{2.5}	5
100	Raichur	Moderate	123	PM ₁₀	1
101	Rajamahendravaram	Moderate	119	PM ₁₀	1
102	Ratlam	Moderate	117	PM ₁₀	1
103	Rupnagar	Moderate	135	PM ₁₀	1
104	Sagar	Good	38	PM _{2.5}	1
105	Satna	Satisfactory	80	PM ₁₀	1
106	Shillong	Satisfactory	67	O ₃	1
107	Shivamogga	Good	48	O ₃	1
108	Siliguri	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Poor	244	PM _{2.5}	1
110	Sirsa	Moderate	128	PM _{2.5}	1
111	Sonipat	Poor	242	PM ₁₀	1
112	Srinagar	Moderate	129	PM ₁₀	1
113	Talcher	Moderate	119	PM _{2.5}	1
114	Thane	Moderate	147	PM ₁₀	1
115	Thiruvananthapuram	Satisfactory	66	PM ₁₀	2
116	Thoothukudi	Satisfactory	100	PM ₁₀	1
117	Thrissur	Satisfactory	77	PM ₁₀	1
118	Tirupati	Moderate	104	PM ₁₀	1
119	Udaipur	Moderate	161	PM _{2.5}	1
120	Ujjain	Moderate	132	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	131	PM ₁₀	1
122	Varanasi	Moderate	189	PM ₁₀	1
123	Vatva	Very Poor	331	PM _{2.5}	1
124	Vijayapura	Good	44	PM _{2.5}	1
125	Visakhapatnam	Moderate	127	PM ₁₀	1
126	Yadgir	Satisfactory	100	O ₃	1
127	Yamunanagar	Poor	209	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bhiwani, Bidar, Chamarajanagar, Chikkaballapur, Coimbatore, Ernakulam, Fatehabad, Gadag, Jorapokhar, Maihar, Nagpur, Panchkula, Ramanagara, Rohtak, Solapur, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.