

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	140	PM <sub>2.5</sub>	1
2	Agra	Moderate	178	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	184	PM <sub>10</sub>	1
4	Aizawl	Moderate	110	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	84	PM <sub>10</sub>	1
6	Alwar	Satisfactory	86	PM <sub>10</sub>	1
7	Amaravati	Good	34	03	1
8	Amritsar	Satisfactory	67	PM <sub>10</sub>	1
9	Ankleshwar	Moderate	157	PM <sub>2.5</sub>	1
10	Asansol	Moderate	125	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	87	PM <sub>10</sub>	1
12	Baghpat	Moderate	139	PM <sub>10</sub>	1

#### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	157	PM <sub>2.5</sub>	1
14	Ballabgarh	Moderate	189	PM <sub>2.5</sub>	1
15	Bathinda	Moderate	114	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	67	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	8
17	Bhiwadi	Poor	292	PM <sub>2.5</sub>	1
18	Bhopal	Moderate	116	O <sub>3</sub>	1
19	Bidar	Satisfactory	54	PM <sub>10</sub>	1
20	Brajrajnagar	Moderate	101	SO <sub>2</sub>	1
21	Bulandshahr	Poor	216	PM <sub>2.5</sub>	1
22	Chamarajanagar	Satisfactory	69	PM <sub>10</sub>	1
23	Chandigarh	Satisfactory	83	PM <sub>10</sub>	1
24	Chandrapur	Moderate	179	O <sub>3</sub> , PM <sub>2.5</sub>	2

#### Possible Health Impacts

## Afternal Inneres

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	121	PM <sub>10</sub>	1
26	Chennai	Satisfactory	53	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	8
27	Chikkaballapur	Satisfactory	63	PM <sub>10</sub>	1
28	Damoh	Good	44	PM <sub>2.5</sub>	1
29	Davanagere	Satisfactory	81	PM <sub>10</sub>	1
30	Delhi	Poor	209	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	30
31	Dharuhera	Moderate	171	PM <sub>10</sub>	1
32	Durgapur	Moderate	145	PM <sub>2.5</sub>	1
33	Ernakulam	Satisfactory	59	PM <sub>10</sub>	1
34	Faridabad	Moderate	180	PM <sub>2.5</sub> , PM <sub>10</sub>	4
35	Fatehabad	Satisfactory	91	PM <sub>10</sub>	1
36	Gandhinagar	Satisfactory	86	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	84	O <sub>3</sub> , CO	2
38	Ghaziabad	Moderate	195	PM <sub>2.5</sub> , PM <sub>10</sub>	4
39	Greater Noida	Moderate	182	03	1
40	Gummidipoondi	Moderate	106	PM <sub>10</sub>	1
41	Gurugram	Moderate	195	PM <sub>2.5</sub>	3
42	Guwahati	Moderate	144	PM <sub>10</sub> , PM <sub>2.5</sub>	2
43	Gwalior	Satisfactory	98	O <sub>3</sub> , PM <sub>10</sub>	2
44	Hajipur	Poor	219	PM <sub>10</sub>	1
45	Haldia	Satisfactory	97	PM <sub>10</sub>	1
46	Hapur	Moderate	126	PM <sub>10</sub>	1
47	Hisar	Moderate	118	PM <sub>2.5</sub>	1
48	Howrah	Moderate	135	PM <sub>2.5</sub> , PM <sub>10</sub>	3

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Moderate	104	PM <sub>10</sub>	1
50	Hyderabad	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	6
51	Indore	Moderate	101	PM <sub>10</sub>	1
52	Jabalpur	Satisfactory	98	PM <sub>10</sub>	1
53	Jaipur	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Jalandhar	Satisfactory	73	PM <sub>10</sub>	1
55	Jind	Satisfactory	87	PM <sub>10</sub>	1
56	Jodhpur	Moderate	138	PM <sub>10</sub>	1
57	Kaithal	Satisfactory	77	PM <sub>10</sub>	1
58	Kalaburgi	Satisfactory	73	PM <sub>10</sub>	1
59	Kalyan	Moderate	189	PM <sub>2.5</sub>	1
60	Kannur	Moderate	107	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Moderate	130	PM <sub>2.5</sub>	2
62	Karnal	Satisfactory	69	PM <sub>2.5</sub>	1
63	Katni	Moderate	185	PM <sub>10</sub>	1
64	Khanna	Satisfactory	100	PM <sub>10</sub>	1
65	Kolar	Satisfactory	62	03	1
66	Kolkata	Moderate	142	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	7
67	Kollam	Satisfactory	89	PM <sub>10</sub>	1
68	Kota	Moderate	101	PM <sub>2.5</sub>	1
69	Kozhikode	Satisfactory	73	PM <sub>10</sub>	1
70	Kurukshetra	Satisfactory	90	PM <sub>10</sub>	1
71	Lucknow	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
72	Ludhiana	Satisfactory	73	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	192	PM <sub>2.5</sub>	1
74	Mandideep	Satisfactory	54	PM <sub>10</sub>	1
75	Mandikhera	Satisfactory	60	PM <sub>2.5</sub>	1
76	Manglore	Satisfactory	56	PM <sub>2.5</sub>	1
77	Medikeri	Good	50	PM <sub>10</sub>	1
78	Meerut	Moderate	170	PM <sub>2.5</sub> , PM <sub>10</sub>	2
79	Mumbai	Moderate	157	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	18
80	Muzaffarnagar	Moderate	138	PM <sub>10</sub>	1
81	Muzaffarpur	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	2
82	Mysuru	Satisfactory	64	PM <sub>10</sub>	1
83	Nandesari	Moderate	125	со	1
84	Narnaul	Poor	214	PM <sub>10</sub>	1

#### Possible Health Impacts

## Michaellance

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	98	PM <sub>2.5</sub>	1
86	Navi Mumbai	Moderate	185	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	3
87	Noida	Moderate	174	PM <sub>2.5</sub>	2
88	Pali	Moderate	144	PM <sub>10</sub>	1
89	Panchkula	Moderate	122	PM <sub>2.5</sub>	1
90	Panipat	Moderate	104	PM <sub>10</sub>	1
91	Patiala	Satisfactory	69	PM <sub>10</sub>	1
92	Patna	Moderate	193	PM <sub>2.5</sub> , PM <sub>10</sub>	5
93	Pithampur	Moderate	106	03	1
94	Puducherry	Good	38	O <sub>3</sub>	1
95	Pune	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	6
96	Raichur	Satisfactory	87	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Satisfactory	77	PM <sub>10</sub>	1
98	Ratlam	Moderate	107	PM <sub>2.5</sub>	1
99	Rohtak	Moderate	105	PM <sub>2.5</sub>	1
100	Rupnagar	Satisfactory	73	PM <sub>10</sub>	1
101	Satna	Satisfactory	76	PM <sub>10</sub>	1
102	Shillong	Good	43	03	1
103	Siliguri	Moderate	167	PM <sub>2.5</sub>	1
104	Singrauli	Moderate	177	PM <sub>2.5</sub>	1
105	Sirsa	Satisfactory	66	PM <sub>10</sub>	1
106	Sonipat	Moderate	134	PM <sub>10</sub>	1
107	Srinagar	Satisfactory	58	PM <sub>2.5</sub>	1
108	Talcher	Satisfactory	66	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Poor	272	O <sub>3</sub>	1
110	Thiruvananthapuram	Satisfactory	54	PM <sub>10</sub>	1
111	Thoothukudi	Good	44	PM <sub>10</sub>	1
112	Thrissur	Satisfactory	73	03	1
113	Tirupati	Satisfactory	51	NO <sub>2</sub>	1
114	Udaipur	Moderate	144	PM <sub>10</sub>	1
115	Ujjain	Moderate	155	03	1
116	Vapi	Moderate	151	PM <sub>10</sub>	1
117	Varanasi	Moderate	197	03	1
118	Vatva	Poor	255	PM <sub>10</sub>	1
119	Vijayapura	Good	49	PM <sub>2.5</sub>	1
120	Yadgir	Moderate	112	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	105	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ambala, Bagalkot, Bhiwani, Chikkamagaluru, Coimbatore, Dewas, Eloor, Gadag, Jorapokhar, Kochi, Kohima Koppal, Maihar, Manesar, Moradabad, Nagpur, Palwal, Ramanagara, Sagar, Shivamogga, Solapur, Udupi, Visakhapatnam as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.