

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	282	PM _{2.5}	2
2	Agra	Moderate	177	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Moderate	127	PM _{2.5} , PM ₁₀	9
4	Aizawl	Moderate	124	PM ₁₀	1
5	Ajmer	Satisfactory	76	PM ₁₀	1
6	Alwar	Moderate	105	PM ₁₀	1
7	Amaravati	Good	42	PM ₁₀	1
8	Ambala	Poor	247	PM _{2.5}	1
9	Amritsar	Moderate	118	PM ₁₀	1
10	Ankleshwar	Moderate	108	PM _{2.5}	1
11	Araria	Poor	207	PM _{2.5}	1
12	Arrah	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	247	O ₃	1
14	Bagalkot	Satisfactory	51	PM ₁₀	1
15	Baghpat	Poor	262	PM _{2.5}	1
16	Bahadurgarh	Poor	225	PM _{2.5}	1
17	Ballabgarh	Moderate	103	PM ₁₀	1
18	Bathinda	Moderate	141	PM _{2.5}	1
19	Bengaluru	Moderate	106	PM _{2.5} , CO, PM ₁₀	10
20	Bhagalpur	Poor	219	PM _{2.5}	1
21	Bhiwadi	Moderate	146	PM ₁₀	1
22	Bhiwani	Poor	215	PM _{2.5}	1
23	Bhopal	Moderate	138	03	1
24	Bihar Sharif	Poor	255	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Good	50	PM ₁₀	1
26	Brajrajnagar	Moderate	181	03	1
27	Bulandshahr	Moderate	162	PM _{2.5}	1
28	Buxar	Poor	290	PM _{2.5}	1
29	Chamarajanagar	Good	46	PM ₁₀	1
30	Chandigarh	Poor	232	PM _{2.5}	3
31	Chandrapur	Moderate	126	O ₃ , PM ₁₀	2
32	Charkhi Dadri	Poor	242	PM _{2.5}	1
33	Chennai	Satisfactory	63	CO, PM _{2.5} , PM ₁₀	5
34	Chhapra	Poor	298	PM _{2.5}	1
35	Chikkaballapur	Moderate	112	PM ₁₀	1
36	Chikkamagaluru	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	86	SO ₂	1
38	Damoh	Moderate	144	PM _{2.5}	1
39	Davanagere	Satisfactory	89	PM ₁₀	1
40	Delhi	Poor	231	PM _{2.5}	37
41	Dewas	Satisfactory	90	PM ₁₀	1
42	Durgapur	Poor	233	PM _{2.5}	1
43	Eloor	Satisfactory	66	PM ₁₀	1
44	Ernakulam	Satisfactory	56	PM ₁₀	1
45	Faridabad	Poor	234	PM _{2.5}	3
46	Firozabad	Moderate	178	O ₃ , PM _{2.5}	2
47	Gadag	Moderate	107	PM _{2.5}	1
48	Gandhinagar	Moderate	115	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	134	O ₃ , PM _{2.5} , PM ₁₀	3
50	Ghaziabad	Poor	273	PM _{2.5}	4
51	Gorakhpur	Satisfactory	88	PM _{2.5}	1
52	Greater Noida	Moderate	177	PM _{2.5}	1
53	Gummidipoondi	Good	33	PM ₁₀	1
54	Gurugram	Poor	236	PM _{2.5}	2
55	Guwahati	Poor	296	PM _{2.5}	2
56	Gwalior	Moderate	144	PM _{2.5}	1
57	Hajipur	Satisfactory	90	PM ₁₀	1
58	Haldia	Satisfactory	81	PM ₁₀	1
59	Hapur	Moderate	181	03	1
60	Hassan	Moderate	109	PM ₁₀	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	280	PM _{2.5}	1
62	Howrah	Satisfactory	97	PM _{2.5} , PM ₁₀	2
63	Hubballi	Satisfactory	96	PM ₁₀	1
64	Hyderabad	Moderate	112	PM ₁₀ , O ₃ , PM _{2.5}	6
65	Indore	Moderate	116	PM ₁₀	1
66	Jabalpur	Moderate	176	PM ₁₀	1
67	Jaipur	Moderate	139	PM _{2.5}	2
68	Jalandhar	Moderate	115	PM ₁₀	1
69	Jhansi	Moderate	188	PM _{2.5}	1
70	Jind	Poor	204	PM _{2.5}	1
71	Jodhpur	Moderate	155	PM _{2.5}	1
72	Kaithal	Poor	201	PM _{2.5}	1

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kannur	Satisfactory	62	PM _{2.5}	1
74	Kanpur	Moderate	129	PM _{2.5} , PM ₁₀	3
75	Katihar	Very Poor	305	PM _{2.5}	1
76	Katni	Moderate	169	PM _{2.5}	1
77	Khanna	Moderate	117	PM ₁₀	1
78	Kishanganj	Poor	279	PM _{2.5}	1
79	Kohima	Moderate	156	PM ₁₀	1
80	Kolar	Moderate	124	PM _{2.5}	1
81	Kolkata	Satisfactory	96	PM ₁₀ , O ₃	7
82	Kollam	Satisfactory	64	PM ₁₀	1
83	Koppal	Good	45	03	1
84	Kota	Moderate	128	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

^{*} AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM

[#] Some stations have data available at 3PM

^{*} In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

^{*} The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	56	PM ₁₀	1
86	Kurukshetra	Poor	266	PM _{2.5}	1
87	Lucknow	Moderate	161	PM _{2.5} , PM ₁₀	6
88	Ludhiana	Poor	235	PM _{2.5}	1
89	Madikeri	Satisfactory	79	PM ₁₀	1
90	Mandi Gobindgarh	Satisfactory	95	PM _{2.5}	1
91	Mandideep	Satisfactory	92	PM ₁₀	1
92	Mandikhera	Satisfactory	100	PM ₁₀	1
93	Manesar	Poor	266	PM _{2.5}	1
94	Manglore	Satisfactory	54	со	1
95	Manguraha	Moderate	116	PM ₁₀	1
96	Meerut	Poor	234	PM _{2.5}	2

Possible Health Impacts

....

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Moderate	141	PM _{2.5} , PM ₁₀	3
98	Mumbai	Moderate	111	PM _{2.5} , PM ₁₀	18
99	Munger	Poor	206	PM ₁₀	1
100	Muzaffarnagar	Poor	265	PM _{2.5}	1
101	Muzaffarpur	Poor	272	PM _{2.5}	3
102	Mysuru	Satisfactory	67	PM ₁₀	1
103	Nagpur	Satisfactory	92	СО	1
104	Naharlagun	Moderate	187	PM ₁₀	1
105	Narnaul	Moderate	171	PM _{2.5}	1
106	Nashik	Satisfactory	59	PM ₁₀	1
107	Navi Mumbai	Moderate	112	PM ₁₀ , PM _{2.5}	2
108	Noida	Moderate	193	PM _{2.5}	2

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Satisfactory	95	PM ₁₀	1
110	Palwal	Moderate	126	PM ₁₀	1
111	Panchkula	Poor	297	PM _{2.5}	1
112	Panipat	Poor	256	PM _{2.5}	1
113	Patiala	Moderate	134	PM ₁₀	1
114	Patna	Poor	215	PM _{2.5} , PM ₁₀	6
115	Pithampur	Satisfactory	67	PM ₁₀	1
116	Prayagraj	Moderate	121	PM ₁₀ , PM _{2.5}	3
117	Puducherry	Satisfactory	70	PM ₁₀	1
118	Pune	Moderate	150	PM _{2.5}	5
119	Purnia	Moderate	186	PM _{2.5}	1
120	Raichur	Moderate	127	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Satisfactory	59	PM ₁₀	1
122	Rajgir	Moderate	197	O ₃	1
123	Ramanagara	Moderate	126	PM ₁₀	1
124	Ratlam	Satisfactory	91	PM ₁₀	1
125	Rohtak	Poor	264	PM _{2.5}	1
126	Rupnagar	Poor	213	PM ₁₀	1
127	Sagar	Satisfactory	88	PM _{2.5}	1
128	Sasaram	Very Poor	302	O ₃	1
129	Satna	Satisfactory	55	PM ₁₀	1
130	Shillong	Satisfactory	97	PM _{2.5}	1
131	Shivamogga	Satisfactory	58	PM ₁₀	1
132	Siliguri	Poor	300	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Singrauli	Poor	224	PM _{2.5}	1
134	Sirsa	Moderate	110	PM ₁₀	1
135	Siwan	Very Poor	306	PM _{2.5}	1
136	Solapur	Satisfactory	84	PM ₁₀	1
137	Sonipat	Moderate	194	PM ₁₀	1
138	Srinagar	Good	28	PM ₁₀	1
139	Thiruvananthapuram	Satisfactory	68	PM ₁₀ , PM _{2.5}	2
140	Thoothukudi	Satisfactory	85	PM ₁₀	1
141	Tirupati	Moderate	106	PM ₁₀	1
142	Udaipur	Satisfactory	98	PM ₁₀	1
143	Ujjain	Moderate	137	PM ₁₀	1
144	Varanasi	Moderate	119	PM _{2.5} , PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Satisfactory	94	PM ₁₀	1
146	Vijayapura	Good	50	PM ₁₀	1
147	Visakhapatnam	Satisfactory	97	PM ₁₀	1
148	Vrindavan	Moderate	125	PM ₁₀	1
149	Yadgir	Satisfactory	98	PM ₁₀	1
150	Yamunanagar	Poor	287	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Baddi, Bettiah, Bhilai, Bidar, Darbhanga, Dharuhera, Fatehabad, Jorapokhar, Kalaburgi, Kalyan, Karnal, Kochi, Maihar, Motihari, Nandesari, Saharsa, Talcher, Thane, Thrissur, Udupi, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.