

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	58	PM ₁₀	1
2	Agra	Satisfactory	52	PM ₁₀	4
3	Ahmedabad	Satisfactory	58	NO ₂ , PM ₁₀ , CO	9
4	Aizawl	Good	22	SO ₂	1
5	Ajmer	Satisfactory	64	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Good	35	03	1
8	Ambala	Satisfactory	55	PM ₁₀	1
9	Amritsar	Satisfactory	63	PM ₁₀	1
10	Ankleshwar	Satisfactory	66	PM ₁₀	1
11	Asansol	Satisfactory	80	PM _{2.5}	1
12	Bagalkot	Good	31	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	58	O ₃	1
14	Bahadurgarh	Satisfactory	57	PM _{2.5}	1
15	Ballabgarh	Satisfactory	75	PM _{2.5}	1
16	Bengaluru	Good	46	CO, PM ₁₀ , O ₃	8
17	Bhiwadi	Satisfactory	77	PM ₁₀	1
18	Bhiwani	Satisfactory	70	03	1
19	Bhopal	Good	42	O ₃	1
20	Brajrajnagar	Good	44	со	1
21	Bulandshahr	Satisfactory	54	O ₃	1
22	Chamarajanagar	Good	35	PM ₁₀	1
23	Chandigarh	Satisfactory	64	O ₃ , PM ₁₀	2
24	Chandrapur	Good	32	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	88	PM ₁₀	1
26	Chennai	Satisfactory	52	CO, PM ₁₀	7
27	Chikkaballapur	Good	47	NO ₂	1
28	Chikkamagaluru	Good	28	PM ₁₀	1
29	Damoh	Good	18	NO ₂	1
30	Delhi	Satisfactory	88	PM ₁₀ , CO	35
31	Dewas	Good	44	PM ₁₀	1
32	Dharuhera	Satisfactory	77	со	1
33	Durgapur	Moderate	124	PM _{2.5}	1
34	Eloor	Satisfactory	70	со	1
35	Ernakulam	Good	29	со	1
36	Faridabad	Moderate	110	PM _{2.5} , PM ₁₀ , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	55	03	1
38	Firozabad	Good	44	PM ₁₀	1
39	Gadag	Good	20	со	1
40	Gandhinagar	Good	44	CO, PM _{2.5}	3
41	Gaya	Satisfactory	86	PM _{2.5} , CO	2
42	Ghaziabad	Moderate	110	PM _{2.5} , PM ₁₀	4
43	Gorakhpur	Good	32	PM _{2.5}	1
44	Greater Noida	Satisfactory	69	PM ₁₀ , O ₃	2
45	Gummidipoondi	Good	47	PM ₁₀	1
46	Gurugram	Satisfactory	73	PM ₁₀ , PM _{2.5}	3
47	Guwahati	Satisfactory	89	SO ₂	1
48	Gwalior	Satisfactory	70	PM ₁₀ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	33	PM ₁₀	1
50	Hapur	Satisfactory	54	O ₃	1
51	Hassan	Satisfactory	52	PM ₁₀	1
52	Hisar	Satisfactory	74	PM ₁₀	1
53	Howrah	Satisfactory	67	PM ₁₀ , NO ₂	3
54	Hubballi	Good	28	PM ₁₀	1
55	Hyderabad	Good	38	NO ₂ , SO ₂ , PM ₁₀	6
56	Indore	Satisfactory	57	PM ₁₀	1
57	Jabalpur	Satisfactory	53	со	1
58	Jaipur	Good	50	PM ₁₀ , O ₃	2
59	Jalandhar	Satisfactory	62	PM ₁₀	1
60	Jind	Good	49	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Satisfactory	77	PM _{2.5}	1
62	Kaithal	Satisfactory	97	O ₃	1
63	Kalyan	Good	42	со	1
64	Kannur	Good	36	PM _{2.5}	1
65	Kanpur	Good	42	O ₃ , PM ₁₀	4
66	Karnal	Good	35	PM _{2.5}	1
67	Katni	Good	38	PM ₁₀	1
68	Khanna	Satisfactory	66	PM ₁₀	1
69	Kochi	Good	31	PM ₁₀	1
70	Kohima	Good	49	PM ₁₀	1
71	Kolar	Good	42	со	1
72	Kolkata	Satisfactory	55	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	58	СО	1
74	Kota	Satisfactory	52	PM ₁₀	1
75	Kozhikode	Good	32	со	1
76	Kurukshetra	Good	42	PM _{2.5}	1
77	Lucknow	Satisfactory	60	PM ₁₀ , CO, O ₃	6
78	Ludhiana	Satisfactory	60	PM _{2.5}	1
79	Mandi Gobindgarh	Good	41	со	1
80	Mandideep	Good	38	PM ₁₀	1
81	Manesar	Satisfactory	81	PM ₁₀	1
82	Medikeri	Good	29	03	1
83	Meerut	Satisfactory	85	NO ₂ , O ₃ , PM ₁₀	3
84	Mumbai	Satisfactory	53	PM ₁₀ , CO	17

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Satisfactory	95	PM ₁₀	1
86	Muzaffarpur	Moderate	102	PM ₁₀	1
87	Nandesari	Poor	206	PM _{2.5}	1
88	Narnaul	Good	44	NO ₂	1
89	Navi Mumbai	Good	46	CO, PM ₁₀	3
90	Noida	Satisfactory	82	CO, PM ₁₀	2
91	Pali	Satisfactory	71	PM ₁₀	1
92	Palwal	Good	48	PM ₁₀	1
93	Panchkula	Satisfactory	71	PM _{2.5}	1
94	Panipat	Satisfactory	64	SO ₂	1
95	Patiala	Good	32	PM ₁₀	1
96	Patna	Moderate	102	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Satisfactory	70	PM ₁₀	1
98	Prayagraj	Good	46	PM ₁₀	3
99	Puducherry	Satisfactory	57	03	1
100	Pune	Satisfactory	66	NO ₂ , CO	6
101	Raichur	Good	22	PM ₁₀	1
102	Rajamahendravaram	Good	28	03	1
103	Ramanagara	Good	32	PM ₁₀	1
104	Ratlam	Good	47	PM _{2.5}	1
105	Rohtak	Satisfactory	73	NO ₂	1
106	Rupnagar	Good	50	PM ₁₀	1
107	Sagar	Good	22	NO ₂	1
108	Satna	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shillong	Good	15	SO ₂	1
110	Shivamogga	Good	43	PM ₁₀	1
111	Siliguri	Satisfactory	53	PM ₁₀	1
112	Singrauli	Satisfactory	95	PM ₁₀	1
113	Sirsa	Satisfactory	65	03	1
114	Sonipat	Moderate	116	PM ₁₀	1
115	Srinagar	Moderate	102	PM ₁₀	1
116	Talcher	Good	46	со	1
117	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
118	Thoothukudi	Good	44	PM ₁₀	1
119	Thrissur	Satisfactory	60	03	1
120	Tirupati	Good	40	со	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	71	PM ₁₀	1
122	Ujjain	Satisfactory	83	PM ₁₀	1
123	Vapi	Good	47	PM ₁₀	1
124	Varanasi	Satisfactory	51	PM ₁₀	4
125	Vatva	Satisfactory	74	PM ₁₀	1
126	Visakhapatnam	Satisfactory	66	PM ₁₀	1
127	Vrindavan	Good	50	PM ₁₀	1
128	Yadgir	Good	16	PM ₁₀	1
129	Yamunanagar	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kollam, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Nagpur, Naharlagun, Nashik, Solapur, Thane, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.