

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	56	PM _{2.5}	1
2	Agra	Satisfactory	67	PM ₁₀	6
3	Ahmedabad	Satisfactory	67	03	6
4	Aizawl	Good	10	со	1
5	Ajmer	Satisfactory	87	PM ₁₀	1
6	Akola	Good	46	PM ₁₀	1
7	Alwar	Satisfactory	68	PM ₁₀	1
8	Amaravati	Good	37	со	1
9	Ambala	Satisfactory	96	СО	1
10	Amravati	Good	40	PM ₁₀	2
11	Amritsar	Satisfactory	95	PM _{2.5}	1
12	Anantapur	Satisfactory	60	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	ate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatere, Damoh, Darbhanga, Dhanbad, Dindigul, Ernakulam, Gadag, Gummidipoondi, Haveri, Hisar, Imphal, Jalna, Jorapokhar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Moderate	132	СО	1
14	Arrah	Satisfactory	83	PM ₁₀	1
15	Asansol	Good	24	NO ₂	1
16	Aurangabad (Maharashtra)	Good	42	PM ₁₀	3
17	Baddi	Moderate	153	PM ₁₀	1
18	Badlapur	Good	40	PM ₁₀	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Satisfactory	79	PM ₁₀	1
21	Bahadurgarh	Good	48	PM ₁₀	1
22	Ballabgarh	Satisfactory	67	PM ₁₀	1
23	Banswara	Satisfactory	56	PM ₁₀	1
24	Baran	Moderate	104	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	58	PM ₁₀ , CO	2
26	Baripada	Good	38	PM ₁₀	1
27	Barmer	Satisfactory	72	PM ₁₀	1
28	Bathinda	Good	39	PM ₁₀	1
29	Belapur	Good	43	PM ₁₀	1
30	Belgaum	Good	48	со	1
31	Bengaluru	Satisfactory	68	PM ₁₀	9
32	Bhagalpur	Good	28	СО	2
33	Bharatpur	Satisfactory	76	PM ₁₀	1
34	Bhilai	Good	29	PM ₁₀	2
35	Bhilwara	Moderate	109	PM ₁₀	1
36	Bhiwadi	Satisfactory	91	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar, -Chengalpattu, Chhapra, Ceimbatore, Damoh, Darbhanga, Dhanbad, Dindigul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Good	37	PM ₁₀	1
38	Bhiwani	Good	44	PM ₁₀	1
39	Bhopal	Good	47	PM ₁₀	3
40	Bidar	Good	30	NH ₃	1
41	Bihar Sharif	Moderate	108	03	1
42	Bikaner	Satisfactory	85	PM ₁₀	1
43	Bilaspur	Good	50	PM ₁₀	1
44	Bileipada	Satisfactory	53	PM ₁₀	1
45	Brajrajnagar	Satisfactory	71	PM ₁₀	1
46	Bulandshahr	Satisfactory	86	PM ₁₀	1
47	Bundi	Satisfactory	86	PM ₁₀	1
48	Byrnihat	Moderate	187	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	42	PM ₁₀	1
50	Chandigarh	Moderate	161	PM ₁₀	2
51	Chandrapur	Good	34	PM ₁₀	1
52	Charkhi Dadri	Good	46	PM ₁₀	1
53	Chennai	Satisfactory	99	PM ₁₀ , NO ₂	7
54	Chhal	Satisfactory	53	со	1
55	Chikkaballapur	Good	50	PM ₁₀	1
56	Chikkamagaluru	Good	37	PM ₁₀	1
57	Chittoor	Good	40	03	1
58	Chittorgarh	Satisfactory	72	PM ₁₀	1
59	Churu	Satisfactory	79	PM ₁₀	1
60	Cuddalore	Moderate	144	NO ₂	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindig

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Moderate	113	PM ₁₀	1
62	Davanagere	Good	41	PM ₁₀	1
63	Dehradun	Satisfactory	72	PM ₁₀	1
64	Delhi	Satisfactory	91	PM ₁₀ , CO	28
65	Dewas	Good	28	03	1
66	Dharuhera	Satisfactory	74	PM ₁₀	1
67	Dharwad	Good	31	PM ₁₀	1
68	Dholpur	Good	42	O ₃	1
69	Dhule	Good	42	PM ₁₀	1
70	Durgapur	Good	33	NO ₂	1
71	Eloor	Satisfactory	68	PM ₁₀	1
72	Faridabad	Satisfactory	52	PM ₁₀ , PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Ernakulam, Gadag, Gummidipoondi, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kalaburgi, Keonjhar, Kishanganj, Kohima, Kolar, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Nagaur, Naharlagun, Nandesari, Nayagarh, Purnia, Raichur, Rairangpur, Rajgir, Samastipur, Sasaram, Sirsa, Sonipat, Sri Ganganagar, Tirupur, Tumidih, Udupi, Virar, Yadgir, Yamunanagar, vellore as data was not available.

ngalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dir

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Fatehabad	Moderate	110	03	1
74	Firozabad	Satisfactory	56	PM ₁₀	2
75	Gandhinagar	Good	48	PM _{2.5} , PM ₁₀	3
76	Gangtok	Satisfactory	58	SO ₂	1
77	Gaya	Satisfactory	56	со	2
78	Ghaziabad	Satisfactory	98	PM ₁₀	4
79	Gorakhpur	Good	50	PM ₁₀	1
80	Greater Noida	Moderate	116	PM ₁₀	2
81	Gurugram	Satisfactory	74	PM _{2.5}	3
82	Guwahati	Good	50	SO ₂	3
83	Gwalior	Good	48	O ₃ , CO	4
84	Hajipur	Good	40	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	29	O ₃	1
86	Hanumangarh	Satisfactory	69	PM ₁₀	1
87	Hapur	Satisfactory	53	PM ₁₀	1
88	Hassan	Satisfactory	60	PM ₁₀	1
89	Hosur	Satisfactory	52	PM ₁₀	1
90	Howrah	Good	38	NO ₂ , CO	3
91	Hubballi	Satisfactory	51	СО	1
92	Hyderabad	Satisfactory	60	PM ₁₀ , PM _{2.5}	13
93	Indore	Satisfactory	55	PM ₁₀	1
94	Jabalpur	Good	37	PM ₁₀	3
95	Jaipur	Satisfactory	65	PM ₁₀	5
96	Jaisalmer	Satisfactory	89	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	82	PM ₁₀	1
98	Jalgaon	Good	42	PM ₁₀	1
99	Jhalawar	Satisfactory	60	PM ₁₀	1
100	Jhansi	Satisfactory	74	PM _{2.5}	1
101	Jhunjhunu	Satisfactory	76	PM ₁₀	1
102	Jind	Satisfactory	68	со	1
103	Jodhpur	Satisfactory	74	PM ₁₀	4
104	Kaithal	Moderate	102	PM _{2.5}	1
105	Kalyan	Satisfactory	68	СО	1
106	Kanchipuram	Good	46	PM ₁₀	1
107	Kannur	Satisfactory	70	PM ₁₀	1
108	Kanpur	Satisfactory	57	СО	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangahad (Bihar), Regusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar, - Chengalpattu, Chhapra, Ceimbatere, Dameh, Darbhanga, Dhanbad, Dindigul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	69	PM ₁₀	1
110	Karnal	Satisfactory	60	PM ₁₀	1
111	Kashipur	Satisfactory	61	PM ₁₀	1
112	Katihar	Moderate	118	со	1
113	Katni	Good	39	PM ₁₀	1
114	Khanna	Satisfactory	64	PM ₁₀	1
115	Khurja	Satisfactory	70	PM _{2.5}	1
116	Kochi	Satisfactory	83	СО	1
117	Kolhapur	Good	30	PM ₁₀	2
118	Kolkata	Good	37	O ₃ , PM ₁₀	6
119	Kollam	Satisfactory	84	PM ₁₀	1
120	Koppal	Satisfactory	86	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	te Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Ceimbatere, Dameh, Darbhanga, Dhanbad, Dindigu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Good	26	NO ₂ , PM ₁₀	2
122	Kota	Satisfactory	61	PM ₁₀	3
123	Kunjemura	Good	24	со	1
124	Kurukshetra	Satisfactory	69	PM ₁₀	1
125	Latur	Good	49	PM ₁₀	1
126	Lucknow	Satisfactory	57	CO, PM ₁₀	6
127	Ludhiana	Satisfactory	76	PM ₁₀	1
128	Madikeri	Good	38	PM ₁₀	1
129	Mahad	Good	34	PM ₁₀	1
130	Maihar	Good	35	со	1
131	Mandi Gobindgarh	Satisfactory	89	PM ₁₀	1
132	Mandideep	Moderate	110	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Chengalpattu, Chhapra, Ceimbatere, Dameh, Darbhanga, Dhanbad, Dindigu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	33	PM ₁₀	1
134	Manesar	Satisfactory	56	PM _{2.5}	1
135	Mangalore	Satisfactory	80	PM ₁₀	1
136	Meerut	Satisfactory	87	PM ₁₀	3
137	Moradabad	Moderate	110	PM ₁₀	6
138	Mumbai	Satisfactory	58	CO, PM ₁₀	20
139	Muzaffarnagar	Satisfactory	86	PM ₁₀	1
140	Muzaffarpur	Satisfactory	69	со	3
141	Mysuru	Satisfactory	60	PM ₁₀	1
142	Nagaon	Good	43	O ₃	1
143	Nagpur	Good	39	PM ₁₀	4
144	Nalbari	Good	45	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

ngalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dir

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nanded	Good	45	03	1
146	Narnaul	Satisfactory	53	PM ₁₀	1
147	Nashik	Good	42	PM ₁₀	2
148	Navi Mumbai	Good	38	PM ₁₀	7
149	Noida	Satisfactory	94	PM ₁₀	3
150	Ooty	Satisfactory	56	PM ₁₀	1
151	Pali	Poor	261	NO ₂	1
152	Palkalaiperur	Satisfactory	66	SO ₂	1
153	Palwal	Good	44	PM _{2.5}	1
154	Panchkula	Satisfactory	100	PM _{2.5}	1
155	Panipat	Satisfactory	100	PM ₁₀	1
156	Parbhani	Satisfactory	53	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria Aurangabad (Bibar) Begusarai Bettiah Boisar Buxar

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar, - Chengalpattu, Chhapra, Ceimbatore, Damoh, Darbhanga, Dhanbad, Dindigu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patiala	Satisfactory	77	PM ₁₀	1
158	Patna	Satisfactory	61	PM _{2.5}	6
159	Pimpri Chinchwad	Good	41	PM ₁₀	3
160	Pithampur	Satisfactory	73	PM ₁₀	1
161	Pratapgarh	Satisfactory	72	PM ₁₀	1
162	Prayagraj	Satisfactory	51	PM ₁₀	3
163	Puducherry	Satisfactory	73	PM ₁₀	1
164	Pune	Satisfactory	90	NO ₂ , PM ₁₀	5
165	Raipur	Good	45	PM ₁₀ , CO	4
166	Rajamahendravaram	Good	35	PM ₁₀	1
167	Rajsamand	Satisfactory	61	PM ₁₀	1
168	Ramanagara	Satisfactory	53	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigul Ernakulam, Gadag, Gummidipoondi, Haveri, Hisar, Imphal, Jalna, Jorapokha

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanathapuram	Satisfactory	59	PM ₁₀	1
170	Ratlam	Good	32	PM ₁₀	1
171	Rishikesh	Good	30	PM ₁₀	1
172	Rohtak	Good	38	03	1
173	Rourkela	Satisfactory	73	PM ₁₀	1
174	Rupnagar	Moderate	137	PM ₁₀	1
175	Sagar	Good	45	PM ₁₀	1
176	Saharsa	Moderate	103	O ₃	1
177	Salem	Good	43	SO ₂	1
178	Sangli	Good	22	PM ₁₀	1
179	Satna	Satisfactory	71	PM ₁₀	1
180	Sawai Madhopur	Satisfactory	62	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	or Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar, - Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindig

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shillong	Good	20	SO ₂	2
182	Shivamogga	Good	44	PM ₁₀	1
183	Sikar	Satisfactory	75	PM ₁₀	1
184	Silchar	Good	24	со	1
185	Siliguri	Good	31	PM ₁₀	1
186	Singrauli	Moderate	192	NO ₂	1
187	Sirohi	Satisfactory	90	PM ₁₀	1
188	Sivasagar	Good	16	PM ₁₀	1
189	Siwan	Good	49	PM ₁₀	1
190	Solapur	Satisfactory	53	PM ₁₀	3
191	Srinagar	Satisfactory	60	PM ₁₀	1
192	Suakati	Good	39	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	or Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigu

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Surat	Good	32	PM ₁₀	1
194	Talcher	Good	40	NO ₂	1
195	Tensa	Good	30	NO ₂	1
196	Thane	Satisfactory	51	PM ₁₀ , CO	3
197	Thiruvananthapuram	Good	40	со	2
198	Thoothukudi	Satisfactory	93	03	1
199	Thrissur	Satisfactory	64	PM ₁₀	1
200	Tirupati	Satisfactory	78	PM _{2.5} , PM ₁₀	2
201	Tonk	Moderate	104	PM ₁₀	1
202	Tumakuru	Good	43	со	1
203	Udaipur	Satisfactory	59	PM ₁₀	1
204	Ujjain	Satisfactory	74	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigu Ernakulam, Gadaq, Gummidipoondi, Haveri, Hisar, Imphal, Jalna, Jorapokha

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations.
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Ulhasnagar	Satisfactory	59	PM ₁₀	1
206	Vapi	Satisfactory	94	СО	1
207	Varanasi	Good	42	SO ₂ , PM ₁₀	3
208	Vatva	Satisfactory	94	PM _{2.5}	1
209	Vijayapura	Good	46	PM ₁₀	1
210	Vijayawada	Good	43	O ₃	1
211	Visakhapatnam	Satisfactory	93	PM ₁₀	1
212	Vrindavan	Moderate	149	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	/ery Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Chengalpattu, Chhapra, Coimbatore, Damoh, Darbhanga, Dhanbad, Dindigul

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Ankleshwar, Araria, Aurangabad (Bihar), Begusarai, Bettiah, Boisar, Buxar,