

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	184	PM _{2.5}	2
2	Agra	Satisfactory	60	PM ₁₀	6
3	Ahmedabad	Satisfactory	96	PM ₁₀ , NO ₂	6
4	Aizawl	Satisfactory	67	PM ₁₀	1
5	Ajmer	Moderate	150	PM _{2.5}	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Satisfactory	53	СО	1
8	Ambala	Good	48	PM ₁₀	1
9	Amritsar	Satisfactory	90	PM _{2.5}	1
10	Anantapur	Satisfactory	52	PM ₁₀	1
11	Ankleshwar	Satisfactory	64	PM ₁₀	1
12	Araria	Moderate	200	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh, Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa, Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	199	PM _{2.5}	1
14	Asansol	Moderate	183	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	158	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Satisfactory	76	PM ₁₀	1
17	Baddi	Satisfactory	96	O ₃	1
18	Bagalkot	Satisfactory	63	O ₃	1
19	Baghpat	Satisfactory	96	PM ₁₀	1
20	Bahadurgarh	Satisfactory	84	PM _{2.5}	1
21	Bareilly	Satisfactory	70	PM ₁₀	2
22	Baripada	Satisfactory	78	PM ₁₀	1
23	Barmer	Moderate	130	PM ₁₀	1
24	Bathinda	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Poor	296	PM _{2.5}	1
26	Belgaum	Satisfactory	68	PM ₁₀	1
27	Bengaluru	Satisfactory	68	PM ₁₀	7
28	Bhagalpur	Poor	202	PM _{2.5}	2
29	Bharatpur	Moderate	141	PM _{2.5}	1
30	Bhilai	Satisfactory	57	PM ₁₀	2
31	Bhiwadi	Poor	239	PM ₁₀	1
32	Bhiwani	Moderate	102	PM _{2.5}	1
33	Bhopal	Satisfactory	90	PM ₁₀	3
34	Bidar	Moderate	105	со	1
35	Bihar Sharif	Poor	255	PM ₁₀	1
36	Bikaner	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Moderate	105	со	1
38	Bileipada	Moderate	190	PM ₁₀	1
39	Brajrajnagar	Satisfactory	99	со	1
40	Bulandshahr	Satisfactory	98	PM ₁₀	1
41	Byrnihat	Poor	275	PM _{2.5}	1
42	Chamarajanagar	Good	50	PM ₁₀	1
43	Chandigarh	Satisfactory	88	PM ₁₀ , PM _{2.5}	3
44	Chandrapur	Satisfactory	60	PM _{2.5}	1
45	Charkhi Dadri	Poor	207	PM _{2.5}	1
46	Chennai	Good	39	CO, O ₃	7
47	Chhal	Satisfactory	79	PM ₁₀	1
48	Chhapra	Poor	214	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	47	PM _{2.5}	1
50	Chikkamagaluru	Good	30	PM ₁₀	1
51	Chittoor	Satisfactory	63	03	1
52	Chittorgarh	Moderate	160	03	1
53	Coimbatore	Satisfactory	95	со	1
54	Cuddalore	Good	49	NO ₂	2
55	Damoh	Good	26	СО	1
56	Dausa	Moderate	128	PM ₁₀	1
57	Davanagere	Satisfactory	77	PM ₁₀	1
58	Dehradun	Satisfactory	52	03	1
59	Delhi	Moderate	164	O ₃ , PM _{2.5}	37
60	Dewas	Satisfactory	74	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh, Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa, Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Poor	238	PM _{2.5}	1
62	Dharuhera	Poor	269	PM ₁₀	1
63	Dholpur	Moderate	134	PM _{2.5}	1
64	Dindigul	Moderate	158	NO ₂	1
65	Durgapur	Moderate	127	PM ₁₀	1
66	Eloor	Satisfactory	81	PM ₁₀	1
67	Faridabad	Poor	236	PM _{2.5}	2
68	Firozabad	Good	42	PM ₁₀	2
69	Gadag	Good	43	PM _{2.5}	1
70	Gandhinagar	Satisfactory	94	PM _{2.5} , PM ₁₀	3
71	Gaya	Moderate	166	O ₃ , PM _{2.5}	3
72	Ghaziabad	Moderate	138	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Satisfactory	95	PM _{2.5}	1
74	Greater Noida	Poor	216	PM ₁₀	2
75	Gurugram	Moderate	143	PM _{2.5}	4
76	Guwahati	Moderate	122	PM ₁₀ , PM _{2.5}	4
77	Gwalior	Moderate	128	O ₃ , PM _{2.5}	2
78	Hajipur	Moderate	129	PM ₁₀	1
79	Haldia	Good	28	O ₃	1
80	Hanumangarh	Moderate	180	PM _{2.5}	1
81	Hapur	Satisfactory	62	O ₃	1
82	Hassan	Satisfactory	76	PM ₁₀	1
83	Haveri	Satisfactory	69	PM ₁₀	1
84	Hosur	Moderate	123	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh, Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa, Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	57	NO ₂	2
86	Hubballi	Moderate	118	PM ₁₀	2
87	Hyderabad	Satisfactory	90	CO, PM ₁₀	13
88	Imphal	Satisfactory	86	SO ₂	2
89	Indore	Satisfactory	71	PM ₁₀	2
90	Jabalpur	Satisfactory	99	PM ₁₀	1
91	Jaipur	Moderate	104	PM ₁₀	5
92	Jalandhar	Satisfactory	99	PM ₁₀	1
93	Jhalawar	Moderate	115	PM ₁₀	1
94	Jhansi	Satisfactory	60	SO ₂	1
95	Jhunjhunu	Poor	276	O ₃	1
96	Jind	Moderate	106	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	184	03	2
98	Kaithal	Moderate	101	PM ₁₀	1
99	Kalaburgi	Satisfactory	67	PM ₁₀	2
100	Kalyan	Moderate	110	PM ₁₀	1
101	Kanchipuram	Good	36	PM ₁₀	1
102	Kannur	Satisfactory	73	PM ₁₀	1
103	Kanpur	Satisfactory	94	O ₃	3
104	Karauli	Good	49	03	1
105	Karnal	Good	46	PM ₁₀	1
106	Kashipur	Satisfactory	59	PM ₁₀	1
107	Katihar	Poor	260	PM _{2.5}	1
108	Katni	Moderate	193	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Moderate	114	PM _{2.5}	1
110	Khanna	Satisfactory	75	PM ₁₀	1
111	Khurja	Satisfactory	97	PM _{2.5}	1
112	Kishanganj	Moderate	137	PM ₁₀	1
113	Kochi	Satisfactory	60	PM ₁₀	1
114	Kohima	Satisfactory	100	PM _{2.5}	1
115	Kolar	Satisfactory	54	PM ₁₀	1
116	Kolkata	Satisfactory	53	O ₃	7
117	Kollam	Satisfactory	88	PM ₁₀	1
118	Koppal	Satisfactory	52	O ₃	1
119	Korba	Moderate	106	PM ₁₀	2
120	Kota	Satisfactory	98	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kunjemura	Moderate	110	PM ₁₀	1
122	Kurukshetra	Satisfactory	54	PM _{2.5}	1
123	Lucknow	Satisfactory	87	PM _{2.5}	6
124	Ludhiana	Satisfactory	98	PM ₁₀	1
125	Madikeri	Good	26	PM ₁₀	1
126	Maihar	Satisfactory	71	PM _{2.5}	1
127	Mandi Gobindgarh	Moderate	119	PM _{2.5}	1
128	Mandideep	Moderate	104	PM ₁₀	1
129	Mandikhera	Good	50	PM ₁₀	1
130	Manesar	Moderate	183	PM _{2.5}	1
131	Mangalore	Moderate	109	PM ₁₀	1
132	Manguraha	Moderate	126	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh, Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa, Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Moderate	118	PM ₁₀	3
134	Milupara	Satisfactory	52	PM ₁₀	1
135	Moradabad	Satisfactory	74	PM _{2.5} , PM ₁₀	6
136	Motihari	Moderate	147	PM ₁₀	1
137	Mumbai	Satisfactory	98	PM _{2.5} , PM ₁₀	18
138	Munger	Poor	215	PM ₁₀	1
139	Muzaffarnagar	Moderate	105	PM _{2.5}	1
140	Muzaffarpur	Poor	206	PM ₁₀ , PM _{2.5}	3
141	Mysuru	Satisfactory	54	PM ₁₀	1
142	Nagaon	Moderate	185	PM ₁₀	1
143	Nagpur	Moderate	115	PM _{2.5}	1
144	Nalbari	Moderate	136	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nandesari	Good	33	СО	1
146	Narnaul	Moderate	142	PM ₁₀	1
147	Nashik	Good	46	PM ₁₀	1
148	Navi Mumbai	Moderate	139	PM _{2.5} , PM ₁₀	3
149	Nayagarh	Poor	264	PM ₁₀	1
150	Noida	Moderate	166	PM ₁₀ , PM _{2.5}	4
151	Pali	Satisfactory	93	PM ₁₀	1
152	Palkalaiperur	Satisfactory	52	SO ₂	1
153	Palwal	Satisfactory	79	PM ₁₀	1
154	Panchkula	Moderate	167	со	1
155	Panipat	Satisfactory	87	PM ₁₀	1
156	Patiala	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Poor	203	PM _{2.5}	6
158	Pithampur	Satisfactory	84	PM ₁₀	1
159	Pratapgarh	Satisfactory	87	O ₃	1
160	Prayagraj	Satisfactory	73	PM ₁₀	3
161	Puducherry	Good	28	PM ₁₀	1
162	Pune	Satisfactory	83	NO ₂ , CO	3
163	Purnia	Moderate	161	PM _{2.5}	1
164	Raichur	Satisfactory	88	PM ₁₀	1
165	Raipur	Satisfactory	81	PM ₁₀	4
166	Rairangpur	Moderate	123	PM ₁₀	1
167	Rajamahendravaram	Good	42	PM ₁₀	1
168	Rajgir	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajsamand	Satisfactory	86	PM ₁₀	1
170	Ramanagara	Satisfactory	51	PM ₁₀	1
171	Ramanathapuram	Good	22	PM ₁₀	1
172	Ratlam	Satisfactory	89	PM ₁₀	1
173	Rishikesh	Good	34	03	1
174	Rohtak	Satisfactory	53	PM _{2.5}	1
175	Rourkela	Poor	215	PM _{2.5}	3
176	Rupnagar	Moderate	101	PM ₁₀	1
177	Sagar	Satisfactory	88	O ₃	1
178	Saharsa	Poor	237	PM _{2.5}	1
179	Salem	Satisfactory	99	SO ₂	1
180	Samastipur	Poor	228	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh, Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad, Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa, Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sasaram	Moderate	150	PM _{2.5}	1
182	Satna	Poor	202	PM ₁₀	1
183	Sawai Madhopur	Moderate	110	PM ₁₀	1
184	Shillong	Satisfactory	87	PM _{2.5}	1
185	Shivamogga	Good	43	03	1
186	Sikar	Moderate	182	PM ₁₀	1
187	Silchar	Good	29	PM ₁₀	1
188	Siliguri	Satisfactory	73	PM ₁₀	1
189	Singrauli	Moderate	163	PM _{2.5}	1
190	Sirohi	Satisfactory	81	03	1
191	Sirsa	Satisfactory	75	PM ₁₀	1
192	Sivasagar	Good	49	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Poor	234	PM _{2.5}	1
194	Solapur	Moderate	118	PM ₁₀	1
195	Sri Ganganagar	Satisfactory	70	PM _{2.5}	1
196	Suakati	Satisfactory	97	PM _{2.5}	1
197	Surat	Satisfactory	95	со	1
198	Talcher	Satisfactory	52	PM ₁₀	1
199	Tensa	Satisfactory	85	PM ₁₀	1
200	Thane	Moderate	105	PM ₁₀	1
201	Thiruvananthapuram	Good	34	PM ₁₀	2
202	Thoothukudi	Satisfactory	53	03	1
203	Thrissur	Satisfactory	100	PM ₁₀	1
204	Tirupati	Good	44	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupur	Satisfactory	55	PM ₁₀	1
206	Tonk	Moderate	104	PM ₁₀	1
207	Tumidih	Satisfactory	78	PM _{2.5}	1
208	Udaipur	Satisfactory	78	PM ₁₀	1
209	Udupi	Satisfactory	73	03	1
210	Ujjain	Satisfactory	87	PM ₁₀	1
211	Varanasi	Satisfactory	80	PM ₁₀	4
212	Vatva	Moderate	107	PM ₁₀	1
213	Vijayapura	Good	42	PM ₁₀	1
214	Visakhapatnam	Satisfactory	80	03	1
215	Vrindavan	Moderate	136	PM ₁₀	1
216	Yadgir	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Satisfactory	80	PM ₁₀	1
218	vellore	Good	42	SO ₂	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ariyalur, Ballabgarh,
 Banswara, Bettiah, Buxar, Chengalpattu, Churu, Darbhanga, Dharwad,
 Ernakulam, Fatehabad, Gangtok, Gummidipoondi, Hisar, Jorapokhar, Kadapa,
 Kozhikode, Naharlagun, Ooty, Sonipat, Srinagar, Tumakuru, Vapi, Vijayawada
 as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.