

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	154	PM <sub>2.5</sub>	1
2	Agra	Moderate	148	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	162	PM <sub>10</sub>	1
4	Aizawl	Moderate	118	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	98	PM <sub>2.5</sub>	1
6	Alwar	Moderate	105	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	62	PM <sub>10</sub>	1
8	Ambala	Moderate	114	PM <sub>10</sub>	1
9	Amritsar	Moderate	127	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	167	PM <sub>2.5</sub>	1
11	Asansol	Moderate	157	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	81	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	53	PM <sub>10</sub>	1
14	Baghpat	Poor	254	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	292	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	268	PM <sub>2.5</sub>	1
17	Bathinda	Satisfactory	92	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	85	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	7
19	Bhiwadi	Very Poor	313	PM <sub>2.5</sub>	1
20	Bhopal	Moderate	103	PM <sub>10</sub>	1
21	Bidar	Satisfactory	100	PM <sub>10</sub>	1
22	Brajrajnagar	Satisfactory	62	со	1
23	Bulandshahr	Poor	294	PM <sub>2.5</sub>	1
24	Chamarajanagar	Satisfactory	89	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	103	PM <sub>10</sub>	1
26	Chandrapur	Satisfactory	53	PM <sub>10</sub>	1
27	Charkhi Dadri	Moderate	186	PM <sub>10</sub>	1
28	Chennai	Satisfactory	86	PM <sub>2.5</sub>	8
29	Chikkaballapur	Satisfactory	84	PM <sub>10</sub>	1
30	Chikkamagaluru	Satisfactory	83	PM <sub>2.5</sub>	1
31	Davanagere	Satisfactory	96	PM <sub>10</sub>	1
32	Delhi	Very Poor	324	PM <sub>2.5</sub> , PM <sub>10</sub>	36
33	Dewas	Moderate	105	PM <sub>10</sub>	1
34	Dharuhera	Poor	268	PM <sub>10</sub>	1
35	Durgapur	Poor	259	PM <sub>10</sub>	1
36	Eloor	Satisfactory	84	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Moderate	116	PM <sub>2.5</sub>	1
38	Faridabad	Very Poor	307	PM <sub>2.5</sub> , PM <sub>10</sub>	3
39	Fatehabad	Moderate	111	PM <sub>10</sub>	1
40	Gandhinagar	Moderate	108	PM <sub>10</sub>	1
41	Gaya	Satisfactory	88	CO, O <sub>3</sub>	2
42	Ghaziabad	Very Poor	328	PM <sub>2.5</sub>	4
43	Greater Noida	Very Poor	337	PM <sub>10</sub>	1
44	Gummidipoondi	Moderate	156	PM <sub>2.5</sub>	1
45	Gurugram	Very Poor	316	PM <sub>2.5</sub>	4
46	Guwahati	Very Poor	310	PM <sub>2.5</sub>	2
47	Gwalior	Moderate	114	PM <sub>2.5</sub>	2
48	Hajipur	Poor	218	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	128	PM <sub>10</sub>	1
50	Hisar	Poor	248	PM <sub>2.5</sub>	1
51	Howrah	Poor	286	PM <sub>2.5</sub>	3
52	Hyderabad	Moderate	112	PM <sub>10</sub> , PM <sub>2.5</sub>	5
53	Jabalpur	Satisfactory	73	03	1
54	Jaipur	Moderate	121	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Jalandhar	Satisfactory	98	PM <sub>2.5</sub>	1
56	Jind	Moderate	176	PM <sub>2.5</sub>	1
57	Jodhpur	Moderate	130	PM <sub>2.5</sub>	1
58	Jorapokhar	Good	46	PM <sub>10</sub>	1
59	Kaithal	Satisfactory	82	PM <sub>2.5</sub>	1
60	Kalaburgi	Moderate	101	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	178	PM <sub>2.5</sub>	1
62	Kannur	Moderate	106	PM <sub>10</sub>	1
63	Kanpur	Moderate	140	PM <sub>2.5</sub>	2
64	Karnal	Moderate	136	PM <sub>2.5</sub>	1
65	Katni	Satisfactory	69	PM <sub>2.5</sub>	1
66	Khanna	Satisfactory	67	PM <sub>10</sub>	1
67	Kohima	Moderate	150	PM <sub>2.5</sub>	1
68	Kolkata	Poor	230	PM <sub>2.5</sub> , PM <sub>10</sub>	7
69	Kollam	Moderate	195	PM <sub>2.5</sub>	1
70	Koppal	Satisfactory	80	PM <sub>10</sub>	1
71	Kota	Moderate	145	PM <sub>2.5</sub>	1
72	Kozhikode	Satisfactory	87	PM <sub>10</sub>	1

## Possible Health Impacts

## Michaellance

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	203	PM <sub>10</sub> , PM <sub>2.5</sub>	4
74	Ludhiana	Satisfactory	69	PM <sub>10</sub>	1
75	Maihar	Good	47	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	194	PM <sub>2.5</sub>	1
77	Mandikhera	Moderate	107	PM <sub>2.5</sub>	1
78	Manesar	Moderate	194	PM <sub>2.5</sub>	1
79	Manglore	Satisfactory	76	PM <sub>10</sub>	1
80	Meerut	Poor	278	PM <sub>2.5</sub>	2
81	Moradabad	Very Poor	382	PM <sub>2.5</sub>	1
82	Mumbai	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	18
83	Muzaffarpur	Poor	283	PM <sub>2.5</sub>	2
84	Mysuru	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	51	PM <sub>2.5</sub>	1
86	Nashik	Satisfactory	95	PM <sub>2.5</sub>	1
87	Navi Mumbai	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	3
88	Noida	Very Poor	322	PM <sub>2.5</sub>	3
89	Pali	Moderate	152	PM <sub>10</sub>	1
90	Palwal	Moderate	153	PM <sub>2.5</sub>	1
91	Panchkula	Moderate	109	PM <sub>2.5</sub>	1
92	Panipat	Moderate	139	PM <sub>10</sub>	1
93	Patiala	Satisfactory	91	PM <sub>10</sub>	1
94	Patna	Poor	214	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Pithampur	Satisfactory	91	O <sub>3</sub>	1
96	Puducherry	Satisfactory	56	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	5
98	Raichur	Moderate	124	PM <sub>10</sub>	1
99	Ramanagara	Moderate	158	O <sub>3</sub>	1
100	Ratlam	Moderate	134	PM <sub>10</sub>	1
101	Rupnagar	Satisfactory	96	PM <sub>10</sub>	1
102	Sagar	Good	36	PM <sub>2.5</sub>	1
103	Satna	Satisfactory	71	PM <sub>10</sub>	1
104	Shivamogga	Satisfactory	82	NO <sub>2</sub>	1
105	Siliguri	Very Poor	308	PM <sub>2.5</sub>	1
106	Singrauli	Satisfactory	88	PM <sub>10</sub>	1
107	Sirsa	Satisfactory	96	PM <sub>10</sub>	1
108	Solapur	Moderate	126	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Moderate	149	PM <sub>10</sub>	1
110	Srinagar	Moderate	121	PM <sub>10</sub>	1
111	Talcher	Satisfactory	85	PM <sub>10</sub>	1
112	Thane	Moderate	159	PM <sub>10</sub>	1
113	Thiruvananthapuram	Satisfactory	79	PM <sub>10</sub>	1
114	Thoothukudi	Satisfactory	68	PM <sub>10</sub>	1
115	Thrissur	Moderate	105	PM <sub>2.5</sub>	1
116	Tirupati	Satisfactory	88	PM <sub>2.5</sub>	1
117	Udaipur	Moderate	127	PM <sub>2.5</sub>	1
118	Udupi	Poor	216	O <sub>3</sub>	1
119	Ujjain	Poor	258	O <sub>3</sub>	1
120	Vapi	Moderate	132	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	214	O <sub>3</sub>	1
122	Vatva	Poor	300	PM <sub>10</sub>	1
123	Vijayapura	Satisfactory	71	PM <sub>10</sub>	1
124	Visakhapatnam	Moderate	137	PM <sub>10</sub>	1
125	Yadgir	Satisfactory	92	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bhiwani, Coimbatore, Damoh, Gadag, Haldia, Hubballi, Indore, Kochi, Kolar, Kurukshetra, Mandideep, Medikeri, Muzaffarnagar, Nandesari, Narnaul, Rajamahendravaram, Rohtak, Shillong, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.