

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	39	PM <sub>2.5</sub>	1
2	Ahmedabad	Satisfactory	68	PM <sub>10</sub>	1
3	Ajmer	Good	46	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	55	PM <sub>10</sub>	1
5	Amaravati	Good	37	03	1
6	Ambala	Good	46	O <sub>3</sub>	1
7	Amritsar	Satisfactory	51	PM <sub>10</sub>	1
8	Ankleshwar	Good	45	PM <sub>2.5</sub>	1
9	Asansol	Good	34	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	58	СО	1
11	Baghpat	Satisfactory	81	со	1
12	Ballabgarh	Moderate	112	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	41	PM <sub>10</sub> , CO, NO <sub>2</sub>	9
14	Bhiwadi	Good	41	PM <sub>10</sub>	1
15	Bhiwani	Satisfactory	54	03	1
16	Brajrajnagar	Good	47	PM <sub>10</sub>	1
17	Bulandshahr	Satisfactory	79	со	1
18	Chandigarh	Good	25	PM <sub>10</sub>	1
19	Chandrapur	Good	28	NO <sub>2</sub>	1
20	Charkhi Dadri	Satisfactory	58	PM <sub>2.5</sub>	1
21	Chennai	Satisfactory	71	CO, O <sub>3</sub>	3
22	Chikkaballapur	Satisfactory	53	PM <sub>10</sub>	1
23	Chikkamagaluru	Good	30	PM <sub>10</sub>	1
24	Coimbatore	Good	32	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Good	20	PM <sub>10</sub>	1
26	Delhi	Satisfactory	54	CO, PM <sub>10</sub>	31
27	Dewas	Good	37	O <sub>3</sub>	1
28	Dharuhera	Good	44	со	1
29	Eloor	Satisfactory	83	PM <sub>10</sub>	1
30	Faridabad	Satisfactory	60	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	4
31	Fatehabad	Good	49	03	1
32	Gandhinagar	Good	34	PM <sub>2.5</sub>	1
33	Gaya	Good	37	PM <sub>10</sub>	1
34	Ghaziabad	Good	49	PM <sub>10</sub> , O <sub>3</sub> , CO	4
35	Greater Noida	Satisfactory	52	PM <sub>10</sub>	2
36	Gurugram	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Good	31	PM <sub>10</sub>	1
38	Gwalior	Good	31	O <sub>3</sub>	1
39	Hajipur	Good	22	СО	1
40	Hapur	Good	36	PM <sub>10</sub>	1
41	Hisar	Moderate	115	O <sub>3</sub>	1
42	Howrah	Good	38	O <sub>3</sub> , PM <sub>10</sub> , NO <sub>2</sub>	3
43	Hubballi	Good	22	PM <sub>10</sub>	1
44	Hyderabad	Good	30	NO <sub>2</sub> , PM <sub>10</sub> , CO	4
45	Indore	Good	46	O <sub>3</sub>	1
46	Jabalpur	Good	35	O <sub>3</sub>	1
47	Jaipur	Satisfactory	52	PM <sub>10</sub>	3
48	Jalandhar	Good	42	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Satisfactory	66	со	1
50	Jodhpur	Moderate	101	PM <sub>10</sub>	1
51	Jorapokhar	Satisfactory	75	со	1
52	Kaithal	Good	39	O <sub>3</sub>	1
53	Kalyan	Good	20	со	1
54	Kanpur	Satisfactory	52	O <sub>3</sub>	1
55	Karnal	Good	47	SO <sub>2</sub>	1
56	Katni	Good	34	PM <sub>10</sub>	1
57	Khanna	Good	38	PM <sub>10</sub>	1
58	Kochi	Satisfactory	77	СО	1
59	Kolkata	Satisfactory	51	O <sub>3</sub> , PM <sub>10</sub>	6
60	Kota	Good	41	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Good	10	PM <sub>10</sub>	1
62	Kurukshetra	Good	44	O <sub>3</sub>	1
63	Lucknow	Satisfactory	77	O <sub>3</sub> , PM <sub>10</sub>	4
64	Ludhiana	Good	47	O <sub>3</sub>	1
65	Maihar	Good	27	PM <sub>10</sub>	1
66	Mandi Gobindgarh	Satisfactory	80	PM <sub>2.5</sub>	1
67	Mandideep	Satisfactory	51	O <sub>3</sub>	1
68	Mandikhera	Satisfactory	79	O <sub>3</sub>	1
69	Manesar	Good	37	PM <sub>10</sub>	1
70	Meerut	Good	35	O <sub>3</sub> , PM <sub>10</sub>	2
71	Moradabad	Satisfactory	95	СО	1
72	Mumbai	Good	36	SO <sub>2</sub> , CO, PM <sub>10</sub>	9

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Satisfactory	53	со	1
74	Muzaffarpur	Satisfactory	86	O <sub>3</sub>	1
75	Mysuru	Good	18	O <sub>3</sub>	1
76	Nagpur	Satisfactory	70	O <sub>3</sub>	1
77	Nandesari	Poor	258	PM <sub>2.5</sub>	1
78	Narnaul	Good	43	NO <sub>2</sub>	1
79	Nashik	Good	28	O <sub>3</sub>	1
80	Navi Mumbai	Good	38	со	1
81	Noida	Satisfactory	98	со	3
82	Pali	Good	46	PM <sub>10</sub>	1
83	Palwal	Good	32	PM <sub>10</sub>	1
84	Panchkula	Good	31	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Satisfactory	55	PM <sub>10</sub>	1
86	Patiala	Good	38	со	1
87	Patna	Good	43	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	5
88	Pithampur	Good	22	O <sub>3</sub>	1
89	Pune	Good	47	СО	1
90	Rajamahendravaram	Good	47	O <sub>3</sub>	1
91	Ramanagara	Good	39	NO <sub>2</sub>	1
92	Ratlam	Good	26	PM <sub>10</sub>	1
93	Rohtak	Good	34	O <sub>3</sub>	1
94	Rupnagar	Satisfactory	64	PM <sub>10</sub>	1
95	Sagar	Good	17	СО	1
96	Satna	Satisfactory	56	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	erate Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	9	PM <sub>2.5</sub>	1
98	Siliguri	Good	32	O <sub>3</sub>	1
99	Singrauli	Good	43	O <sub>3</sub>	1
100	Sirsa	Satisfactory	61	O <sub>3</sub>	1
101	Solapur	Good	38	PM <sub>10</sub>	1
102	Sonipat	Good	46	PM <sub>10</sub>	1
103	Talcher	Satisfactory	85	PM <sub>10</sub>	1
104	Thane	Good	31	PM <sub>10</sub>	1
105	Thiruvananthapuram	Good	35	со	1
106	Tirupati	Good	32	СО	1
107	Ujjain	Satisfactory	51	O <sub>3</sub>	1
108	Vapi	Good	21	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor Breathing discomfort to most people on prolonged exposure			
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Good	40	PM <sub>10</sub>	1
110	Vatva	Satisfactory	87	PM <sub>2.5</sub>	1
111	Vijayapura	Moderate	101	O <sub>3</sub>	1
112	Visakhapatnam	Satisfactory	87	PM <sub>10</sub>	1
113	Yamunanagar	Satisfactory	66	O <sub>3</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Aizawl, Bagalkot, Bahadurgarh, Bathinda, Bhopal, Ernakulam, Kalaburgi, Kannur, Kollam, Udaipur, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.