

#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	42	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	188	PM <sub>2.5</sub>	1
3	Ajmer	Satisfactory	78	OZONE	1
4	Amaravati	Satisfactory	73	PM <sub>10</sub>	1
5	Ambala	Satisfactory	83	OZONE	1
6	Amritsar	Satisfactory	55	PM <sub>10</sub>	1
7	Ankleshwar	Satisfactory	54	PM <sub>2.5</sub>	1
8	Asanol	Moderate	105	PM <sub>2.5</sub>	1
9	Aurangabad	Moderate	113	OZONE	1
10	Baghpat	Moderate	198	OZONE	1
11	Bahadurgarh	Good	48	PM <sub>2.5</sub>	1
12	Ballabgarh	Satisfactory	73	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	82	PM <sub>10</sub>	1
14	Bengaluru	Moderate	101	OZONE, PM <sub>2.5</sub>	7
15	Bhiwadi	Moderate	121	PM <sub>2.5</sub>	1
16	Bhiwani	Good	47	PM <sub>2.5</sub>	1
17	Bulandshahr	Moderate	104	OZONE	1
18	Chandrapur	Moderate	150	OZONE, PM <sub>10</sub>	2
19	Chennai	Good	45	СО	2
20	Chikkaballapur	Satisfactory	53	PM <sub>10</sub>	1
21	Delhi	Moderate	114	OZONE	28
22	Dewas	Moderate	114	PM <sub>10</sub>	1
23	Durgapur	Moderate	116	PM <sub>10</sub>	1
24	Faridabad	Poor	244	OZONE	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Fatehabad	Satisfactory	84	OZONE	1
26	GandhiNagar	Satisfactory	99	PM <sub>10</sub>	1
27	Gaya	Satisfactory	57	PM <sub>2.5</sub>	1
28	Ghaziabad	Moderate	187	OZONE, PM <sub>10</sub>	3
29	Greater_Noida	Moderate	190	OZONE	1
30	Gurugram	Good	50	PM <sub>2.5</sub>	1
31	Guwahati	Moderate	134	PM <sub>2.5</sub>	1
32	Hapur	Satisfactory	66	PM <sub>10</sub>	1
33	Hisar	Satisfactory	96	OZONE	1
34	Howrah	Moderate	192	PM <sub>2.5</sub>	2
35	Hyderabad	Moderate	106	OZONE, PM <sub>10</sub> , PM <sub>2.5</sub>	6
36	Jaipur	Satisfactory	81	OZONE, PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jalandhar	Satisfactory	77	PM <sub>10</sub>	1
38	Jind	Good	50	OZONE	1
39	Jodhpur	Moderate	116	PM <sub>10</sub>	1
40	Jorapokhar	Satisfactory	89	PM <sub>10</sub>	1
41	Kaithal	Satisfactory	60	OZONE	1
42	Kanpur	Satisfactory	63	со	1
43	Karnal	Satisfactory	73	PM <sub>2.5</sub>	1
44	Kolkata	Moderate	178	PM <sub>2.5</sub> , PM <sub>10</sub>	2
45	Kota	Satisfactory	68	PM <sub>10</sub>	1
46	Kurukshetra	Satisfactory	61	OZONE	1
47	Loni_Dehat	Moderate	182	OZONE	1
48	Lucknow	Moderate	117	PM <sub>2.5</sub> , CO	4

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ludhiana	Good	41	PM <sub>2.5</sub>	1
50	Maihar	Good	44	PM <sub>2.5</sub>	1
51	Mandi Gobindgarh	Good	32	PM <sub>10</sub>	1
52	Mandideep	Moderate	122	PM <sub>10</sub>	1
53	Manesar	Satisfactory	61	SO <sub>2</sub>	1
54	Moradabad	Satisfactory	73	PM <sub>10</sub>	1
55	Mumbai	Satisfactory	94	СО	1
56	Muzaffarnagar	Satisfactory	69	PM <sub>2.5</sub>	1
57	Muzaffarpur	Moderate	109	OZONE	1
58	Nagpur	Moderate	124	OZONE	1
59	Narnaul	Satisfactory	59	PM <sub>2.5</sub>	1
60	Nashik	Moderate	107	OZONE	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Noida	Satisfactory	65	PM <sub>10</sub>	1
62	Pali	Moderate	120	PM <sub>10</sub>	1
63	Palwal	Satisfactory	70	PM <sub>10</sub>	1
64	Panchkula	Satisfactory	60	OZONE	1
65	Patiala	Satisfactory	53	со	1
66	Patna	Moderate	168	OZONE	1
67	Pithampur	Moderate	123	PM <sub>10</sub>	1
68	Pune	Satisfactory	74	PM <sub>2.5</sub>	1
69	Rajamahendravaram	Satisfactory	74	PM <sub>10</sub>	1
70	Ratlam	Moderate	105	PM <sub>10</sub>	1
71	Rohtak	Satisfactory	69	СО	1
72	Rupnagar	Good	39	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



#### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Satna	Satisfactory	87	PM <sub>10</sub>	1
74	Siliguri	Satisfactory	94	PM <sub>10</sub>	1
75	Singrauli	Moderate	111	OZONE	1
76	Sirsa	Satisfactory	67	со	1
77	Solapur	Satisfactory	89	PM <sub>10</sub>	1
78	Sonipat	Satisfactory	77	OZONE	1
79	Talcher	Moderate	121	PM <sub>10</sub>	1
80	Thane	Moderate	101	PM <sub>10</sub>	1
81	Thiruvananthapuram	Satisfactory	60	OZONE	1
82	Tirupati	Satisfactory	54	PM <sub>10</sub>	1
83	Udaipur	Satisfactory	76	OZONE	1
84	Ujjain	Moderate	166	OZONE	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Vapi	Satisfactory	91	PM <sub>10</sub>	1
86	Varanasi	Moderate	160	PM <sub>2.5</sub>	1
87	Vatva	Moderate	118	NO <sub>2</sub>	1
88	Vijayawada	Satisfactory	57	PM <sub>10</sub>	1
89	Visakhapatnam	Moderate	108	PM <sub>10</sub>	1
90	Yamunanagar	Satisfactory	61	OZONE	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate Breathing discomfort to the people with lungs, asthma and heart di	
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Dharuhera, Kalaburagi, Khanna, Mandikhera, Navi Mumbai, Panipat as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.