

# Human pregnancy module validation report

Aciclovir simulations

2025-07-16 14:27:27

## Table of Content

|   |              |   |
|---|--------------|---|
| 1 | Introduction | 3 |
| 2 | Data         | 3 |
| 3 | Results      | 3 |

**i** Note

This report has been created with simulation results loaded from results folder ' 2025-07-15 17-12 '.

# 1 Introduction

This report presents the validation of the human pregnancy module using Aciclovir simulations. The module is designed to simulate the pharmacokinetics of drugs during pregnancy, taking into account physiological changes that occur during this period.

## 2 Data

LIST THE STUDIES/DATA USED TO VALIDATE

## 3 Results

DESCRIBE RESULTS IN 1-2 SENTENCES




Figure 1: Simulation results of Acyclovir model in human pregnancy over multiple weeks. PK measurements present the following time points: (I) concentration after first dose, (II) steady state concentration (day 6 - 14) and (III) after delivery (>day 20).




Figure 2: Simulation results of Acyclovir model in human pregnancy after first dose. (a) maternal plasma concentration after first dose. (b) and (c) maternal plasma concentration at steady state.




Figure 3: Simulation results of Acyclovir model in human pregnancy at delivery. (a) maternal plasma concentration after first dose. (b) and (c) maternal plasma concentration at steady state.

And population simulations:




Figure 4: Results of population simulation of Acyclovir model in human pregnancy over multiple weeks. PK measurements present the following time points: (I) concentration after first dose, (II) steady state concentration (day 6 - 14) and (III) after delivery (>day 20).




Figure 5: Results of population simulation of Acyclovir model in human pregnancy after first dose. (a) maternal plasma concentration after first dose. (b) and (c) maternal plasma concentration at steady state.




Figure 6: Results of population simulation of Acyclovir model in human pregnancy at delivery. (a) maternal plasma concentration after first dose. (b) and (c) maternal plasma concentration at steady state.