

Ranorex

PlatformTests

Execution time
6/1/2018 8:47:39 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
14.9m

Total warnings
9

 3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Warnings occurred. For additional information see the report of the individual modules, please.

 Test Data

 **TestCases** 

 Test Data

 **DDISimulations** 

 Test Data

 **4.21. Test Case Create all types of inhibition and induction for the first order clearance** 

 Test Data

 **SETUP** 

 LoadDDITemplate 

46.28s

 ModifyDDITemplateFor4_21

9500ms

 CloseAllTabs

3151ms

 CreateInhibitions

1.3m

 CreateInduction

13.46s

 ModifyTermForADME

19.92s

 ModifyTermForADME

20.05s

 ModifyTermForADME

20.89s

 ModifyTermForADME

20.15s

 ModifyTermForADME

20.33s

 ModifyTermForADME

20.39s

 ModifyTermForADME

20.22s

 ModifyTermForADME

20s

 DeleteNamedProcess

22.78s

 CloneBuildingBlock

7612ms

 ModifyInhibitor2For4_21

6349ms

 CreateSimpleProtocol


5615ms

 SaveProject 

20.42s

28.71s

   CloseAllTabs	3244ms
   ValidationForDDISimulations4_21Step1	42.4s
   ValidationForDDISimulations4_21Step3 	37.64s
   ValidationForDDISimulations4_21Step4	1.5m
   ValidationForDDISimulations4_21Step5	17.33s
   ModifySimulationSettingsFor4_21	25.02s
   DefineSettingsAndRun	6817ms
   AddNamedSimulationOutput 	44.81s
   AddNamedSimulationOutput 	45.32s
   AddNamedSimulationOutput 	45.08s
   FinishDefineSettingsAndRun	10.94s
   ValidationForDDISimulations4_21Step7	29.39s
   SaveProject 	57.16s
  TEARDOWN 	32.53s



Ranorex

PlatformTests

Execution time
6/1/2018 9:18:23 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
9.5m

Total warnings
9

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Cases

DDISimulations

4.23_Test_Case_Create_all_types_of_inhibition_and_induction_for_active_transport_Michaelis_Menten

SETUP 1.2m

- OpenProject** 38.37s
- ModifyProjectFor4_23** 36.39s
- ValidationForDDISimulations4_21Step1** 44.8s
- ValidationForDDISimulations4_21Step3** 38.61s
- ValidationForDDISimulations4_21Step4** 1.5m
- ValidationForDDISimulations4_21Step5** 18.67s
- ModifySimulationSettingsFor4_21** 28.5s
- DefineSettingsAndRun** 7175ms
- AddNamedSimulationOutput** 45.24s
- AddNamedSimulationOutput** 45.83s
- AddNamedSimulationOutput** 45.69s
- FinishDefineSettingsAndRun** 10.95s
- ValidationForDDISimulations4_21Step7** 30.84s
- SaveProject** 57.25s

TEARDOWN 31.93s

 Ranorex®

PlatformTests

Execution time
6/1/2018 4:28:58 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
4.2m

Total warnings
2

 3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Warnings occurred. For additional information see the report of the individual modules, please.

 Test Data

 **TestCases** 

 Test Data

 **DDISimulations** 

 Test Data

 **DDISimulations4.7** 

 **SETUP** 

 **LoadDDITemplate** 

 **RunCompetitiveInhibitionSimulation** 

 **TEARDOWN**

Ranorex

PlatformTests

Execution time
6/1/2018 7:40:57 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
5.6m

Total warnings
4

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Cases [Jump to Test Case](#) 5.6m

DDISimulations [Jump to Test Case](#) 5.6m

DDISimulations4.8 [Jump to Test Case](#) 5.6m

SETUP 42.4s

OpenDDISimulation 36.55s

ModifyOralProtocol 5693ms

Create48Simulation 1.2m

ValidateBiochemicalProcesses 19.59s

ValidateApplications 2885ms

RunSimulationFor48 17.78s

SaveProject 28.81s

ConfigureEmptyProcess 42.31s

ValidateBiochemicalProcesses 19.47s

ValidateApplications 2932ms

ConfigureNewProcess48 40.65s

SaveProject 28.43s

ValidateNewProcess48 14.15s

CloseAllTabs 3197ms

Ranorex

PlatformTests

Execution time: 6/1/2018 7:02:20 PM

Computer name: TDELEVC0346

Operating system: Windows 7 Service Pack 1 64bit

Language: en-US

Timeout factor: 0.5

Total errors: 0

Screen dimensions: 4480x1440

Duration: 28.6m

Total warnings: 13

13x Success

Expand Test Cases | Expand Details | Collapse All

Test Case Filter: Success Failed Blocked

Warnings: Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

- ObservedDataPath: C:\Temp\RanorexTestData\ObservedData.xlsx
- TemplateDatabasePath: C:\Temp\RanorexTestData\Template.mdb
- MatlabExportPath: C:\Temp\RanorexTestData\Export\S1.xml
- SimulationFolder: Simulations
- DeleteMenu: Delete
- SimpleSimulationName: Simple
- Distribution: Distribution
- RelativeExpressions: Relative expressions
- Anatomy: Anatomy
- BloodFlowRates: Blood flow rates
- ObservedDataPathEdit: C:\Temp\RanorexTestData\ObservedData5_4_Edit.pksim5
- UndefinedOntogeny: Undefined
- PkmlExportPath: C:\Temp\RanorexTestData\Export\S1.pkml
- ObservedDataFolder: Observed Data
- RenameMenu: Rename
- AddObservedData: Add Observed Data
- PartitionCoefficient: Partition coefficient
- BiochemicalProcesses: Biochemical processes
- OrganVolumes: Organ volumes
- SurfaceArea: Surface area
- SimpleSimulationIVProjectPath: C:\Temp\RanorexTestData\SimpleSimulationIV.pksim5
- ExcelExportPath: C:\Temp\RanorexTestData\Export\S1.xls
- PeripheralVenousBloodPlasmaPath: C:\Temp\RanorexTestData\S1_peripheralVenPls.xls
- EditMenu: Edit
- CompoundFolder: Compounds
- Physiology: Physiology
- IntracellularPlasma: Intracellular : plasma
- Individuals: Individuals
- FlowRates: Flow rates
- Endothelial: Endothelial

28.6m

TestCases

NewParameter: Add Compound

28.6m

DDISimulations

NewParameter: C:\Temp\RanorexTestData\DDI Project Template.pksi
m5
NewParameter3: Plasma
NewParameter6: Inhibitor
NewParameter1: C:\Temp\RanorexTestData\Inhibition Induction Tem
plate.pksim5
NewParameter2: Peripheral Venous Blood
NewParameter4: Concentration
NewParameter7: Inhibitor2
NewParameter5: Drug

28.6m

DDISimulations4.9

NewParameter1: C:\Temp\RanorexTestData\4.9 DDI Simulations Out
put.pksim5

28.6m

SETUP

OpenDDISimulation 36.19s
AddMichaelisMentenIntrinsicClearance 34.74s
AddIrreversibleInhibition 31.84s
AddUncompetitiveInhibition 35.01s
AddNonCompetitiveInhibition 28.67s
AddMixedInhibition 29.5s

3.3m

36.19s

34.74s

31.84s

35.01s

28.67s

29.5s

RunDDI_Simulations

Iteration: 1 2.7m

Test Data


SimulationName: Noncomp_MM

Interaction Process: Inhibitor CYP3A4-Noncomp

Enzymatic Process: CYP3A4-Lab_MM

CreateAndRunDDISimulation 2.6m

CollapseSimulations 982ms



CloseAllTabs 3213ms

- Iteration: 9 ! 2.4m

Test Data SimulationName: Irreversible Interaction Process: Inhibitor CYP3A4-Irreversible Enzymatic Process: CYP3A4-Lab

CreateAndRunDDISimulation 2.3m

CollapseSimulations 3041ms

CloseAllTabs 3244ms

- Iteration: 10 ! 2.4m

Test Data SimulationName: Uncomp Interaction Process: Inhibitor CYP3A4-Uncomp Enzymatic Process: CYP3A4-Lab

CreateAndRunDDISimulation 2.3m

CollapseSimulations 3322ms

CloseAllTabs 3213ms

+ TEARDOWN ! 1m

Ranorex

PlatformTests

Execution time
6/1/2018 4:36:28 PM

Computer name
TDELEVCO346

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Screen dimensions
4480x1440

Duration
3.2m

Total warnings
2

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

ObservedDataPath: C:\Temp\RanorexTestData\ObservedData.xlsx	ObservedDataPathEdit: C:\Temp\RanorexTestData\ObservedData5_4... SimpleSimulationIVProjectPath: C:\Temp\RanorexTestData\SimpleSimulationIV.pksim5
TemplateDatabasePath: C:\Temp\RanorexTestData\Template.mdb	UndefinedOntogeny: Undefined
MatlabExportPath: C:\Temp\RanorexTestData\Export\S1.xml	PkmlExportPath: C:\Temp\RanorexTestData\Export\S1.pkml
SimulationFolder: Simulations	ObservedDataFolder: Observed Data
DeleteMenu: Delete	RenameMenu: Rename
SimpleSimulationName: Simple	AddObservedData: Add Observed Data
Distribution: Distribution	PartitionCoefficient: Partition coefficient
RelativeExpressions: Relative expressions	BiochemicalProcesses: Biochemical processes
Anatomy: Anatomy	OrganVolumes: Organ volumes
BloodFlowRates: Blood flow rates	SurfaceArea: Surface area
	EditMenu: Edit
	CompoundFolder: Compounds
	Physiology: Physiology
	IntracellularPlasma: Intracellular : plasma
	Individuals: Individuals
	FlowRates: Flow rates
	Endothelial: Endothelial

TestCases

3.2m

Test Data

NewParameter: Add Compound

DDISimulations

3.2m

NewParameter: C:\Temp\RanorexTestData\DDI Project Template.pksim5	NewParameter1: C:\Temp\RanorexTestData\Inhibition Induction Tem... NewParameter2: Peripheral Venous Blood plate.pksim5
NewParameter3: Plasma	NewParameter4: Concentration
NewParameter6: Inhibitor	NewParameter7: Inhibitor2

DDISimulations4.10

3.2m

SETUP

45.7s

LoadDDITemplate

45.54s

RunParentMetaboliteSimulation

2.4m

TEARDOWN

2277ms

Ranorex

PlatformTests

Execution time
6/3/2018 5:45:27 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
3.6m

Total warnings
2

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases

Test Data

LiverZonation


Test Data

SETUP

- CreateNewTemplateDataBase 23.68s
- CreateIndividual_Human_1 13.46s
- CreateCompound_C1 31.2s
- SaveHuman_1AndC1AsTemplate 43.72s
- CloseProject 2152ms

4.1_Liver_Zonation 1.6m

- AddIndividual 8236ms
- EditNamedBuildingBlock 1216ms
- ValidateNonZonedOrganVolumes 14.91s
- ZonateIndividualsLiver 20.94s
- ValidateZonatedOrganVolumes 7909ms
- SelectAllParameters 6910ms
- StartAnyOffFilter 5881ms
- AddFilterItem 3681ms
- AddFilterItem 2152ms
- AddFilterItem 4227ms
- AddFilterItem 5101ms
- AddFilterItem 4399ms
- AddFilterItem 2792ms
- EndAnyOffFilter 249ms



Ranorex

PlatformTests

Execution time
6/3/2018 6:08:26 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
15.2m

Total warnings
15

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Cases

LiverZonation

4.15_Liver_Zonation_Plausibility_checks_1

SETUP

- LoadIndividualFromTemplate** 7892ms
- LoadCompoundFromTemplate** 5365ms
- CreateSimpleProtocol Simple IV Bolus 1mg/kg Single Dose** 22.07s
- CreateNamedSimulation** 15.35s
- CreateNamedSimulation** 14.66s
- CreateNamedSimulation** 14.49s
- CreateNamedSimulation** 14.57s
- CollapseSimulations** 1497ms

CloseAllTabs 2667ms

ModifyS1ForLiverZonationPlausibility1 15.82s

DefineSettingsAndRun 5989ms

AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output 44.34s

DefineSettingsAndRun 1.6m

AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output 15.33s

FinishDefineSettingsAndRun 10.9s

CloseAllTabs 2620ms

ModifyS2ForLiverZonationPlausibility1 18.14s

DefineSettingsAndRun 6083ms

AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output 44.22s

 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.22s
 FinishDefineSettingsAndRun	10.9s
 CloseAllTabs	2667ms
 ModifyS3ForLiverZonationPlausibility1	18.44s
 DefineSettingsAndRun	5896ms
 AddNamedSimulationOutput  Add Peripheral Venous Blood / Plasma to output	44.26s
 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.04s
 FinishDefineSettingsAndRun	10.94s
 CloseAllTabs	2620ms
 ModifyS4ForLiverZonationPlausibility1	17.64s
 DefineSettingsAndRun	5865ms
 AddNamedSimulationOutput  Add Peripheral Venous Blood / Plasma to output	43.99s
 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.02s
 FinishDefineSettingsAndRun	10.9s
 CloseAllTabs	2636ms
 SaveProject 	40.42s
 TEARDOWN 	6458ms
 TEARDOWN 	5350ms
 CloseProject 	5350ms

Ranorex

PlatformTests

Execution time
6/3/2018 6:24:28 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
16.1m

Total warnings
15



Test Case Filter: Success Failed Blocked

 Warnings occurred. For additional information see the report of the individual modules, please.

Module	Test Case	Duration
Test Data	TestCases	16.1m
Test Data	LiverZonation	16.1m
Test Data	4.16_Liver_Zonation_Plausibility_checks_2	15.6m
SETUP	LoadIndividualFromTemplate	8018ms
SETUP	LoadCompoundFromTemplate	5381ms
SETUP	CreateSimpleProtocol Simple IV Bolus 1mg/kg Single Dose	21.81s
SETUP	CreateNamedSimulation	15.04s
SETUP	CreateNamedSimulation	14.31s
SETUP	CreateNamedSimulation	14.59s
SETUP	CollapseSimulations	14.12s
	CloseAllTabs	1762ms
	ModifyS1ForLiverZonationPlausibility1	2698ms
	DefineSettingsAndRun	15.87s
	AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output	6005ms
	DefineSettingsAndRun	44.37s
	AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	1.6m
	FinishDefineSettingsAndRun	15.29s
	CloseAllTabs	10.92s
	ModifyS2ForLiverZonationPlausibility1	2636ms
	DefineSettingsAndRun	18.28s
	AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output	5959ms

 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.24s
 FinishDefineSettingsAndRun	10.92s
 CloseAllTabs	2636ms
 ModifyS3ForLiverZonationPlausibility1	18.66s
 DefineSettingsAndRun	5865ms
 AddNamedSimulationOutput  Add Peripheral Venous Blood / Plasma to output	44.04s
 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.02s
 FinishDefineSettingsAndRun	10.9s
 CloseAllTabs	2667ms
 ModifyS4ForLiverZonationPlausibility1	17.83s
 DefineSettingsAndRun	5959ms
 AddNamedSimulationOutput  Add Peripheral Venous Blood / Plasma to output	44.05s
 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	14.99s
 FinishDefineSettingsAndRun	10.9s
 CloseAllTabs	2589ms
 SaveProject 	40.25s
 TEARDOWN 	31.76s
 TEARDOWN 	31.75s

Ranorex

PlatformTests

Execution time
6/3/2018 7:41:27 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
16.2m

Total warnings
15

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Module	Test Case	Duration
Test Data	TestCases	16.2m
Test Data	LiverZonation	16.2m
Test Data	4.17_Liver_Zonation_Plausibility_checks_3	15.7m
SETUP	AddDefaultMouse	12.48s
	LoadCompoundFromTemplate	5428ms
	CreateSimpleProtocol Simple IV Bolus 1mg/kg Single Dose	21.76s
	CreateNamedSimulation	15.52s
	CreateNamedSimulation	14.79s
	CreateNamedSimulation	14.65s
	CreateNamedSimulation	14.31s
	CollapseSimulations	1481ms
	CloseAllTabs	2714ms
	ModifyS1ForLiverZonationPlausibility1	17.19s
	DefineSettingsAndRun	6083ms
	AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output	44.33s
	DefineSettingsAndRun	1.6m
	AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.3s
	FinishDefineSettingsAndRun	10.92s
	CloseAllTabs	2620ms
	ModifyS2ForLiverZonationPlausibility1	18.49s
	DefineSettingsAndRun	6083ms
	AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output	44.31s

 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.62s
 FinishDefineSettingsAndRun	10.94s
 CloseAllTabs	2667ms
 ModifyS3ForLiverZonationPlausibility1	18.36s
 DefineSettingsAndRun	5974ms
 AddNamedSimulationOutput  Add Peripheral Venous Blood / Plasma to output	44.3s
 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.18s
 FinishDefineSettingsAndRun	10.9s
 CloseAllTabs	2652ms
 ModifyS4ForLiverZonationPlausibility1	17.82s
 DefineSettingsAndRun	5912ms
 AddNamedSimulationOutput  Add Peripheral Venous Blood / Plasma to output	44.34s
 DefineSettingsAndRun 	1.6m
 AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.01s
 FinishDefineSettingsAndRun	10.9s
 CloseAllTabs	2620ms
 SaveProject 	40.34s
 TEARDOWN 	31.8s
 TEARDOWN 	31.75s

Ranorex

PlatformTests

Execution time
6/3/2018 8:34:57 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVCO346

Screen dimensions
4480x1440

Duration
13.7m

Total warnings
8

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases 13.7m

Test Data

LiverZonation 13.7m

Test Data

4.18_Liver_Zonation_Plusability_checks_4 13.2m

Test Data

SETUP 2.4m

- LoadIndividualFromTemplate 7659ms
- LoadCompoundFromTemplate 5381ms
- EditNamedBuildingBlock 982ms
- AddMetabolizingEnzymeToEditedCompound 25.47s
- AddMetabolizingEnzymeToIndividual 11.97s
- CreateSimpleProtocol Simple IV Bolus 1mg/kg Single Dose 19.75s
- CreateNamedSimulation 14.57s
- CreateNamedSimulation 14.68s
- CreateNamedSimulation 14.6s
- CreateNamedSimulation 14.5s
- CreateNamedSimulation 15.04s
- CollapseSimulations 1653ms

CloseAllTabs 2636ms

ModifyS1ForLiverZonationPlausibility1 16.01s

DefineSettingsAndRun 6083ms

AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output 44.38s

AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output 15.35s

FinishDefineSettingsAndRun 10.92s

CloseAllTabs 2667ms

ModifyS2ForLiverZonationPlausibility1	18.44s
SetPericentralRelativeExpressionInSimulation	25.41s
DefineSettingsAndRun	6068ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.49s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.48s
FinishDefineSettingsAndRun	10.94s
CloseAllTabs	2651ms
ModifyS3ForLiverZonationPlausibility1	18.83s
SetPeriportalRelativeExpressionInSimulation	18.88s
DefineSettingsAndRun	6021ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.35s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.37s
FinishDefineSettingsAndRun	10.92s
CloseAllTabs	2636ms
ModifyS4ForLiverZonationPlausibility1	18.56s
SetPericentralRelativeExpressionInSimulation	22.82s
DefineSettingsAndRun	6115ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.19s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.12s
FinishDefineSettingsAndRun	10.9s
CloseAllTabs	2698ms
ModifyS5ForLiverZonationPlausibility4	17.75s
SetPeriportalRelativeExpressionInSimulation	18.41s
DefineSettingsAndRun	6318ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.05s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.12s
FinishDefineSettingsAndRun	10.92s
CloseAllTabs	2714ms
SaveProject !	40.34s
+ TEARDOWN !	31.71s
+ TEARDOWN !	31.79s

Ranorex

PlatformTests

Execution time
6/3/2018 8:54:54 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVCO346

Screen dimensions
4480x1440

Duration
13.7m

Total warnings
8

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Cases 13.7m

LiverZonation 13.7m

4.19_Liver_Zonation_Plusability_checks_5 13.2m

SETUP 2.4m

- LoadIndividualFromTemplate 8002ms
- LoadCompoundFromTemplate 5444ms
- EditNamedBuildingBlock 967ms
- AddMetabolizingEnzymeToIndividual 14.99s
- AddMetabolizingEnzymeToEditedCompound 20.06s
- CreateSimpleProtocol Simple IV Bolus 1mg/kg Single Dose 22.48s
- CreateNamedSimulation 14.27s
- CreateNamedSimulation 14.16s
- CreateNamedSimulation 14.37s
- CreateNamedSimulation 14.2s
- CreateNamedSimulation 14.24s
- CollapseSimulations 1731ms
- CloseAllTabs 2683ms
- ModifyS1ForLiverZonationPlausibility1 16.21s
- DefineSettingsAndRun 6037ms
- AddNamedSimulationOutput Add Peripheral Venous Blood / Plasma to output 44.41s
- AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output 15.38s
- FinishDefineSettingsAndRun 10.9s
- CloseAllTabs 2620ms

ModifyS2ForLiverZonationPlausibility1	18.91s
SetPericentralRelativeExpressionInSimulation	25.01s
DefineSettingsAndRun	6037ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.44s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.4s
FinishDefineSettingsAndRun	10.94s
CloseAllTabs	2651ms
ModifyS3ForLiverZonationPlausibility1	18.8s
SetPeriportalRelativeExpressionInSimulation	18.95s
DefineSettingsAndRun	6083ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.43s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.38s
FinishDefineSettingsAndRun	10.92s
CloseAllTabs	2636ms
ModifyS4ForLiverZonationPlausibility1	18.44s
SetPericentralRelativeExpressionInSimulation	22.28s
DefineSettingsAndRun	6052ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.18s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.05s
FinishDefineSettingsAndRun	10.94s
CloseAllTabs	2620ms
ModifyS5ForLiverZonationPlausibility4	17.75s
SetPeriportalRelativeExpressionInSimulation	18.02s
DefineSettingsAndRun	5943ms
AddNamedSimulationOutput ! Add Peripheral Venous Blood / Plasma to output	44.1s
AddNamedSimulationOutput Add Peripheral Venous Blood / Blood Cells to output	15.07s
FinishDefineSettingsAndRun	10.9s
CloseAllTabs	2651ms
SaveProject !	40.36s
+ TEARDOWN !	31.78s
- TEARDOWN !	31.78s
CloseProject	31.78s

Ranorex

PlatformTests

Execution time
6/1/2018 10:03:02 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
4.2m

Total warnings
11

3x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

[-] **TestCases** ⚠

Test Data

[-] **Populations** ⚠

Test Data

[-] **Populations4.20_Create_Population** ⚠

[-] **SETUP** ⚠

[-] **LoadDDITemplate** ⚠

[-] **CreatePopulationAndValidateDistribution** ⚠

[-] **TEARDOWN**

 Ranorex®

PlatformTests

Execution time
6/1/2018 8:14:30 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
1.6m

Total warnings
0

 3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Test Data

 **TestCases** 1.6m

 Test Data

 **Populations** 1.6m

 Test Data

 **Populations7.1** 1.6m

 **SETUP** 55.17s

 LoadSimpleIVSimulation 7315ms

 CreateIndividual_Human_2 13.23s

 CreatePopulation_Pop2 15.57s

 CreateSimulation_SimplePop2 15.71s

 CollapseBuildingBlocks 1357ms

 CollapseSimulations 1840ms

 Population7_1 38.21s

 **TEARDOWN** 2230ms

Ranorex

PlatformTests

Execution time
6/1/2018 8:20:10 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
1.5m

Total warnings
2

3x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases ⚠

Test Data

Populations ⚠

Test Data

Populations31.1_Create_Population ⚠

Test Data

CreatePop1


CreateIndividual_Human_1 14.8s

CreatePopulation 18.17s

SaveProject ⚠

TEARDOWN ⚠ 31.76s

This screenshot shows the Ranorex PlatformTests report interface. At the top, it displays basic system information: execution date (6/1/2018 8:20:10 AM), operating system (Windows 7 Service Pack 1 64bit), language (en-US), computer name (TDELEVC0346), screen dimensions (4480x1440), duration (1.5m), and total errors (0). A large green circle indicates 3x Success. Below this, there are buttons for expanding test cases, details, and collapsing all sections, along with a test case filter for success, failed, and blocked categories. A yellow warning bar at the top states: "Warnings occurred. For additional information see the report of the individual modules, please." The main content area is organized into sections: "Test Data" (with "TestCases ⚠"), "Populations ⚠", "Populations31.1_Create_Population ⚠", "CreatePop1", "CreateIndividual_Human_1" (duration 14.8s), "CreatePopulation" (duration 18.17s), "SaveProject ⚠", and "TEARDOWN ⚠" (duration 31.76s). Each section includes a "Jump to Test Case" link and a timestamp.



Ranorex

PlatformTests

Execution time
6/1/2018 8:31:21 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
6.9m

Total warnings
7

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Cases

Populations

Populations31.3_Export_and.Import_Populations

SETUP

- CreateCompound_C1 34.85s
- CreateFormulation_Dissolved 8579ms
- Create_ApplicationSimpleOral 4898ms
- CreatePop1 29.58s
- CreateIndividual_Human_1 13.53s
- CreatePopulation 16.02s

ExportPopulationToCSV 44.26s

ImportPopulationFromCSV 26.5s

CreateDefaultPopulationSimulationForNamedSimulation 24.82s

CreateDefaultPopulationSimulationForNamedSimulation 24.41s

CloseAllTabs 2683ms

RunNamedPopulationSimulation 1.1m

RunNamedPopulationSimulation 30.26s

SaveProject 26.57s

ExportSimulationResultsToCSV 28.89s

ExportSimulationPKAnalysisToCSV 29.03s

TEARDOWN 31.79s

Ranorex

PlatformTests

Execution time
6/1/2018 8:42:10 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
4m

Total warnings
6

3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Module	Test Case	Duration
Test Data	-	4m
Test Data	-	4m
Test Data	-	4m
Populations	-	43.96s
SETUP	-	43.8s
OpenProject	-	1013ms
ExpandSimulationExplorerTreeNodeNamedNode	-	7409ms
SelectPopupMenuForNamedSimulationNode	-	12.23s
ExportSimulationToMoBi	-	1887ms
ActivatePKSim	-	4726ms
ClosePKSim	-	32.98s
SendMoBiSimulationToPKSimForPopSim	-	1.6m
RunNamedPopulationSimulation	-	30.15s
CancelTimeProfileAnalysisCreation	-	8564ms
CloseMoBi	-	2417ms
TEARDOWN	-	

Ranorex

PlatformTests

Execution time
6/1/2018 9:40:39 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
3.8m

Total warnings
3


3x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Data	Duration
TestCases	3.8m
Test Data	
Populations	3.8m
Test Data	
Populations31.5_Population_Stratification_and_graphical_analysis	3.8m
Test Data	
SETUP	43.74s
OpenProject	43.6s
ExpandSimulationExplorerTreeNamedNode	951ms
SelectPopupMenuForNamedSimulationNode	7409ms
EditPopulationAnalysisOutputs	3712ms
AddFirstTwoOutputsToPopulationAnalysis	7472ms
ToggleDistributionStatistics	3759ms
ToggleDistributionStatistics	3837ms
ToggleDistributionStatistics	3307ms
ToggleDistributionStatistics	3400ms
SelectCharacteristicOfIndividual	15.04s
CreateGroupingWithFixedLimits	24.4s
SelectCharacteristicOfIndividual	14.16s
CreateGroupingWithFixedBinNumber	21.25s
AddPK_ParametersToPopulationAnalysis	4461ms
AddPK_ParametersToPopulationAnalysis	4196ms
SaveTimeProfileAnalysisAsTemplate	8691ms
CancelTimeProfileAnalysisCreation	1029ms
SaveProject	26.95s
TEARDOWN	31.9s



Ranorex

PlatformTests

Execution time
6/1/2018 9:50:50 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVCO346

Screen dimensions
4480x1440

Duration
11.3m

Total warnings
14

5x Success



Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases ⚠

Jump to Test Case 11.3m

Test Data

Populations ⚠

Jump to Test Case 11.3m

Test Data

Populations31.6_Import_Observed_Data_into_Time_Profile_Analysis_ ⚠

Jump to Test Case 11.3m

Test Data

Part1 ⚠

7m

Test Data

OpenProject ⚠

43.59s

ExpandSimulationExplorerTreeNamedNode

733ms

SelectPopupMenuForNamedSimulationNode

7316ms

DefineSettingsAndRun

7612ms

AddNamedSimulationOutput ⚠

45.61s

AddNamedSimulationOutput

13.87s

FinishDefineSettingsAndRun

10.97s

CreateNewTimeProfileAnalysis

1762ms

AddNamedOutputToTimeProfileAnalysis ⚠

41.9s

AddNamedOutputToTimeProfileAnalysis ⚠

42.45s

FinishCreatingTimeProfileAnalysis

1965ms

SelectPopupMenuForNamedBuildingBlockNode

2698ms

ImportObservedDataPath

3073ms

MapObservedData

6146ms

MapObservedData

6302ms

ImportAllObservedDataAsMapped

1.1m


SaveProject ⚠

26.9s

ExportTimeProfileToExcel

16.26s

ExportTimeProfileToPDF	31.69s
ExportPopSimToPDF	47s
Part2	4.2m
Test Data	
ActivatePKSim	1325ms
RemoveObservedDataFromProject	4149ms
RemoveObservedDataFromProject	4087ms
RemoveObservedDataFromProject	4055ms
RemoveObservedDataFromProject	4024ms
EditTimeProfileAnalysis	2527ms
SelectCharacteristicOfIndividual	15.54s
TimeProfileAnalysisPanesByParameter	14.71s
FinishCreatingTimeProfileAnalysis	2230ms
SaveProject	26.93s
SelectPopupMenuForNamedBuildingBlockNode	2230ms
ImportObservedDataPath	2386ms
MapObservedData	6021ms
MapObservedData	6333ms
ImportAllObservedDataAsMapped	1.1m
AddObservedDataToTimeProfile	22.23s
AddObservedDataToTimeProfile	22.21s
AddObservedDataToTimeProfile	13.04s
AddObservedDataToTimeProfile	9469ms
ToggleApplyGroupingToObservedData	12.89s
SaveProject	14.65s



Ranorex

PlatformTests

Execution time
6/1/2018 11:31:56 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
2.9m

Total warnings
4

3x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

[-] **TestCases** ⚠

[-] **Simulations** ⚠

[-] **Simulation4.11** ⚠

[-] **SETUP** ⚠

[-] **LoadDDITemplate** ⚠

[-] **ValidateTabbedLayoutForSimulation** ⚠

[-] **ValidateAccordionLayoutForSimulation** ⚠

[+] **TEARDOWN** ⚠

Jump to Test Case 2.9m

Jump to Test Case 2.9m

Jump to Test Case 2.9m

45.33s

45.19s

46.47s

51.09s

31.98s

Ranorex

PlatformTests

Execution time: 6/4/2018 9:55:50 AM

Operating system: Windows 7 Service Pack 1 64bit

Language: en-US

Timeout factor: 0.5

Total errors: 0

Computer name: TDELEVC0346

Screen dimensions: 4480x1440

Duration: 5.7m

Total warnings: 7



[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings: Warnings occurred. For additional information see the report of the individual modules, please.

Test Data


- TestCases** 

Simulations 

- Simulation8_1** 

SETUP 

- LoadSimpleIVSimulation 7612ms
- Add_processes_to_Human_1_and_C1 
- CollapseBuildingBlocks 701ms
- CreateAndValidateWorkflowSimulation8_1 
- ExpandParameterTreeNode 2246ms
- ValidateTextValueOfParameterTreeNode 280ms
- SelectParameterTreeNode 951ms
- ChangeValueOfSimulationProcessSimulation8_1 4009ms
- SelectParameterTreeNode 998ms



Ranorex

PlatformTests

Execution time: 6/4/2018 10:44:34 AM

Operating system: Windows 7 Service Pack 1 64bit

Language: en-US

Timeout factor: 0.5

Total errors: 0

Computer name: TDELEVC0346

Screen dimensions: 4480x1440

Duration: 2.5m

Total warnings: 0

3x Success

Expand Test Cases | Expand Details | Collapse All

Test Case Filter: Success Failed Blocked

Test Data

TestCases

Simulations

Simulation8_3

Test Data

SETUP

LoadSimpleIVSimulation 7394ms

EditSimpleSimulation 8283ms

ExpandSimulationExplorerTreeNamedNode 733ms

ExpandSimulationExplorerTreeNamedNode 140ms

SelectPopupMenuForNamedSimulationNode 7378ms

ExpandParameterTreeNamedNode 951ms

SelectParameterTreeNamedInfoRow 889ms

SetSimulationParameterUnit 5475ms

ValidateTextValueOfSimulationNode 265ms

PerformUndo 4414ms

SetValueOfSimulationCompoundParameter 2745ms

ValidateTextValueOfSimulationNode 249ms

PerformUndo 4664ms

CloseParameterTreeNamedNode 234ms

ExpandParameterTreeNamedNode 187ms

SelectParameterTreeNamedInfoRow 873ms

PerformUndo 4243ms

SetSimulationApplicationValues 4087ms

ValidateTextValueOfSimulationNode 218ms

PerformUndo 4492ms

	ExpandParameterTreeNamedNode	171ms
	SelectParameterTreeNamedInfoRow	889ms
	SetIndividualVolumeParametersInSimulation	6006ms
	ValidateTextValueOfSimulationNode	218ms
	PerformUndo	5132ms
	ExpandBuildingBlockExplorerTreeNamedNode	514ms
	SelectPopupMenuForNamedBuildingBlockNode	2137ms
	ValidateFractionUnboundValue	1497ms
	PerformUndo	4321ms
	SelectPopupMenuForNamedSimulationNode	7176ms
	RenameSimulation	1700ms
	SelectPopupMenuForNamedSimulationNode	7784ms
	TryRenameSimulationAndValidate	1794ms
	RunSimulation	6676ms
	SelectPopupMenuForNamedSimulationNode	7222ms
	AcceptDeletionOfDeletedObject	1138ms
	PerformUndo	5569ms
	SelectPopupMenuForNamedSimulationNode	7191ms
	ExpandParameterTreeNamedNode	1357ms
	SelectParameterTreeNamedInfoRow	889ms
	SetAndValidateFavorites	9375ms
	SelectPopupMenuForNamedBuildingBlockNode	2168ms
	ValidatePKAValues	16.38s
	TEARDOWN	2090ms

Ranorex

PlatformTests

Execution time
6/1/2018 11:26:26 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
1.7m

Total warnings
0

3x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

Test Data

TestCases

Test Data

Simulations

Simulation8_4

SETUP 7613ms

LoadSimpleIVSimulation 7457ms

SelectApplication 436ms

EditSimpleSimulation 8034ms

ExpandSimulationExplorerTreeNodeNamedNode 561ms

ExpandSimulationExplorerTreeNodeNamedNode 93ms

SelectPopupMenuForNamedSimulationNode 7332ms

RunSimulation 6801ms

ShowPKAnalysis 10.83s

HidePKAnalysis 8705ms

ShowPKAnalysis 7628ms

HidePKAnalysis 6879ms

ImportObservedData 19.83s

SelectPopupMenuForNamedBuildingBlockNode 2620ms

ImportObservedDataToSimulation 17.21s

Simulation8_4 20.25s

TEARDOWN 2262ms

Ranorex

PlatformTests

Execution time
6/1/2018 11:29:28 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
1.5m

Total warnings
1

3x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

[-] TestCases ⚠

Jump to Test Case 1.5m

Test Data

[-] Simulations ⚠

Jump to Test Case 1.5m

[-] Simulation8_5 ⚠

Jump to Test Case 1.5m

Test Data

[-] SETUP 7488ms

[-] LoadSimpleIVSimulation 7332ms

[-] CreateNamedSimulation ⚠ 18.44s

[-] ExpandParameterTreeNamedNode 998ms

[-] ExpandParameterTreeNamedNode 202ms


[-] SelectParameterTreeNamedInfoRow 889ms

[-] ScaleParameterByFactor 4258ms

[-] RunSimulation 6770ms

[-] Simulation8_5 46.93s

[+] TEARDOWN 2121ms



 Ranorex®

PlatformTests

Execution time
5/31/2018 9:19:29 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
1.6m

Total warnings
2

 2x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Warnings occurred. For additional information see the report of the individual modules, please.

 Test Data

 **TestCases** 

 Test Data

 **ApplicationProtocols** 

 **SETUP**

 LoadSimpleIVSimulation 7488ms

 ApplicationProtocol3_1  41.59s

 SimpleProtocol3_1 11.67s

 AdvancedProtocol3_1_2 31.53s

 **TEARDOWN** 2480ms

Ranorex

PlatformTests

Execution time
6/3/2018 9:15:22 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
4.6m

Total warnings
4

3x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases ⚠

Test Data

Building_Block_Comparison ⚠

Test Data

4.24_Compare_2_Building_Blocks ⚠

Test Data

SETUP ⚠

CreateNewCompound 31.62s

CreateNewCompound 25.58s

AddIndividual 7878ms

SaveProject ⚠ 41.41s

CompareNamedBuildingBlocks 4648ms

SetComparisonSettings 11.87s

ValidationFor4_24_2Step3 32.68s

SetComparisonSettings ⚠ 42.21s

ValidationFor4_24_2Step4 2230ms

SetComparisonSettings ⚠ 41.95s

TEARDOWN ⚠ 32.25s

Ranorex

PlatformTests

Execution time: 6/4/2018 9:18:38 AM

Operating system: Windows 7 Service Pack 1 64bit

Language: en-US

Timeout factor: 0.5

Total errors: 0

Computer name: TDELEVC0346

Screen dimensions: 4480x1440

Duration: 15.4m

Total warnings: 3

8x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases

Test Data

Compounds

SETUP

- LoadSimpleIVSimulation 7347ms
- CreateCompound_C2 27.61s

Compound2_1-2_3

- Compound2_1 1.2m
- CollapseBuildingBlocks 1029ms
- Compound2_2 37.78s
- CollapseBuildingBlocks 561ms
- Compound2_3 4.1m
- CollapseBuildingBlocks 623ms
- Compound2_3_2 16.05s
- CollapseBuildingBlocks 629ms

Compound4.3


Test Data


SETUP

- CreateNewProject 4040ms
- CreateNewCompound 4040ms
- EditNamedBuildingBlock 25.51s

Create_Inhibitions

- CreateInhibitions 1.1m
- EditKTermsForInhibitions 47.47s
- ValidateKTermsForInhibitions 36.41s





 Ranorex®

PlatformTests

Execution time
6/1/2018 10:08:25 AM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
1.1m

Total warnings
3

 2x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Warnings occurred. For additional information see the report of the individual modules, please.

 Test Data

 **TestCases** 

 Test Data

 **Events** 

 **SETUP**

 LoadSimpleIVSimulation

 Event22_1 

 **TEARDOWN**

 [Jump to Test Case](#)

1.1m

 [Jump to Test Case](#)


1.1m


8225ms


8069ms


56.18s

2246ms









Ranorex

PlatformTests

Execution time
5/31/2018 2:02:37 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
6.8m

Total warnings
2

4x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

⚠ Warnings occurred. For additional information see the report of the individual modules, please.

Test Data

TestCases ⚠

Test Data

ObservedData ⚠

ObservedData5_1_and_5_2 ⚠

SETUP

LoadSimpleIVSimulation

ObservedData5_1

ObservedData5_2 ⚠

TEARDOWN

ObservedData5_4_Importer

SETUP

LoadSimpleIVSimulation

ObservedData5_4_Importer

ObservedData5_4_Edit

ObservedData5_4_Organize

TEARDOWN

Jump to Test Case

6.8m

Jump to Test Case

6.8m

Jump to Test Case

3.2m

7144ms

6988ms

2.2m

51.71s

2339ms

3.6m

6366ms

6366ms

1.7m

54.08s

49.97s

2012ms

Ranorex

PlatformTests

Execution time
6/1/2018 12:34:10 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
38.91s

Total warnings
0

2x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

Test Data

TestCases [Jump to Test Case](#) 38.88s

Test Data

Ontogeny_Import [Jump to Test Case](#) 38.88s

Test Data

SETUP 8034ms

LoadSimpleIVSimulation 7878ms

ExpandBuildingBlockExplorerTreeNamedNode 951ms

EditNamedBuildingBlock 967ms

SelectExpressionTab 2340ms

AddMetabolizingEnzyme 7675ms

ImportOntogeny 8643ms

ValidateOntogenyLike 2386ms

ValidateOntogenyChart Validate chart, but if it fails for something other than obvious incorrect data, remove this step (color changes are not failing criteria) 5413ms

TEARDOWN 2464ms

 Ranorex®

PlatformTests

Execution time
5/31/2018 4:28:29 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVCO346

Screen dimensions
4480x1440

Duration
41.92s

Total warnings
0

 2x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Test Data

 **TestCases** 41.87s

 Test Data

 **Parameters** 41.87s

 Test Data

 **SETUP** 7659ms

 LoadSimpleIVSimulation 7503ms

 ExpandBuildingBlockExplorerTreeNamedNode 826ms

 SelectPopupMenuForNamedBuildingBlockNode 2199ms

 ExpandParameterTreeNamedNode 1357ms

 ExpandParameterTreeNamedNode 109ms

 SelectParameterTreeNamedInfoRow 826ms

 SetPHValueAndValidate 3884ms

 SelectParameterTreeNamedInfoRow 811ms

 SetVolumeValueAndValidate 2105ms

 ExpandParameterTreeNamedNode 109ms

 SelectParameterTreeNamedInfoRow 826ms

 SetBloodFlowValueAndValidate 1840ms

 SelectParameterTreeNamedInfoRow 826ms

 SetVolumeUnitAndValidate 5069ms

 SelectAdvancedParameterMode 1575ms


 ExpandParameterTreeNamedNode 311ms


 ExpandParameterTreeNamedNode 311ms


 SelectParameterTreeNamedInfoRow 1013ms


 ScaleSurfaceAreaAndValidate 8049ms


 **TEARDOWN** 2152ms











 Ranorex®

PlatformTests

Execution time
6/4/2018 1:03:20 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVCO346

Screen dimensions
4480x1440

Duration
3.1m

 2x Success

[Expand Test Cases](#) [Expand Details](#) [Collapse All](#)

Test Case Filter: Success Failed Blocked

 Warnings occurred. For additional information see the report of the individual modules, please.

 Test Data

 **TestCases** 

 Jump to Test Case

3.1m

 Test Data

 **ProjectHistory** 

 Jump to Test Case

3.1m

 **SETUP** 

8956ms

 **LoadSimpleIVSimulation** 

8784ms

 **ProjectHistory11_1**

2.9m

 **TEARDOWN**

3199ms



Ranorex

PlatformTests

Execution time
6/3/2018 9:28:40 PM

Operating system
Windows 7 Service Pack 1 64bit

Language
en-US

Timeout factor
0.5

Total errors
0

Computer name
TDELEVC0346

Screen dimensions
4480x1440

Duration
3.4m

Total warnings
0

2x Success

Expand Test Cases Expand Details Collapse All

Test Case Filter: Success Failed Blocked

Test Data

TestCases Jump to Test Case 3.3m

Test Data

TemplateDatabase Jump to Test Case 3.3m

SETUP 1.8m

Create_SimpleOralSimulation 1.4m

ActivatePKSim 2339ms

CreateIndividual_Human_1 14.07s

CreateCompound_C1 34.04s

Create_ApplicationSimpleOral 4633ms

CreateFormulation_Weibull 8143ms

CreateEvent_Dinner 3166ms

CreateSimulation_SimpleOral 13.12s

CollapseBuildingBlocks 1279ms

CollapseSimulations 982ms

CreateIndividual_Human_2 11.7s

CreatePopulation_Pop2 15.3s

CollapseBuildingBlocks 1357ms

CreateNewTemplateDataBase 19.43s

TemplateDatabase 1.2m

TEARDOWN 2246ms