### Open Systems Pharmacology Suite - 9 Installation Validation

User1

June 20, 2020

### Contents

1	Installation Validation Results	2
	1.1 Validation Summary	2
	1.2 Comparison Results	2
	1.2.1 Valid Simulations (125/125)	3

### Chapter 1

### Installation Validation Results

### **Overall Validation Result**

Valid

### 1.1 Validation Summary

### **Run Duration**

Start time: 2020-06-20 20:07 End time: 2020-06-20 20:25

Validation performed in 18m:12s:845ms

### Input Configuration Folder

 $C:\ \ Program Data \ \ Open \ Systems \ Pharmacology \ \ Installation \ \ Validator \ \ \ \ \ Batch Files$ 

### **Local Outputs Location**

### **Application Versions**

PK-Sim Version 9.0.170 MoBi Version 9.0.150

### Computer Name

WIN-PN78ONLODFL

### **Operating System**

Windows Server 2019 Standard

### Architecture

x64

### Running on Virtual Machine

Yes

### Running on Terminal Session

No

### 1.2 Comparison Results

### Overall Comparison Result

Valid

### **Installation Folder**

C:\ProgramData\Open Systems Pharmacology\InstallationValidator\9.0\Outputs\BatchFiles

### Computed Folder

### 1.2.1 Valid Simulations (125/125)

### Simulation: Beagle\_SingleORAL\_Dissolved-Beagle\_SingleORAL\_Dissolved

Result of the validation: Valid

### $Output\ Path:\ Organism|Peripheral Venous Blood|drug|Plasma\ (Peripheral\ Venous\ Blood)$





Figure 1.1

 $Simulation: Beagle\_SingleORAL\_Dissolved\_Beagle\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_-$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 0






Figure 1.2

 $Simulation: Beagle\_SingleORAL\_Dissolved\_Beagle\_SingleORAL\_Dissolved\_MW\_800\_fu\_0.6\_LogP\_-5$ 

Result of the validation: Valid

### Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood) Deviation:<br/> 0




Figure 1.3

 $Simulation: \begin{tabular}{ll} Dog\_MultiORAL\_12\_12\_Dissolved-Dog\_MultiORAL\_12\_12\_Dissolved \\ Result of the validation: Valid \\ \end{tabular}$ 




Figure 1.4

 $\begin{tabular}{ll} \bf Simulation: \begin{tabular}{ll} \bf Dog\_MultiORAL\_24\_Dissolved-Dog\_MultiORAL\_24\_$ 





Figure 1.5

 $\begin{tabular}{ll} \bf Simulation: European\_SingleORAL\_Age\_0\_CYP3A4-European\_SingleORAL\_Age\_0\_CYP3$ 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 2.63E-5



 ${\bf Simulation: European\_SingleORAL\_Age\_0\_GFR-European\_SingleORAL\_Age\_0\_GFR} \\ {\bf Result of the \ validation: \ Valid}$ 

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 8.28E-5




Figure 1.7

 $\begin{tabular}{ll} \bf Simulation: European\_SingleORAL\_Age\_1\_CYP3A4-European\_SingleORAL\_Age\_1\_CYP3$ 




Figure 1.8

 ${\bf Simulation: European\_SingleORAL\_Age\_1\_GFR-European\_SingleORAL\_Age\_1\_GFR} \\ {\bf Result of the \ validation: \ Valid}$ 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 1.19E-7




Figure 1.9

 ${\bf Simulation: Human\_Competitive Inhibition-Human\_Competitive Inhibition}$ 

Result of the validation: Valid

 ${\bf Output\ Path:\ Organism|Peripheral Venous Blood|drug|Plasma\ (Peripheral\ Venous\ Blood)}$ 




Figure 1.10

Output Path: Organism |PeripheralVenousBlood |<br/>inhibitor |Plasma (Peripheral Venous Blood) | Deviation:<br/> 0

### $Organism | Peripheral Venous Blood| inhibitor | Plasma \ (Peripheral Venous Blood)$




Figure 1.11

Simulation: Human\_ICRP\_AGP-01\_ICRP\_0y\_Male

Result of the validation: Valid

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 




Figure 1.12

 $Simulation: \ Human\_ICRP\_AGP-02\_ICRP\_0.05y\_Female$ 

Result of the validation: Valid

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 

### Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood) O.5 Installation Computed O.0.1

Figure 1.13

0.2

Time [h]

0.25

0.3

0.35

0.4

 $Simulation: \ Human\_ICRP\_AGP-03\_ICRP\_0.18y\_Male$ 

 $5\cdot 10^{-2}$ 

0.1

Result of the validation: Valid

0

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 

0.15




Figure 1.14

Simulation: Human\_ICRP\_AGP-04\_ICRP\_1y\_Female

Result of the validation: Valid

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 




Figure 1.15

 $Simulation: \ Human\_ICRP\_AGP-05\_ICRP\_12y\_Male$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)

Deviation: 1.50E-4




Figure 1.16

 $Simulation: \ Human\_ICRP\_AGP-06\_ICRP\_30y\_Female$ 

Result of the validation: Valid

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 





Figure 1.17

 $Simulation: \ Human\_ICRP\_AGP-07\_ICRP\_100y\_Male$ 

Result of the validation: Valid

 ${\bf Output~Path:~Organism|Peripheral VenousBlood|C1|Plasma~(Peripheral~Venous~Blood)}$ 







Figure 1.18

 ${\bf Simulation: \ Human\_Irreversible Inhibition-Human\_Irreversible Inhibition}$ 

Result of the validation: Valid

 ${\bf Output~Path:~Organism|Peripheral Venous Blood|drug|Plasma~(Peripheral~Venous~Blood)}$ 



Output Path: Organism |PeripheralVenousBlood |<br/>inhibitor |Plasma (Peripheral Venous Blood) | Deviation:<br/> 0

Figure 1.19

# Organism|PeripheralVenousBlood|inhibitor|Plasma (Peripheral Venous Blood) | Installation Computed | Computed


**Figure 1.20** 


Time [h]

 $Simulation: \ Human\_MixedInhibition-Human\_MixedInhibition$ 

Result of the validation: Valid


 ${\bf Output~Path:~Organism|Peripheral Venous Blood|drug|Plasma~(Peripheral~Venous~Blood)}$ 





**Figure 1.21** 

Output Path: Organism |PeripheralVenousBlood |<br/>inhibitor |Plasma (Peripheral Venous Blood) | Deviation:<br/> 0



**Figure 1.22** 

Simulation: Human\_MultiIV\_6\_6\_12-Human\_MultiIV\_6\_6\_12

Result of the validation: Valid





Figure 1.23


 $Simulation: \ Human\_MultiORAL\_6\_12\_12\_Dissolved-Human\_6\_12\_Dissolved-Human\_6\_12\_$ 



**Figure 1.24** 

 $Simulation: Human\_MultiORAL\_6\_12\_12\_Dissolved-Human\_MultiORAL\_6\_12\_12\_Dissolved\_absorption\_sink\_conditions$ 


Result of the validation: Valid



**Figure 1.25** 

 $Simulation: Human\_MultiORAL\_6\_12\_12\_Dissolved-Human\_MultiORAL\_6\_12\_12\_Dissolved\_EHC\_continuous\_fraction\_0.5$ 


Result of the validation: Valid



**Figure 1.26** 

 $Simulation: Human\_MultiORAL\_6\_12\_12\_Dissolved-Human\_MultiORAL\_6\_12\_12\_Dissolved\_EHC\_continuous\_fraction\_1$ 

Result of the validation: Valid



**Figure 1.27** 

Simulation: Human\_MultiORAL\_6\_12\_12\_Dissolved-Human\_MultiORAL\_6\_12\_12\_Dissolved\_pKadependent penalty factor Result of the validation: Valid




Figure 1.28

 $Simulation: \ Human\_MultiORAL\_6\_12\_12\_Dissolved-Human\_MultiORAL\_6\_12\_12\_Dissolved\_solubility \ Result of the validation: \ Valid$ 




Figure 1.29

 ${\bf Simulation: \ Human\_Multiple IV\_All Active Processes-Human\_Multiple IV\_All Active Processes}. \\ {\bf Result \ of \ the \ validation: \ Valid}$ 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 7.18E-5

## Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood) O.1 O.000 O.001

Figure 1.30

0.6

0.7

Time [h]

0.8

0.9

1.1

1.2

1.3

1.4

1.5

 ${\bf Simulation: \ Human\_Multiple IV\_transporters-Human\_Multiple IV\_transporters.} \\ {\bf Result \ of \ the \ validation: \ Valid}$ 

0.4

0.5


0.2

-0.1

0

0.1


0.3



### ${\bf Organism}|{\bf Peripheral Venous Blood}|{\bf drug}|{\bf Plasma}\ ({\bf Peripheral Venous \ Blood})$

Figure 1.31

 ${\bf Simulation: \ Human\_NonCompetitive Inhibition-Human\_NonCompetitive Inhibition \ Result \ of \ the \ validation: \ Valid}$ 



**Figure 1.32** 

Output Path: Organism |PeripheralVenousBlood |<br/>inhibitor |Plasma (Peripheral Venous Blood) | Deviation:<br/> 0

### Organism|PeripheralVenousBlood|inhibitor|Plasma (Peripheral Venous Blood) Installation Computed 0.5 0.2

Figure 1.33

0.2

Time [h]

0.25

0.3

0.35

0.4

 $Simulation: \ Human\_Oral\_BiDaily\_Table Formulation-S1\_suspension$ 

0.1

Result of the validation: Valid

0

 $5 \cdot 10^{-2}$ 

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 

0.15





Figure 1.34

 $Simulation: Human\_Oral\_BiDaily\_TableFormulation-S2\_NoSuspension$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)

Deviation: 0



 ${\bf Figure~1.35}$ 

Simulation: Human\_pH\_SolubilityTable-S1\_Table

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)

Deviation: 4.04E-6




Figure 1.36

Simulation: Human\_pH\_SolubilityTable-S2\_Measurement

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)

Deviation: 3.61E-6

# Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)





Figure 1.37

 $Simulation: \ Human\_pH\_SolubilityTable\_SolubilityChanged$ 

Result of the validation: Valid

 $Output\ Path:\ Organism|Peripheral Venous Blood|C1|Plasma\ (Peripheral\ Venous\ Blood)$ 

Deviation: 6.73E-6



 ${\bf Figure~1.38}$ 

 ${\bf Simulation: \ Human\_pH\_SolubilityTable\_S4\_Table\_SolubilityTableChanged \ Result\ of\ the\ validation:\ Valid}$ 

Output Path: Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)

Deviation: 6.13E-7




Figure 1.39

 ${\bf Simulation: \ Human\_Single IV\_Configuration-Human\_Single IV\_Configuration} \\ {\bf Result \ of \ the \ validation: \ Valid}$ 

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 0

# Installation Computed Computed O.002

Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Figure 1.40

0.12 0.14 0.16

Time [h]

0.2

 $0.22 \quad 0.24$ 

0.18

 $Simulation: \ Human\_Single IV-Human\_Single IV$ 

 $0 \quad 2 \cdot 10^{-2} \cdot 10^{-2} \cdot 10^{-2} \cdot 10^{-2} \cdot 0.1$ 

Result of the validation: Valid

 ${\bf Output~Path:~Organism|Peripheral VenousBlood|drug|Plasma~(Peripheral~Venous~Blood)}$ 

Deviation: 0

0.3

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)





Figure 1.41

 $Simulation: Human\_SingleIV\_Human\_SingleIV\_MW\_200\_fu\_0.2\_LogP\_5$ 

Result of the validation: Valid


# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)



**Figure 1.42** 

 $Simulation: \ Human\_SingleIV-Human\_SingleIV\_MW\_800\_fu\_0.6\_LogP\_-5$ 

Result of the validation: Valid



Simulation: Human\_SingleORAL\_Dissolved\_PlasmaClearance-Human\_SingleO






Figure 1.44

 $Simulation: Human\_SingleORAL\_Dissolved\_PlasmaClearance-Human\_Singl$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 0







Figure 1.45

 $Simulation: Human\_SingleORAL\_Dissolved\_PlasmaClearance-Human\_Singl$ 

Result of the validation: Valid


Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 0



**Figure 1.46** 

Simulation: Human\_SingleORAL\_Dissolved-Human\_SingleORAL\_Dissolved Result of the validation: Valid



**Figure 1.47** 

 $Simulation: \ Human\_SingleORAL\_Dissolved\_Human\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_5$ 

Result of the validation: Valid







Figure 1.48

 $Simulation: Human\_SingleORAL\_Dissolved\_Human\_SingleORAL\_Dissolved\_MW\_800\_fu\_0.6\_LogP\_-5\\ Result of the validation: Valid$ 

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 



 ${\bf Simulation: Human\_SingleORAL\_Lint80\_AsSuspention-Human\_SingleORAL\_Lint80\_AsSuspention}. \\ {\bf Result\ of\ the\ validation:\ Valid}$ 




Figure 1.50

 $Simulation: \ Human\_SingleORAL\_Lint80-Human\_SingleORAL\_Lint80$ 

Result of the validation: Valid

 $Output\ Path:\ Organism|Peripheral Venous Blood|drug|Plasma\ (Peripheral\ Venous\ Blood)$ 

Deviation: 0




Figure 1.51

 $Simulation: Human\_SingleORAL\_MonoParticles\_AsSuspention-Human\_SingleORAL\_MonoParticles\_AsSuspention\\$ 

Result of the validation: Valid




Figure 1.52

 $Simulation: \ Human\_SingleORAL\_PolyParticlesLogNormal\_AsSuspention-Human\_SingleORAL\_PolyParticlesLogNormal\_AsSuspention$ 

Result of the validation: Valid




Figure 1.53

 $Simulation: Human\_SingleORAL\_PolyParticlesNormal\_AsSuspention-Human\_SingleORAL\_PolyParticlesNormal\_AsSuspention$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 




Figure 1.54

 $Simulation: Human\_SingleORAL\_PolyParticlesNormal\_AsSuspention-Human\_SingleORAL\_PolyParticlesNormal\_AsSuspention\_dissolved\_radius$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 6.85E-8

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)





Figure 1.55

 $Simulation: Human\_SingleORAL\_PolyParticlesNormal\_AsSuspention-Human\_SingleORAL\_PolyParticlesNormal\_Assuspention-Human\_SingleORAL\_PolyParticlesNormal\_Assuspention-Human\_SingleORAL\_PolyParticlesNormal\_Assuspention-Human\_SingleORAL\_PolyParticlesNormal\_Assuspention-Human\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_PolyParticlesNormal\_SingleORAL\_Single$  $As Suspention\_treat\_precipated\_drug\_as\_soluble$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 0



 ${\bf Simulation: Human\_SingleORAL\_Weibull\_AsSuspention-Human\_SingleORAL\_Weibull\_AsSuspention}. \\ {\bf Result\ of\ the\ validation:\ Valid}$ 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 1.04E-5




Figure 1.57

 $Simulation: Human\_SingleORAL\_Weibull\_AsSuspention-Human\_SingleORAL\_Weibull\_AsSuspention\_MW\_200\_fu\_0.2\_LogP\_5\\ Result of the validation: Valid$ 





Figure 1.58

 $Simulation: Human\_SingleORAL\_Weibull\_AsSuspention-Human\_SingleORAL\_Weibull\_AsSuspention\_MW\_800\_fu\_0.6\_LogP\_-5\\ Result of the validation: Valid$ 


Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 



 ${\bf Simulation: \ Human\_SingleORAL\_Weibull-Human\_SingleORAL\_Weibull} \\ {\bf Result \ of \ the \ validation: \ Valid}$ 

 $Output\ Path:\ Organism|Peripheral Venous Blood|drug|Plasma\ (Peripheral\ Venous\ Blood)$ 

Deviation: 3.54E-5



 $Simulation: \ Human\_SingleORAL\_Weibull\_Human\_SingleORAL\_Weibull\_MW\_200\_fu\_0.2\_LogP\_5 \\ Result of the validation: \ Valid$ 





Figure 1.61

 $\label{lem:singleORAL_Weibull-Human_SingleORAL_Weibull_MW_800_fu_0.6_LogP_5 \\ Result of the validation: Valid$ 


Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 



Simulation: Human\_UncompetitiveInhibition-Human\_UncompetitiveInhibition

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood) Deviation:<br/>  $\boldsymbol{0}$ 

Result of the validation: Valid



anous Rlood linhibitor Plasma (Perinheral Venous Rloo

0.25

0.3

0.35

0.4

### Output Path: Organism |PeripheralVenousBlood |<br/>inhibitor |Plasma (Peripheral Venous Blood) | Deviation:<br/> 0

**Figure 1.63** 

0.15

0.2


Time [h]

0.1

0

 $5 \cdot 10^{-2}$ 

# Organism|PeripheralVenousBlood|inhibitor|Plasma (Peripheral Venous Blood)




**Figure 1.64** 

 ${\bf Simulation: \ Minipig\_SingleORAL\_Dissolved-Minipig\_SingleORAL\_Dissolved \ Result \ of \ the \ validation: \ Valid}$ 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 1.18E-7

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)



**Figure 1.65** 

 $Simulation: Minipig\_SingleORAL\_Dissolved\_Minipig\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_-Installation: Minipig\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_-Installation: Minipig\_SingleORAL_Dissolved\_MW\_200\_fu\_0.2\_LogP\_-Installation: Minipig\_SingleORAL_Dissolved\_MW\_200\_Fu\_0.2\_LogP\_-Installation: Minipig\_SingleORAL_Dissolved\_MW\_200\_Fu\_0.2\_LogP\_-I$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)

Deviation: 0

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)





Figure 1.66

 $Simulation: \ Minipig\_SingleORAL\_Dissolved\_Minipig\_SingleORAL\_Dissolved\_MW\_800\_fu\_0.6\_LogP\_-5$  Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 



**Figure 1.67** 

 ${\bf Simulation: \ Monkey\_SingleORAL\_Dissolved-Monkey\_SingleORAL\_Dissolved \ Result \ of \ the \ validation: \ Valid}$ 

# Organism | Peripheral Venous Blood | drug | Plasma (Peripheral Venous Blood) Installation Computed 0.001

Figure 1.68

0.2

Time [h]

0.25

0.35

0.3

0.4

0.15

0.1

 $Simulation: Monkey\_SingleORAL\_Dissolved\_Monkey\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_5\\ Result of the validation: Valid$ 

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 

0

 $5 \cdot 10^{-2}$ 

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)





Figure 1.69

Simulation: Monkey\_SingleORAL\_Dissolved-Monkey\_SingleORAL\_Dissolved\_MW\_800\_fu\_0.6\_LogP\_--5 Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 



**Figure 1.70** 

Simulation: Mouse\_SingleORAL\_Dissolved-Mouse\_SingleORAL\_Dissolved Result of the validation: Valid

### Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)





Figure 1.71


Simulation: Mouse\_SingleORAL\_Dissolved-Mouse\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_5 Result of the validation: Valid



**Figure 1.72** 


Simulation: Mouse\_SingleORAL\_Dissolved-Mouse\_SingleORAL\_Dissolved\_MW\_800\_fu\_0.6\_LogP\_--5 Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 




 $Simulation: \ Preterm\_SingleIV\_Age\_0\_GA\_32\_CYP3A4-Preterm\_SingleIV\_Single$ 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 6.48E-8




**Figure 1.74** 

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation: 8.91E-5



 $\label{lem:single_index} \textbf{Simulation: Preterm\_SingleIV\_Age\_15\_GA\_32\_CYP3A4-Preterm\_SingleIV\_Age\_15\_CYP3A4-Pr$ 




 $Simulation: \ \, Preterm\_SingleIV\_Age\_15\_GA\_32\_GFR-Preterm\_SingleIV\_Age\_15\_GA\_32\_GFR \\ Result of the validation: \ \, Valid$ 

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood) Installation Computed Concentration (molar) $[\mu]$ 0.1 0.01 2 3 10 13 -10 4 5 6 11 12

Figure 1.77

Time [h]


 ${\bf Simulation: Rabbit\_SingleORAL\_Dissolved-Rabbit\_SingleORAL\_Dissolved} \\ {\bf Result \ of \ the \ validation: \ Valid}$ 



**Figure 1.78** 

 $Simulation: Rabbit\_SingleORAL\_Dissolved\_Rabbit\_SingleORAL\_Dissolved\_MW\_200\_fu\_0.2\_LogP\_5$  Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 



 $Simulation: Rabbit\_SingleORAL\_Dissolved\_Rabbit\_SingleORAL\_Dissolved\_MW\_800\_fu\_0.6\_LogP\_-5$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 





Figure 1.80

Simulation: Rat\_MultiORAL\_6\_6\_12\_Dissolved-Rat\_MultiORAL\_6\_6\_12\_Dissolved Result of the validation: Valid



 $\mathbf{Figure~1.81}$ 

 $\begin{tabular}{ll} \bf Simulation: & Rat\_MultiORAL\_6\_6\_6\_6\_6\_0 \\ \bf Dissolved-Rat\_MultiORAL\_6\_6\_6\_6\_0 \\ \bf Dissolved-Rat\_MultiORAL\_6\_6\_6\_0 \\ \bf Dissolved-Rat\_MultiORAL\_6\_6\_6\_0 \\ \bf Dissolved-Rat\_MultiORAL\_6\_6\_6\_0 \\ \bf Dissolved-Rat\_MultiORAL\_6\_6\_0 \\ \bf Dissolved-Rat\_MultiORAL\_6\_0 \\ \bf Dissol$ 

Output Path: Organism |PeripheralVenousBlood |drug |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 




Figure 1.82

Output Path: Organism |PeripheralVenousBlood |<br/>drug |Plasma (Peripheral Venous Blood) Deviation:  ${\bf 0}$ 

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood) Installation Computed $10^{-4}$ Concentration (molar) $[\mu]$ $10^{-5}$ $10^{-6}$ 0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9


Figure 1.83

Time [h]

 $Simulation: Single IV\_2 Pores\_Human-Single IV\_2 Pores\_Human$ 

Result of the validation: Valid

# $\label{eq:constraint} Organism | Peripheral Venous Blood | drug | Plasma \; (Peripheral Venous Blood)$



**Figure 1.84** 

Simulation: SingleIV\_2Pores\_Human-SingleIV\_2Pores\_Human\_SimulationC Result of the validation: Valid

### Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)






Figure 1.85

Simulation: SingleIV\_2Pores\_Human-SingleIV\_2Pores\_Human\_SimulationD Result of the validation: Valid





**Figure 1.86** 

Simulation: SingleIV\_2Pores\_Human-SingleIV\_2Pores\_Human\_SimulationF Result of the validation: Valid

### Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)




Figure 1.87

 $Simulation: Single IV\_2 Pores\_Monkey-Single IV\_2 Pores\_Monkey$ 

Result of the validation: Valid




Figure 1.88

Simulation: SingleIV\_2Pores\_Monkey-SingleIV\_2Pores\_Monkey\_SimulationG Result of the validation: Valid

### Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)




Figure 1.89

Simulation: SingleIV\_2Pores\_Monkey-SingleIV\_2Pores\_Monkey\_SimulationH Result of the validation: Valid

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood)




Figure 1.90

 $Simulation: Single IV\_2 Pores\_Mouse-Single IV\_2 Pores\_Mouse$ 

Result of the validation: Valid

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood) Deviation:<br/> 0

Open Systems Pharmacology Suite - 9




Figure 1.91

0.2

Time [h]

0.25

0.3

0.35

0.4

0.15

Simulation: SingleIV\_2Pores\_Mouse-SingleIV\_2Pores\_Mouse\_SimulationA Result of the validation: Valid

0.1

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood) Deviation:<br/> 0

0

 $5\cdot 10^{-2}$ 

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood) Installation Computed Onsolve C

Figure 1.92

0.2

Time [h]

0.25

0.3

0.35

0.4

0.15

Simulation: SingleIV\_2Pores\_Mouse-SingleIV\_2Pores\_Mouse\_SimulationB Result of the validation: Valid

0.1

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood) Deviation:<br/> 0

0

 $5\cdot 10^{-2}$ 

0.2

0

 $5\cdot 10^{-2}$ 

# Organism|PeripheralVenousBlood|drug|Plasma (Peripheral Venous Blood) Installation Computed O.5

Figure 1.93

0.2

Time [h]

0.25

0.3

0.35

0.4

0.15

Simulation: SingleIV\_2Pores\_Mouse-SingleIV\_2Pores\_Mouse\_SimulationE Result of the validation: Valid

0.1

Output Path: Organism |Peripheral Venous<br/>Blood |drug |Plasma (Peripheral Venous Blood) Deviation:<br/> 0

Open Systems Pharmacology Suite -  $9\,$ 





Figure 1.94

 $Simulation: Single IV\_C1\_4 Comp\_standard\_stand$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C1|Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 






Figure 1.95

 $Simulation: Single IV\_C2\_4 Comp\_PT\_standard\_st$ 

## $Organism|Peripheral Venous Blood|C2|Plasma\ (Peripheral Venous\ Blood)$




Figure 1.96

 $Simulation: Single IV\_C2\_4 Comp\_RR\_standard\_st$ 

Output Path: Organism |Peripheral Venous<br/>Blood |C2 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 

## ${\it Organism} | {\it Peripheral Venous Blood} | {\it C2} | {\it Plasma~(Peripheral Venous Blood)}$




Figure 1.97

 $Simulation: Single IV\_C2\_4 Comp\_standard\_schmitt\_standard-Single IV\_C2\_4 Comp\_standard\_schmitt\_standard\\$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C2 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 

# Organism|PeripheralVenousBlood|C2|Plasma (Peripheral Venous Blood) Installation Computed O.5

Figure 1.98

0.2

Time [h]

0.25

0.3

0.35

0.4

 $Simulation: Single IV\_C3\_4 Comp\_RR\_schmitt\_standard-Single IV\_C3\_schmitt\_standard-Single IV\_C3\_schmitt$ 

Output Path: Organism |Peripheral Venous<br/>Blood |C3 |Plasma (Peripheral Venous Blood) Deviation:<br/> 0

0.15

0.1

0

 $5\cdot 10^{-2}$ 

### Organism|PeripheralVenousBlood|C3|Plasma (Peripheral Venous Blood)





Figure 1.99

 $Simulation: Single IV\_C3\_4 Comp\_standard\_schmittnorm lized\_standard-Single IV\_C3\_4 Comp\_standard\_schmittnorm lized\_standard$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C3|Plasma (Peripheral Venous Blood)

Deviation: 0



 $Simulation: Single IV\_C4\_2 Pores\_RR\_standard\_s$ 

Output Path: Organism |Peripheral Venous<br/>Blood |C4 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 




Figure 1.101

 $Simulation: Single IV\_C4\_4 Comp\_Ber\_standard\_s$ 

Output Path: Organism |Peripheral Venous<br/>Blood |C4 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 







Figure 1.102


 $Simulation: Single IV\_C5\_2 Pores\_Ber\_standard\_$ 



**Figure 1.103** 

 $Simulation: Single IV\_C5\_2 Pores\_PT\_standard\_s$ 


Output Path: Organism |Peripheral Venous<br/>Blood |C5 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 




**Figure 1.104** 

 $Simulation: SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_C5\_2Pores\_RR\_schmitt\_standard-SingleIV\_SingleI$ 

Output Path: Organism |Peripheral Venous<br/>Blood |C5 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 





**Figure 1.105** 


 $Simulation: Single IV\_C6\_2 Pores\_standard\_stan$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C6|Plasma (Peripheral Venous Blood)

Deviation: 0

# Organism|PeripheralVenousBlood|C6|Plasma (Peripheral Venous Blood)



**Figure 1.106** 

 $Simulation: Single IV\_C7\_2 Pores\_standard\_schmitt\_standard\_Single IV\_C7\_2 Pores\_standard\_schmitt\_schmitt$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood | C7 |Plasma (Peripheral Venous Blood)

# Organism|PeripheralVenousBlood|C7|Plasma (Peripheral Venous Blood) 0.5


Figure 1.107

 $Simulation: Single IV\_C7\_4 Comp\_schmitt\_standard\_standa$ standard

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C7|Plasma (Peripheral Venous Blood) Deviation: 0






**Figure 1.108** 

 $Simulation: Single IV\_C8\_2 Pores\_standard\_schmittnormalized\_standard\_Single IV\_C8\_2 Pores\_standard\_schmittnormalized\_schmittnormalized\_schmittnor$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C8|Plasma (Peripheral Venous Blood)

## Organism|PeripheralVenousBlood|C8|Plasma (Peripheral Venous Blood)



**Figure 1.109** 

 $Simulation: Single IV\_C9\_2 Pores\_schmitt\_standard\_standard\_Single IV\_C9\_2 Pores\_schmitt\_standard\_sta$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C9 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 

# Organism|PeripheralVenousBlood|C9|Plasma (Peripheral Venous Blood) Installation Computed 1.5

Figure 1.110

0.15

0.1

 $Simulation: Single ORAL\_C10\_4 Comp\_PT\_standard\_standard\_Single ORAL\_C10\_4 Comp\_PT\_standard\_$ 

0.2

Time [h]

0.25

0.3

0.35

0.4

Result of the validation: Valid

0

 $5\cdot 10^{-2}$ 

Output Path: Organism |PeripheralVenousBlood |C10 |Plasma (Peripheral Venous Blood)<br/> Deviation: 0

Open Systems Pharmacology Suite - 9

### Organism|PeripheralVenousBlood|C10|Plasma (Peripheral Venous Blood)





Figure 1.111

 $Simulation: Single ORAL\_C11\_4 Comp\_schmitt\_standard\_standard\_Single ORAL\_C11\_4 Comp\_schmitt\_standard$  $standard\_standard$ 

Result of the validation: Valid

Output Path: Organism|PeripheralVenousBlood|C11|Plasma (Peripheral Venous Blood)





**Figure 1.112** 

 $Simulation: Single ORAL\_C11\_4 Comp\_standard\_st$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C11 |Plasma (Peripheral Venous Blood)<br/> Deviation: 0






**Figure 1.113** 

 $Simulation: Single ORAL\_C12\_4 Comp\_standard\_schmitt\_standard-Single ORAL\_C12\_4 Comp\_standard\_schmitt\_standard\\$ 

Result of the validation: Valid

 ${\bf Output\ Path:\ Organism|Peripheral Venous Blood|C12|Plasma\ (Peripheral\ Venous\ Blood)}$ 

## Organism|PeripheralVenousBlood|C12|Plasma (Peripheral Venous Blood)



**Figure 1.114** 

 $Simulation: Single ORAL\_C13\_2 Pores\_schmitt\_standard\_st$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood | C13 |Plasma (Peripheral Venous Blood)<br/> Deviation: 0




**Figure 1.115** 

 $Simulation: Single ORAL\_C13\_4 Comp\_standard\_schmittnormalized\_schmittnormalized\_sc$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C13 |Plasma (Peripheral Venous Blood)<br/> Deviation:  $\bf 0$ 

### Organism|PeripheralVenousBlood|C13|Plasma (Peripheral Venous Blood)



**Figure 1.116** 

 $Simulation: Single ORAL\_C14\_2 Pores\_PT\_standard\_standard\_Single ORAL\_C14\_2 Pores\_PT\_standard\_standar$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood | C14 |Plasma (Peripheral Venous Blood)





Figure 1.117

 $Simulation: Single ORAL\_C2\_2 Pores\_standard\_st$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C2|Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 




**Figure 1.118** 

 $Simulation: Single ORAL\_C3\_2 Pores\_standard\_schmitt\_standard-Single ORAL\_C3\_2 Pores\_standard\_schmitt\_standard\\$ 

Result of the validation: Valid

Output Path: Organism |Peripheral Venous<br/>Blood |C3 |Plasma (Peripheral Venous Blood) Deviation:<br/> 0



**Figure 1.119** 

 $Simulation: Single ORAL\_C4\_2 Pores\_standard\_schmittnormalized\_standard\_Single ORAL\_C4\_2 Pores\_standard\_schmittnormalized\_standard$ 

Result of the validation: Valid

Output Path: Organism |Peripheral Venous<br/>Blood |C4 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 





Figure 1.120

 $Simulation: Single ORAL\_C6\_4 Comp\_Ber\_standard\_standard\_Single ORAL\_C6\_4 Comp\_Ber\_standard\_$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C6 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 





**Figure 1.121** 

 $Simulation: Single ORAL\_C6\_4 Comp\_RR\_standard\_standard\_Single ORAL\_C6\_4 Comp\_RR\_standard\_st$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood |C6 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 




Figure 1.122

 $Simulation: Single ORAL\_C7\_2 Pores\_Ber\_standard\_standard\_Single ORAL\_C7\_2 Pores\_Ber\_standard\_standar$ 

Result of the validation: Valid

### Organism|PeripheralVenousBlood|C7|Plasma (Peripheral Venous Blood)




Figure 1.123

 $Simulation: Single ORAL\_C7\_4 Comp\_RR\_schmitt\_standard-Single ORAL\_C7\_5 Comp\_RR\_schmitt\_standard-Single ORAL\_C7\_5$ 

Result of the validation: Valid

Output Path: Organism |PeripheralVenousBlood | C7 |Plasma (Peripheral Venous Blood)

# Organism|PeripheralVenousBlood|C7|Plasma (Peripheral Venous Blood) Installation Computed 0.5 0.1 0.1

Figure 1.124

0.2

Time [h]

0.25

0.3

0.35

0.4

 $Simulation: Single ORAL\_C8\_2 Pores\_RR\_standard\_standard\_Single ORAL\_C8\_2 Pores\_RR\_standard\_$ 

Result of the validation: Valid


0

 $5\cdot 10^{-2}$ 

Output Path: Organism |PeripheralVenousBlood |C8 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 

0.15

0.1



 ${\bf Figure~1.125}$ 

 $Simulation: Single ORAL\_C9\_2 Pores\_RR\_schmitt\_standard-Single ORAL\_SCHMitt\_standard-Single ORAL\_SCHMit$ 

Result of the validation: Valid




Figure 1.126

Simulation: Test 18.1\_I1\_C1\_A1\_Config1-Test 18.1\_I1\_C1\_A1\_Config1 Result of the validation: Valid

Output Path: Organism |Peripheral Venous<br/>Blood |C1 |Plasma (Peripheral Venous Blood) Deviation:<br/>  $\boldsymbol{0}$ 

### Organism|PeripheralVenousBlood|C1|Plasma (Peripheral Venous Blood)




Figure 1.127

Simulation: Test 18.1\_I2\_C1\_A1\_Config2-Test 18.1\_I2\_C1\_A1\_Config2 Result of the validation: Valid

Output Path: Organism |Peripheral Venous<br/>Blood |C1 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 






Figure 1.128

Simulation: Test 18.1\_I2\_C3\_A1\_Config2-Test 18.1\_I2\_C3\_A1\_Config2 Result of the validation: Valid

result of the validation. Valid

Output Path: Organism |Peripheral Venous<br/>Blood |C3 |Plasma (Peripheral Venous Blood) Deviation:<br/> 0




Figure 1.129

0.2

Time [h]

0.25

0.3

0.35

0.4

Simulation: Test 18.1\_I3\_C3\_A3\_Config2-Test 18.1\_I3\_C3\_A3\_Config2 Result of the validation: Valid

0.1

Output Path: Organism |Peripheral Venous<br/>Blood |C3 |Plasma (Peripheral Venous Blood)<br/> Deviation:  ${\bf 0}$ 

0.15

0

 $5\cdot 10^{-2}$ 

### $Organism|Peripheral Venous Blood|C3|Plasma\ (Peripheral Venous Blood)$




Figure 1.130