


xFusion Http Zabbix Template 2.9

User Guide

Issue	01
Date	2026-05-12



Copyright © XFUSION INTERNATIONAL PTE. LTD. 2026. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of XFUSION INTERNATIONAL PTE. LTD.

Trademarks and Permissions

XFUSION and other xFusion trademarks are trademarks of XFUSION INTERNATIONAL PTE. LTD. All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between xFusion and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

XFUSION INTERNATIONAL PTE. LTD.

Website: <https://www.xfusion.com>

About This Document

Purpose

This document describes the functions and usage of the Zabbix plug-in. The Zabbix plug-in is provided as a Zabbix template. You can use it directly or as a reference for secondary development. The Zabbix plug-in can be used to monitor the xFusionBMC.

Intended Audience

This document is intended for:

- Technical support engineers
- System maintenance engineers

Symbol Conventions

The symbols that may be found in this document are defined as follows.

Symbol	Instructions
 DANGER	Indicates a hazard with a high level of risk which, if not avoided, will result in death or serious injury.
 WARNING	Indicates a hazard with a medium level of risk which, if not avoided, could result in death or serious injury.
 CAUTION	Indicates a hazard with a low level of risk which, if not avoided, could result in minor or moderate injury.
 NOTICE	Indicates a potentially hazardous situation which, if not avoided, could result in equipment damage, data loss, performance deterioration, or unanticipated results. NOTICE is used to address practices not related to personal injury.
 NOTE	Supplements the important information in the main text. NOTE is used to address information not related to personal injury, equipment damage, and environment deterioration.

Change History

Issue	Date	Description
01	2026-05-12	This issue is the first official release.

Contents

About This Document.....ii

1 Zabbix Template Introduction.....1

1.1 Zabbix Compatibility Information.....1

1.2 Zabbix Template Names.....1

1.2.1 Template Names (for Zabbix 7.4 only).....1

2 Template Functions.....2

3 Verify the software package.....3

4 Template Configuration.....4

4.1 Importing an xFusionBMC Template.....4

4.2 Adding a Host.....4

A Obtaining Technical Support.....6

B Communication Matrix.....7

1 Zabbix Template Introduction

The Zabbix plug-in is provided as a Zabbix template. Users can directly use it or use it for secondary development. The Zabbix plug-in can be used to monitor the xFusionBMC.

[1.1 Zabbix Compatibility Information](#)

[1.2 Zabbix Template Names](#)

1.1 Zabbix Compatibility Information

For details about the Zabbix compatibility, see [Table 1-1](#).

Table 1-1 Compatibility information

Managed Object	Compatible Zabbix Version	Version Dependency	Hardware Compatibility	Interface Protocol
xFusionBMC	Zabbix 7.4	V8 server and later versions: xFusionBMC V4.01.42 or later	Rack server • 2288H V8 Rack-scale server • DH120E V8	Redfish

1.2 Zabbix Template Names

1.2.1 Template Names (for Zabbix 7.4 only)

template_xFusionBMC_http.yaml

2 Template Functions

xFusionBMC Template

Monitoring page :

- Latest data tab page: CPU, fan, hard disk, xFusionBMC system information, memory, power supply, PCIe card, and temperature.
- Problems and triggers tab page: system health status, CPU status, fan status, power supply status, hard disk status, memory status, and PCIe card status.
- Graphs tab page: inlet temperature, system CPU usage, and system memory usage.

3 Verify the software package

You need obtained software package for the Zabbix plug-in Templates and verified its integrity.

Step 1 Obtain software package for the Zabbix plug-in Templates (for example, xFusion_Zabbix_Template_V2.1.tar.gz) and its SHA256 verification file (for example, xFusion_Zabbix_Template_V2.1.sha256.summ) from [GitHub](#).

Step 2 Verify the integrity of the Zabbix plug-in Templates software package(on Linux).

1. Go to the directory where the Templates installation package and SHA256 verification file are stored.
2. Run the **sha256sum -c <(grep software package name sha256 verification file name)** command to verify the software package.

Example: **sha256sum -c <(grep xFusion_Zabbix_Template_V2.1.tar.gz xFusion_Zabbix_Template_V2.1.sha256.sum)**

3. Check whether the verification result is OK.
 - If yes, the software package has not been tampered with and can be used.
 - If no, the software package has been tampered with. Obtain a new software package.

----End

4 Template Configuration

4.1 Importing an xFusionBMC Template

4.2 Adding a Host

4.1 Importing an xFusionBMC Template

Step 1 Log in to [GitHub](#) and obtain the template `template_xFusionBMC_http.yaml`.

Step 2 Log in to the Zabbix WebUI.

Step 3 Choose **Configuration > Templates**. The Templates page is displayed.

Step 4 Click **Import**. The Import page is displayed.

Step 5 Click **Import file** and select the template obtained in [Step 1](#).

Step 6 Click **Import**.

----End

4.2 Adding a Host

Step 1 Log in to the Zabbix WebUI.

Step 2 Choose Configuration > Hosts. The Hosts page is displayed.

Step 3 Click Create host. The page for creating a host is displayed.

Parameters:

- Host name: Enter the host name.
- Groups: Select xFusion Server.
- Click the Macros tab and set "{\$XFUSION.HTTP.API.URL}", "{\$XFUSION.HTTP.API.USER}", and "{\$XFUSION.HTTP.API.PASSWORD}", as shown in the following figure.
 - {\$XFUSION.HTTP.API.URL}: Server URL, for example: https://70.189.242.22. (Only https is supported here)

- {\$XFUSION.HTTP.API.PASSWORD}: Server login password.
- {\$XFUSION.HTTP.API.USER}: Server login account.

New host ? X

Host IPMI Tags **Macros 3** Inventory Encryption Value mapping

Host macros Inherited and host macros

Macro	Value	Description
(\$XFUSION.HTTP.API.URL)	https://[redacted]	description Remove
(\$XFUSION.HTTP.API.USER)	[redacted]	description Remove
(\$XFUSION.HTTP.API.PASSWORD)	[redacted]	description Remove

[Add](#)

[Add](#) [Cancel](#)

- **Enabled:** Retain the default value.
- **Templates:** Click Select. In the upper right corner of the displayed page, select the corresponding group (xFusion Server) and select the required template. After the selection is complete, click Add.
- **Inventory:** Select Automatic.

Step 4 Click Add.

----End

A Obtaining Technical Support

If you cannot determine or solve problems that you encounter during device maintenance or troubleshooting, you can obtain technical support as follows:

- Contact customer service center.
 - Telephone: 400-009-8999
 - Email: support@xfusion.com
- Contact technical support personnel.

B Communication Matrix

Source Device	Source IP Address	Source Port Number	Destination Device	Destination IP Address	Destination Port Number	Protocol	Port Description	Destination Port Configurable (Yes/No)	Authentication Mode
Device to which zabbix belongs	IP address of the device to which zabbix belongs	Random	xFusionBMC	IP address of the device to which xFusionBMC belongs	443	TCP	xFusionBMC Redfish server port is used to receive Redfish request.	No	BasicAuth authentication