


Phase3 Complete


Análisis y Documentación Completa
 Generado el: 25 de November de 2025 a las 11:57

Análisis Visual Completo


Dashboard Principal




Análisis Adicionales




□ Análisis de Complejidad: PHASE3_COMPLETE




📄 Análisis Temporal y Distribución: PHASE3_COMPLETE



📄 Análisis Detallado de Contenido: PHASE3_COMPLETE



□
 Análisis de Densidad y Frecuencia: PHASE3_COMPLETE



Resumen Ejecutivo: Este documento contiene 761 palabras distribuidas en 198 líneas, con 38 encabezados organizados en 24 secciones principales.

Estadísticas del Documento

Métrica	Valor
Total de líneas	198
Total de palabras	761
Total de caracteres	5,958
Encabezados	38
Bloques de código	5
Tablas	11
Enlaces	0
Imágenes	0
Secciones principales	24

Índice de Secciones

Nivel	Título	Línea
1	Phase 3 Complete: Import Path Standardization ■	1
2	Summary	8
2	Verification Results	14
1	■ CORRECT - Application layer modules	41
2	Documentation Created	50
2	Import Standards Summary	72
1	API Utilities	77
1	Configuration	80
1	Core Utilities	83
1	Services	87
1	API Components	90
1	Application Factory	95
1	Domain Modules	98
1	Infrastructure	102
1	■ DEPRECATED	109
2	Layer Import Rules	119
2	Statistics	138
2	Benefits	147
2	Verification Commands	157
1	Should return no results (except in deprecated compatibility	161
1	Check presentation layer doesn't import domain directly	167
1	Check domain layer doesn't import presentation	170
2	Next Steps	176
2	Notes	189

Resumen del Contenido

Phase 3 Complete: Import Path Standardization ■

Date: 2025-01-27

Status: ■ Completed

Summary

Successfully verified and documented import standards. All Python code files are already using standardized import paths. Created comprehensive import standards documentation.

Verification Results

■ All Critical Imports Standardized

Checked Files:

- All Python files use ``core.config_manager`` (not root ``config_manager``)
- All Python files use ``api.api_utils`` (not root ``api_utils``)
- No root-level imports of ``api_auth`` or ``api_middleware`` found
- Application layer modules (``integration_pipeline``, ``monitoring_system``) correctly imported from root (as they are application-layer modules)

Files Verified

File	Status	Import Pattern
infraestructure/providers/pipeline_provider.py	■ Correct	<code>`from core.config_manager import ...`</code>
application/service_container.py	■ Correct	<code>`from core.config_manager import ...`</code>
cli_unified.py	■ Correct	<code>`from core.config_manager import ...`</code>

```
| `examples/example_config.py` | ■ Correct | `from
core.config_manager import ...` |

| `application.py` | ■ Correct | `from core.config_manager import
...` |

| `api/routes/*.py` | ■ Correct | `from api.api_utils import ...` |

| `tests/test_api_utils.py` | ■ Correct | `from api.api_utils import ...` |
```

Root-Level Module Imports (Acceptable)

These are **application-layer modules** at root level, so importing from root is correct:

■ CORRECT - Application layer modules

```
from integration_pipeline import create_integrated_pipeline
from monitoring_system import get_system_monitor
```

These are not utility/config modules, so they don't need to be in `core/` or `api/`.

Documentation Created

New File: `IMPORT\_STANDARDS.md`

Contents:

- ■ Complete import standards for all layers
- ■ Correct vs. incorrect import patterns
- ■ Layer-specific import rules
- ■ Deprecated import patterns
- ■ Common import patterns
- ■ Verification commands
- ■ Migration checklist

Key Sections:

1. **Correct Import Patterns** - Examples for all module types
2. **Import Organization** - Standard import order
3. **Deprecated Imports** - Table of deprecated patterns
4. **Layer-Specific Rules** - What each layer can/cannot import

5. ****Verification**** - Commands to check imports

Import Standards Summary

■ *Correct Patterns*

API Utilities

```
from api.api_utils import validate_episode_data
```

Configuration

```
from core.config_manager import ConfigManager,  
get_config_manager
```

Core Utilities

```
from core.utils import setup_logger
```

```
from core.api_utils import create_fastapi_app
```

Services

```
from services import MemoryService
```

API Components

```
from api.routes import api_router
```

```
from api.middleware import RequestIDMiddleware
```

```
from api.auth import OptionalAuth
```

Application Factory

```
from application import create_app
```

Domain Modules

```
from memory import create_memory_system
```

```
from core.paper_base import BasePaperModule
```

[Nota: El documento original tiene 198 líneas. Se muestra un resumen de las primeras 100 líneas.]