





Import Standards

Análisis y Documentación Completa
 Generado el: 25 de November de 2025 a las 10:58


Análisis Visual Completo

Dashboard Principal


Análisis Completo: IMPORT_STANDARDS




Análisis Adicionales




□
 Análisis de Complejidad: IMPORT_STANDARDS




📄 Análisis Temporal y Distribución: IMPORT_STANDARDS



□
 Análisis Detallado de Contenido: IMPORT_STANDARDS



□
 Análisis de Densidad y Frecuencia: IMPORT_STANDARDS



Resumen Ejecutivo: Este documento contiene 1,014 palabras distribuidas en 339 líneas, con 62 encabezados organizados en 42 secciones principales.

Estadísticas del Documento

Métrica	Valor
Total de líneas	339
Total de palabras	1,014
Total de caracteres	7,925
Encabezados	62
Bloques de código	22
Tablas	8
Enlaces	0
Imágenes	0
Secciones principales	42

Índice de Secciones

Nivel	Título	Línea
1	Import Standards	1
2	Overview	8
2	■ Correct Import Patterns	14
1	■ CORRECT	18
1	■ INCORRECT (deprecated)	21
1	■ CORRECT	27
1	■ INCORRECT (deprecated)	30
1	■ CORRECT	36
1	■ INCORRECT	41
1	■ CORRECT	47
1	■ INCORRECT	51
1	■ CORRECT	57
1	■ INCORRECT	64
1	■ CORRECT	71
1	■ INCORRECT (deprecated)	75
1	■ CORRECT	81
1	■ INCORRECT	86
1	■ CORRECT	92
1	■ INCORRECT	96
2	Import Organization	102
0	# Presentation Layer	123
0	# Application Layer	127
0	# Domain Layer	130
0	# Infrastructure Layer	134
2	Deprecated Imports	140
2	Layer-Specific Import Rules	154
1	■ CORRECT	170
1	■ INCORRECT	175
1	■ CORRECT	192

1	■ INCORRECT	197
1	■ CORRECT	217
1	■ INCORRECT	222
1	■ CORRECT	237
2	Common Import Patterns	245
1	Within api/routes/	268
2	Verification	275
1	Find root-level imports	279
1	Should return no results (except in deprecated compatibility	282
1	Run linter to check imports	287
2	Migration Checklist	294
2	Examples	307
2	Notes	327

Resumen del Contenido

Import Standards

****Date****: 2025-01-27

****Status****: ■ Enforced

Overview

This document defines the standard import paths for the production_code codebase. All imports should follow these conventions to maintain consistency and avoid import conflicts.

■ Correct Import Patterns

API Utilities

■ CORRECT

```
from api.api_utils import validate_episode_data,
validate_query_data
```

■ INCORRECT (deprecated)

```
from api_utils import validate_episode_data
```

Configuration Management

■ CORRECT

```
from core.config_manager import ConfigManager, ModuleType,
get_config_manager
```

■ INCORRECT (deprecated)

```
from config_manager import ConfigManager
```

Core Utilities

■ CORRECT

```
from core.utils import setup_logger
```

```
from core.api_utils import create_fastapi_app
from core.error_handling import safe_execute
```

■ INCORRECT

```
from utils import setup_logger # If utils is at root
```

Services

■ CORRECT

```
from services import MemoryService, PipelineService
from services.memory_service import MemoryService
```

■ INCORRECT

```
from memory_service import MemoryService # If at root
```

API Components

■ CORRECT

```
from api.routes import api_router, root_router
from api.routes.memory import router as memory_router
from api.dependencies import get_memory_service
from api.middleware import RequestIDMiddleware
from api.auth import OptionalAuth
```

■ INCORRECT

```
from api_middleware import LoggingMiddleware
from api_auth import APIKeyManager
```

Application Factory

■ CORRECT

```
from application import create_app, get_app
from application.service_container import ServiceContainer
```

■ INCORRECT (deprecated)

```
from api_unified import app, create_api_app
```

Domain Modules

■ CORRECT

```
from memory import create_memory_system
from redundancy import create_redundancy_suppressor
from core.paper_base import BasePaperModule
```

■ INCORRECT

```
from memory_module import MemorySystem # If renamed
```

Infrastructure

■ CORRECT

```
from infrastructure.providers import build_integrated_pipeline
from infrastructure.providers.pipeline_provider import
build_integrated_pipeline
```

■ INCORRECT

```
from providers import build_integrated_pipeline # If at root
---
```

[Nota: El documento original tiene 339 líneas. Se muestra un resumen de las primeras 100 líneas.]