
Command Reference: FillWellRight()

Fill well right data

StateCU and StateMod Command

Version 3.09.00, 2010-01-26

The FillWellRight () command fills missing data in existing well rights. The following dialog is used to edit the command and illustrates the syntax of the command.



FillWellRight() Command Editor

FillWellRight

The command syntax is as follows:

FillWellRight(Parameter=Value,...)

Command Parameters

Parameter	Description	Default
ID	A single well right identifier to match	None – must be specified.
	or a pattern using wildcards (e.g.,	
NT.	20*).	70 10 1
Name	The name to be assigned for all	If not specified, the original
	matching well right identifiers with	value will remain.
GL . L TD	missing name.	TC
StationID	The well station identifier to be	If not specified, the original
	assigned for all matching well right	value will remain.
	identifiers with missing well station	
7 desiral established	identifier.	TC
AdministrationNumber	The administration number to be	If not specified, the original
	assigned for all matching well right	value will remain.
	identifiers with missing administration	
Dogrado	number.	TC
Decree	The water right decree to be assigned	If not specified, the original
	for all matching well right identifiers	value will remain.
OnOff	with missing administration decree.	If you are a section of the section of
OHOTT	The on/off switch to be assigned for	If not specified, the original value will remain.
	all matching well right identifiers with missing on/off switch, either 1 for on	value will remain.
	or 0 for off, a positive 4-digit year to	
	turn the right on starting in the year,	
	or a negative 4-digit year to turn the	
	right off starting in the year.	
IfNotFound	Used for error handling, one of the	Warn
	following:	
	• Fail – generate a failure	
	message if the ID is not matched	
	• Ignore – ignore (don't generate	
	a message) if the ID is not	
	matched	
	Warn – generate a warning	
	message if the ID is not matched	