
Command Reference: WriteResponseToStateMod()

Write response data to a StateMod file

StateMod Command

Version 3.12.00, 2011-01-17

The `WriteResponseToStateMod()` command writes the data set file list to a StateMod response file. The following dialog is used to edit the command and illustrates the syntax of the command.

Edit WriteResponseToStateMod() Command

This command writes the list of data set files to a StateMod response file.
It is recommended that the file be specified using a path relative to the working directory.
The working directory is: C:\Develop\StateDMI_SourceBuild\StateDMI\test\regression\commands\ReadResponseFromStateMod
The default value for "Write how" is OverwriteFile, which will create a new file, overwriting an old file if it exists.

StateMod file:

Write how: Optional (default=OverwriteFile).

Command:

```
WriteResponseToStateMod(OutputFile="Sp2008L.rsp")
```

WriteResponseToStateMod

WriteResponseToStateMod() Command Editor

The command syntax is as follows:

```
WriteResponseToStateMod (Parameter=Value, ...)
```

Command Parameters

Parameter	Description	Default
OutputFile	The name of the output file to write, surrounded by double quotes.	None – must be specified.
WriteHow	OverwriteFile if the file should be overwritten or UpdateFile if the file should be updated, resulting in the previous header being carried forward.	OverwriteFile