

# The ORT project

## ORT 프로젝트

OpenChain KWG      April 2024

Thomas Steenbergen



Photo by [Markus Winkler](#) on [Unsplash](#)



# Thomas Steenbergen



I help organizations manage open source in a strategic, safe and efficient manner that meets their business needs

저는 조직이 오픈소스를 전략적이고 안전하며 효율적인 방식으로 전략적이고 안전하며 효율적인 방식으로 오픈소스를 관리하도록 돕습니다

Former Head of OSPO at EPAM & HERE. Currently #OpenToWork

EPAM & HERE 의 전 오픈 소스 책임자. 현재 일자리를 찾고 있습니다

Maintainer / Contributor to:

유지 관리자 / 기여자:



OSS  
Review Toolkit



TODO



# What are you working on? 어떤 작업을 하고있나 요??

Working on answering / 답변 작업 중:

How can we do open source at **scale and speed**  
whilst staying **safe, respect licenses**,  
enable upstream **sustainability**,  
and make **life easier** for developers?

어떻게 하면 안전을 유지하면서 규모와 속도에 맞게 오픈 소스를 수행하고, 라이선스를 존중하며, 업스트림 지속 가능성을 지원하고, 개발자의 삶을 더 쉽게 만들 수 있을까요?

# What is ORT? ORT란 무엇인가요?

The OSS Review Toolkit (ORT) is a **FOSS policy automation and orchestration toolkit** which you can use to manage your (open source) software dependencies in a strategic, safe and efficient manner.

ORT는 전략적이고 안전하며 효율적인 방식으로 (오픈 소스) 소프트웨어 종속성을 관리하는 데 사용할 수 있는 FOSS 정책 자동화 및 오케스트레이션 툴킷입니다



# What is ORT history? ORT 히스토리란 무엇인가요?

ORT development started

ORT is born within the Open Source Office of HERE Technologies - a mapping and location data company

ORT 개발 시작

ORT는 지도 및 위치 데이터 회사인 HERE Technologies의 오픈 소스 사무실에서 탄생했습니다

ORT became a Linux Foundation project

ORT became part of ACT (automatecompliance.org)

ORT가 Linux Foundation 프로젝트가 됨

ORT가 ACT(automatecompliance.org)의 일부가 되었습니다



# Why was ORT created? ORT는 왜 만들었나요?

- Commercial solutions are expensive, and no single one met our shared technical, licensing & contractual requirements

상용 솔루션은 비용이 많이 들고, 당사의 공통 기술, 라이선스 및 계약 요구 사항을 충족하는 솔루션이 없습니다

Key issues with commercial solutions:

- Number of supported build tools
- Proof for each found license
- Unable to code the desired FOSS policy using available data

상용 솔루션의 주요 문제

- 지원되는 빌드 도구 수
- 각 라이선스에 대한 증명이 누락됨
- 사용 가능한 데이터를 사용하여 원하는 FOSS 정책을 코딩할 수 없음


- Our ideal automation solution was to glue together multiple good enough open source tools and supplement as needed with commercial tools to fill the gaps  
우리의 이상적인 자동화 솔루션은 충분히 좋은 여러 오픈소스 도구를 하나로 묶어 오픈 소스 도구를 결합하고 필요에 따라 상용 도구로 보완하여 부족한 부분을 채우는 것이었습니다
- Open source solutions are the only way forward to resolve in the long-term the licensing, security and sustainability issues within the open source community  
오픈 소스 솔루션은 오픈 소스 커뮤니티의 라이선스, 보안 및 지속 가능성 문제를 장기적으로 해결할 수 있는 유일한 방법입니다

# Automation is key to scaling an underfunded OSPO

Focusing on automating recurring inquiries, we discovered similar data is needed.

<b>Engineering</b>	Which devs have skills X and/or know Product Y? -> Code repositories -> People -> Skills & Products? Who can help with open source project Z? -> Code repositories -> uses Z as dependency -> People? How to level up engineering (open source) standards? -> Projects -> Code Repositories -> Best Practices?
<b>Security</b>	Is project X safe to use? -> Project + Dependencies -> SBOM -> Vulnerabilities? What is the impact of known vulnerability X in Y? Dependency Y in SBOMs -> Products? -> Customers?
<b>Licensing</b>	Are licenses / contracts respected? -> Project -> Dependencies -> Source Code -> Licensing? OK to use open source project Z? -> Project Z -> Source Code -> Licensing & Contracts?
<b>Open Sourcing</b>	OK to use open source project Z? -> Project Z -> Source Code & Dependencies -> Licensing & Security? Who is using/contributing open source project Z? -> Projects -> Dependencies -> People How to educate best practices? -> Project -> Code Repository -> README.md / CONTRIBUTING.md?
<b>Business Continuity</b>	Is open source project Z healthy? -> Project Z -> Source Code + Community -> Metrics? Which open source projects are essential? -> Products -> Projects -> Dependencies -> Open Source?
<b>InnerSource</b>	How to educate best practices? -> Project -> Code Repository -> README.md / CONTRIBUTING.md? Where are the active projects and people? -> Code Repositories -> Projects & People?

# Translating inquiries into a graph...



# Key features? 주요 기능은?

You can use ORT to / 다음과 같은 용도로 사용할 수 있습니다:

- **Generate CycloneDX, SPDX SBOMs, or custom FOSS attribution docs**  
CycloneDX, SPDX SBOM 또는 사용자 정의 FOSS 어트리뷰션 문서를 생성합니다
- **Automate your FOSS policy using risk-based Policy as Code to do licensing, security vulnerability, InnerSource and engineering standards checks**  
위험 기반 Policy as Code를 사용하여 라이선스, 보안 취약성, 내부 소스 및 엔지니어링 표준 검사를 수행하여 FOSS 정책을 자동화합니다
- **Create a source code archive for your software project and its dependencies to comply with certain licenses or for business continuity**  
특정 라이선스를 준수하거나 비즈니스 연속성을 위해 소프트웨어 프로젝트와 그 종속성에 대한 소스 코드 아카이브를 만듭니다
- **Correct package metadata or license findings - fix up issues within your organization leveraging InnerSource or with the help of the FOSS community**  
패키지 메타데이터 또는 라이선스 결과 수정 - InnerSource 혹은 FOSS 커뮤니티의 도움을 활용해 조직 내 오픈소스 패키지 문제를 해결합니다.

# Supported languages? 지원 언어?

Our focus is on supporting library and application development  
라이브러리 및 애플리케이션 개발 지원에 중점을 두고 있습니다

C/C++	Bazel*, Conan	Objective-C / Swift	Carthage*, CocoaPods*, SwiftPM
Flutter	Pub	PHP	Composer
Go	GoMod	Python	Pip, Pipenv, Poetry
Haskell	Stack	Ruby	Bundler*
Java	Gradle, Maven	Rust	Cargo
JavaScript	Bower, NPM*, PNPM*, Yarn (1, 2+)	Scala	SBT
.Net	DotNet*, NuGet*	Others	Package-List YAML or SPDX documents

\*supported with limitations / 제한적으로 지원됨

# Supported CI/CD? 지원 CI/CD?



GitHub Actions

[github.com/oss-review-toolkit/ort-ci-github-action](https://github.com/oss-review-toolkit/ort-ci-github-action)



[github.com/oss-review-toolkit/ort-ci-gitlab](https://github.com/oss-review-toolkit/ort-ci-gitlab)



**Jenkins**

[github.com/oss-review-toolkit/ort/tree/main/integrations/jenkins](https://github.com/oss-review-toolkit/ort/tree/main/integrations/jenkins)



[github.com/oss-review-toolkit/ort/tree/main/integrations/tekton](https://github.com/oss-review-toolkit/ort/tree/main/integrations/tekton)

# Why choose ORT? 왜 ORT를 선택해야 할까요?

- **Enables different risk/effort trade-offs to minimize end user compliance efforts whilst maintaining acceptable compliance levels**  
허용 가능한 위험/투입 노력에 대한 절충을 통해 최종 사용자의 규정 준수 노력을 최소화하는 동시에 허용 가능한 Compliance 수준을 유지할 수 있습니다.
- **Enables your supply chain to check their software with your ORT's policy as code**  
정책을 공급업체와 공유하여 공급업체가 귀하의 정책에 따라 소프트웨어를 확인할 수 있도록 하여 공급망에 대한 신뢰도를 높일 수 있습니다.
- **Capable of producing high quality software bill of materials**  
고품질 SBoM 생성 가능
- **Created by the Open Source/OSPO community for the community**  
커뮤니티를 위해 오픈 소스/OSPO 커뮤니티에서 만든 Software
- **Highly modular and extensible solution, adaptable to your (organization's) needs**  
고도로 모듈화되고 확장 가능한 솔루션으로 조직의 요구 사항에 맞게 조정 가능

# When should you not choose ORT?

## 언제 ORT를 선택하지 않아야 하나요?

- **Best effort and speed is more important than accuracy**  
정확성보다 속도와 적절한 수준의 비용이 더 중요합니다
- **Insufficient resources available to build solution with ORT**  
ORT로 솔루션을 구축하는 데 사용할 수 있는 리소스가 부족합니다
- **Not comfortable with how things are done within the ORT project**  
ORT 프로젝트 내에서 작업이 수행되는 방식이 불편합니다
- **You need a solution to scan Docker or operating systems**  
Docker 또는 운영 체제 스캔을 위한 솔루션이 필요합니다

# Who is using ORT? 누가 ORT를 사용하고 있나요?

ORT has a vibrant community of people/organizations (mostly automotive OSPOs) using and contributing. ORT users also participate in SPDX, OpenChain, OpenSSF and the TODO group. ORT에는 사용하고 기여하는 활발한 사람/조직(주로 자동차 OSPO) 커뮤니티가 있습니다. ORT 사용자들은 SPDX, OpenChain, OpenSSF 및 TODO 그룹에도 참여합니다.

ORT is a battle-test solution is used in production within multiple large organizations from startup to large enterprise and hundreds of thousands ORT scans have been over the last 7 years. ORT는 스타트업부터 대기업까지 여러 대규모 조직의 프로덕션에서 사용되는 검증된 솔루션이며 지난 7년 동안 수십만 개의 ORT 스캔이 이루어졌습니다.

Known adopters of ORT include Alliander, Bosch, Cariad, Deutsche Telekom, EPAM Systems, HERE, Porsche and Volkswagen.

ORT를 채택한 것으로 알려진 업체로는 Alliander, Bosch, Cariad, Deutsche Telekom, EPAM Systems, HERE, Porsche 및 Volkswagen이 있습니다.

# Who is using ORT? 누가 ORT를 사용하고 있나요?

FOSS projects leveraging ORT: Double Open, Eclipse Apoapsis, Hermine and Opposum  
ORT를 활용하는 FOSS 프로젝트: 더블 오픈, 이클립스 아포앱시스, 헤르민, 오포섬

The screenshot shows the ORT interface with the following details:

- Project:** doubleOpen()
- SPDX License Identifier:** Apache-1.1
- Detected license:** 2023-10-18: Apache-1.1 AND LicenseRef-scancode-rsa-md4
- Individual license matches:** 1: Apache-1.1
- Concluded license:** No license conclusions
- Create a license conclusion:**
  - Select license... (dropdown)
  - Write your SPDX expression here... (text input)
  - Comment on your license conclusion... (text area)
  - Local (checkbox)
  - Submit (button)

The code editor displays the following SPDX license text:

```
1 SPDX-License-Identifier: Apache-1.1
2
3 ----
4
5 License to copy and use this software is granted provided that it
6 is identified as the "RSA Data Security, Inc. MD4 Message-Digest
7 Algorithm" in all material mentioning or referencing this software
8 or this function.
9
10 License is also granted to make and use derivative works provided
11 that such works are identified as "derived from the RSA Data
12 Security, Inc. MD4 Message-Digest Algorithm" in all material
13 mentioning or referencing the derived work.
14
15 RSA Data Security, Inc. makes no representations concerning either
16 the merchantability of this software or the suitability of this
17 software for any particular purpose. It is provided "as is"
18 without express or implied warranty of any kind.
19
20 These notices must be retained in any copies of any part of this
21 documentation and/or software.
22
23 ----
24
25 Copyright (c) 1996 Netscape Communications Corporation
26 Copyright (c) 2002 Graz University of Technology
27 Copyright (c) 2002-2003
28 Copyright (c) 2003-2015 Stiftung SIC.
29 Copyright 1996-2000 Sun Microsystems, Inc.
30 Copyright 2001-2004, IAIK, Graz University of Technology,
31 Inffeldgasse 16a, 8010 Graz, Austria
32 Copyright IAIK 2001 - 2013
33
```

# Building an open source management solution with ORT


ORT로 오픈소스  
관리 솔루션 구축





## Scan

Combine tools and develop the policy rules to create scalable processes that works for your organization  
도구를 결합하고 정책 규칙을 개발하여 조직에 적합한 확장 가능한 프로세스를 만드세요.




**OK / NOT OK = Code? + Licenses? + Product? + Security? + InnerSource? + Contracts? + Community? + ...**



## FOSS Review Process integrated in GitHub/GitLab/Jenkins CI (continuous)

### GitHub/GitLab/Jenkins CI에 통합된 FOSS 리뷰 프로세스 (연속)

➡ Optimal Path




REFERENCE PROCESS



# Scaling FOSS Data Correction Process via InnerSource


InnerSource를 통한 FOSS 데이터 수정 프로세스 용량 확장

Optimal Path ➔



## Curation Artifacts Creation

- Package source code repository corrections
- Package declared license corrections
- Package detected license corrections
- Conclude license for package
- Security advisory / detection corrections



Package / Licensing / Security Corrections  
(R&D teams / OSPO / Legal / Security)

REFERENCE PROCESS

# Different ORT workflows? 다른 ORT 워크플로?

Organization / 단체	Workflow/ 워크플로
<b>HERE</b>	<p>Code Change/Release =&gt; ORT GitLab job runs in R&amp;D team repository makes API call to ORT Central GitLab pipeline maintained by OSPO =&gt; ORT Docker image runs =&gt; ORT results uploaded to Artifactory =&gt; R&amp;D's ORT GitLab job gets copy of results plus if run is for merge request, comment is added with links to results</p> <p>코드 변경/출시 =&gt; ORT GitLab job은 R&amp;D 팀 코드 Repository에서 실행됩니다 =&gt; R&amp;D 팀 Repository에서 ORT GitLab job이 실행되어 OSPO에서 유지 관리하는 ORT Central GitLab 파이프라인에 대한 API 호출이 이루어집니다 =&gt; ORT Docker 이미지 실행 =&gt; Artifactory에 업로드된 ORT 결과 =&gt; R&amp;D의 ORT 'GitLab job'은 결과 사본을 얻고 병합 요청을 위한 실행인 경우 결과에 대한 링크와 함께 주석이 추가됩니다</p> <p>See also / 참조하세요: <a href="http://tinyurl.com/here-2021-how-we-do-compliance">tinyurl.com/here-2021-how-we-do-compliance</a></p>
<b>Bosch</b>	<p>ORT GitHub action runs in R&amp;D team repository or R&amp;D team uses Self-Service UI which makes REST API call to Eclipse Apoapsis instance =&gt; Orchestrator manages Worker job executing ORT in Kubernetes =&gt; ORT results made available to R&amp;D team via Self-Service UI, API or email</p> <p>ORT GitHub action을 R&amp;D 팀 Repository에서 실행하거나 Eclipse Apoapsis 인스턴스에 대한 REST API 호출을 만드는 셀프 서비스 UI를 사용합니다 =&gt; 오케스트레이터는 Kubernetes에서 ORT를 실행하는 작업자 작업을 관리합니다 =&gt; SelfService UI, API 또는 이메일을 통해 R&amp;D 팀에 ORT 결과 제공됨</p> <p>See also / 참조하세요: <a href="http://tinyurl.com/fosdem-2024-apoapsis">tinyurl.com/fosdem-2024-apoapsis</a></p>

# Different ORT workflows? 다른 ORT 워크플로?

Organization / 단체	Workflow/ 워크플로
Zeiss	<p>Code Change / Release =&gt; CMake generates package list YAML file and executes ORTH to generate analyzer result =&gt; ORT executed by CMake =&gt; ORT results included in build artifacts</p> <p>코드 변경/출시 =&gt; CMake는 패키지 목록 YAML 파일을 생성하고 ORTH를 실행하여 분석기 결과를 생성합니다 =&gt; CMake는 ORT 스캐너, 평가자 및 보고자를 실행합니다 =&gt; 빌드 아티팩트에 ORT 결과가 포함됨</p> <p>See also / 참조하세요: <a href="http://tinyurl.com/ort-cd-2024-epam-zeiss">tinyurl.com/ort-cd-2024-epam-zeiss</a></p>
"Unnamed"	<p>Code Change/Release =&gt; ORT Analyzer runs in R&amp;D team's own CI/CD of R&amp;D =&gt; uploads afterwards the result to central Jenkins instance =&gt; ORT Docker image runs =&gt; ORT results uploaded to SW360 and DependencyTrack</p> <p>코드 변경/출시 =&gt; ORT 분석기는 R&amp;D 팀 자체 CI/CD에서 실행됩니다. =&gt; 이후 중앙 Jenkins 인스턴스에 결과를 업로드합니다. =&gt; ORT Docker 이미지 실행 =&gt; SW360 및 DependencyTrack에 업로드된 ORT 결과</p>

# What's coming soon?

- **Rewrite of project documentation** to be more clear and concise  
프로젝트 문서를 보다 명확하고 간결하게 다시 작성할것입니다.
- **Improvements to copyright scanning and findings corrections**  
저작권 스캔 및 스캔 결과 보완 기능을 개선할것입니다.
- **Expanding ORT config repository contain example policies and FOSS finding corrections**  
예제 정책 및 FOSS 찾기 수정 사항이 포함되는 ORT config 리포지토리를 확장할 것입니다.



# OSS Review Toolkit

## Demo / 도구 데모



# GitHub Action for ORT

Run licensing, security and best practices checks and generate reports/SBOMs using [ORT](#).

## Usage

See [action.yml](#)

### Basic

```
jobs:  
  ort:  
    runs-on: ubuntu-latest  
    steps:  
      - name: Use HTTPS instead of SSH for Git cloning  
        run: git config --global url.https://github.com/.insteadOf ssh://git@github.com/  
      - name: Checkout project  
        uses: actions/checkout@v3  
      - name: Run GitHub Action for ORT  
        uses: oss-review-toolkit/ort-ci-github-action@v1
```



### Scenarios

- [Run ORT and analyze only specified package managers](#)
- [Run ORT with labels](#)
- [Run ORT and fail job on policy violations or security issues](#)
- [Run ORT on private repositories](#)
- [Run ORT on multiple repositories using a matrix](#)
- [Run ORT with a custom global configuration](#)
- [Run ORT with a custom Docker image](#)
- [Run ORT with PostgreSQL database](#)
- [Run only parts of the GitHub Action for ORT](#)

Available at / 다음에서 이용 가능:

[github.com/oss-review-toolkit/ort-ci-github-action](https://github.com/oss-review-toolkit/ort-ci-github-action)

# GitLab Job Template for ORT

Run licensing, security and best practices checks and generate reports/SBOMs using [ORT](#).

## Usage

See [.gitlab-ci.yml](#)

## Basic

```
include:
  - https://raw.githubusercontent.com/oss-review-toolkit/ort-ci-gitlab/main/templates/ort-scan

stages:
  - ort

ort-scan:
  stage: ort
  extends: .ort-scan
  artifacts:
    when: always
    paths:
      - $ORT_RESULTS_PATH
```

## Scenarios

- [Run ORT and analyze only specified package managers](#)
- [Run ORT with labels](#)
- [Run ORT and fail job on policy violations or security issues](#)
- [Run ORT on private repositories](#)
- [Run ORT with a custom global configuration](#)
- [Run ORT with a custom Docker image](#)
- [Run ORT with PostgreSQL database](#)

Available at / 다음에서 이용 가능:

[github.com/oss-review-toolkit/ort-ci-gitlab](https://github.com/oss-review-toolkit/ort-ci-gitlab)

Scan any public  
code repository

공개 코드 저장소를  
스캔하세요

https://gitlab.com/tsteenbe/ort-gitlab-ci/-/pipelines/new

Thomas Steenbergen / GitLab Job Template for ORT / Pipelines / Run pipeline

## Run pipeline

Run for branch name or tag

main ▾

Variables

Variable SW\_NAME mime-types X

"Name of project, product or component to be scanned. By default the name of the repository is used as shown in its clone URL."

Variable SW\_VERSION 2.1.35 X

Project version number or release name (use the version from package metadata, not VCS revision). By default, the Git short SHA is used.

Variable VCS\_TYPE git X

Identifier of the project version control system (git, git-repo, mercurial or subversion).

Variable VCS\_URL https://github.com/jshhttp/mime-types.git X

VCS URL (clone URL) of project to scan.

Variable VCS\_REVISION ef93223 X

SHA1 or tag to scan (not branch names, because they can move). If VCS\_TYPE is 'git-repo', SHA1 must be unabbreviated, tag names must be prefixed with 'refs/tags/'.

Variable VCS\_PATH Input variable value X

Leave this field empty unless one of the following special cases applies: project VCS\_TYPE is git-repo - specify path to repo manifest file (e.g. olympia.xml, note VCS\_URL must point to a manifest repository) you require sparse checkout - specify repository sub-path to download and scan (e.g. projects/gradle/, note sparse checkout is possible only for VCS\_TYPE git, mercurial or subversion)

Variable ORT\_CONFIG\_FILE Input variable value X

Path to repository configuration file relative to the VCS root. If empty '.ort.yml' is used as default.

Variable ORT\_ALLOW\_DYNAMIC\_VERSIONS Input variable value X

Set to 'true' only if dynamic dependency versions are allowed (note version ranges specified for dependencies may cause unstable results). This field applies only to package managers that support lock files, e.g. NPM.

Variable DISABLE\_SHALLOW\_CLONE Input variable value X

<https://gitlab.com/tsteenbe/mime-types/-/pipelines/666616439>

The screenshot shows a GitLab pipeline page for a project named 'Mime Types'. The pipeline has a status of 'Failed'. It consists of two stages: 'build' and 'test'. The 'build' stage contains one job, 'install-dependencies', which is successful. The 'test' stage contains three jobs: 'lint' (successful), 'ort-scan' (failed), and 'unit-tests' (successful). A tooltip for the 'ort-scan' job indicates it failed with code 127. There are 'Retry' and 'Delete' buttons at the top right of the pipeline summary.

deps: Upgrade to latest versions

Failed Thomas Steenbergen created pipeline for commit 9d857ed7 1 day ago, finished 1 day ago

For ort-gitlab-demo

latest ⚡ 6 jobs 3.64 1 minute 59 seconds, queued for 0 seconds

Pipeline Needs Jobs 6 Failed Jobs 1 Tests 0

Group jobs by Stage Job dependencies

```
graph LR; build[build] --> test[test]; build --> installDependencies[install-dependencies]; test --> lint[lint]; test --> ortScan[ort-scan]; test --> unitTests[unit-tests]
```

build

install-dependencies

test

lint

ort-scan

unit-tests

Project

M Mime Types

Pinned

Issues 0

Merge requests 0

Manage

Plan

Code

Build

Pipelines

Jobs

Pipeline editor

Pipeline schedules

Artifacts

Secure

Deploy

Operate

Monitor

Analyze

Settings

... or run ORT  
during code build

또는 코드 빌드 중에  
ORT를 실행하세요

# ORT results as CI/CD build artifacts

CI/CD 빌드 아  
티팩트로서의  
ORT 결과

The screenshot shows a GitLab interface for a project named "Mime Types". A specific job, #666616439, has passed. The artifacts page displays various ORT-related files, including analyzer-result.json, bom.cyclonedx.xml, bom.spdx.json, bom.spdx.yml, evaluated-model.json, evaluation-result.json, scan-report-web-app.html, and scan-report.html. The total size of these artifacts is approximately 4.2 MiB.

Thomas Steenbergen / Mime Types / Jobs / #666616439 / Artifacts

passed Job #666616439 in pipeline #417677442 for 75232c41 from ort-gitlab-demo by Thomas Steenbergen 1 day ago

Artifacts / ort-results

Name Size

Name	Size
..	
NOTICE_by-package	2.34 KiB
NOTICE_summary	1.11 KiB
analyzer-result.json	548 KiB
bom.cyclonedx.xml	986 KiB
bom.spdx.json	2.91 KiB
bom.spdx.yml	2.41 KiB
evaluated-model.json	697 KiB
evaluation-result.json	548 KiB
scan-report-web-app.html	1.89 MiB
scan-report.html	425 KiB

Download artifacts archive

File | /Volumes/Workspace/mime-types-orthw/webapp.html

Summary Table Tree

- Scanned revision **73f9933bfa5247337b459240ec67ea6045cdec84** of Git repository <https://github.com/jshhttp/mime-types.git>
- Found **1** files defining **381** unique dependencies within **2** scopes and **13** dependency levels
- Detected **33** licenses and **9** declared licenses

Completed scan with **14 unresolved policy violations**

Rule Violations (14) Issues (0/1) Vulnerabilities (0) Declared Licenses (9) Detected Licenses (33)

Package	Rule	Message
NPM::eslint:6.8.0	COPYLEFT_IN_DEPENDENCY	The dependency 'NPM::eslint:6.8.0' is licensed under the ScanCode 'copyleft' categorized license GPL-1.0-or-later.

How to fix

Try to resolve this violation by following the advice below:

- Clone [ort-config repository](#) using Git.
- Find the lines which triggered this violation:
  - Expand the `Scan Results` section under `NPM::eslint:6.8.0` in `*-scan-report-web-app.html`
  - Filter the `Value` column, selecting only the licenses to which the violation refers
- Open the [eslint.git repository](#) in a web browser and find the code for version `6.8.0`.

If this package is in a repository containing other packages beside `NPM::eslint:6.8.0`:

- Open or create using a text editor `curations/NPM/_eslint.yml`.
- Add an entry for `NPM::eslint:6.8.0` setting the path under `vcs` to the repository directory that contains the source code for the package. Use the following template, changing the value of `path` as appropriate.

```
- id: "NPM::eslint"
  curations:
    comment: "Package resides in its own directory within repo."
    vcs:
      path: "[File path to package e.g. eslint.]"

```

Submit the above change to the [ort-config repository](#) (see [CONTRIBUTING.md](#) for guidance) with a commit message as shown below. Reviewers are set automatically.

Enable R&D teams  
to try fix policy  
violations by  
themselves

R&D 팀이 스스로 정  
책 위반 문제를 해결할  
수 있도록 지원

Share open source  
data corrections  
and policies across  
supply chains to  
increase trust

공급망 전반에 걸쳐 오  
픈 소스 데이터 수정 및  
정책을 공유하여 신뢰  
도를 높입니다.

https://github.com/oss-review-toolkit/ort-config

oss-review-toolkit / ort-config

Type ⌘ to search

Code Issues 5 Pull requests 3 Discussions Actions Security Insights Settings

ort-config Public Edit Pins Watch 4 Fork 11 Star 12

main Go to file + <> Code

tsteenbe and fviernau docs(REA... 7664e4e · last week 337 Commits

.github ci(github): Upgrade actions and u... 2 weeks ago

curations curations: Set source code origin... last week

custom-license-texts Fix the directory name for custom... 2 years ago

gradle ci(github): Upgrade to ORT 22.0.0 2 weeks ago

package-configurations package-configurations: Remove ... 2 years ago

text-templates feat(text-templates): Add a minim... last year

tools/curations ci(github): Upgrade to ORT 22.0.0 2 weeks ago

.gitattributes feat(.gitattributes): Setup entries ... last year

.gitignore Add generated files to .gitignore 2 years ago

.ort.yml ort.yml: Add exclusions for examp... 2 years ago

LICENSE Initialize the repository with an Ap... 2 years ago

About

Curations and configuration files for the OSS Review Toolkit.

Readme Apache-2.0 Code of conduct Activity Custom properties 12 stars 4 watching 11 forks Report repository

Contributors 8

Languages



**Questions? 질문이 있으신가요?**  
**Interested in collaborating?**  
**협업에 관심이 있으신가요?**

Join the ORT Slack channel to chat with project maintainers and users  
ORT Slack 채널에 참여하여 프로젝트 관리자 및 사용자와 채팅하세요  
<http://slack.oss-review-toolkit.org>



THANK YOU

들어주셔서 감사합니다

Interested to learn more? Email me

더 자세히 알고 싶으십니까? 나에게 이메일을 보내세요

Thomas Steenbergen

[opensource@steenbe.nl](mailto:opensource@steenbe.nl)

[github.com/tsteenbe](https://github.com/tsteenbe)

OSS Review Toolkit

[oss-review-toolkit.org](https://oss-review-toolkit.org)

