CDO Reference Card

Climate Data Operators
Version 1.6.1
June 2013

Uwe Schulzweida
Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

Syntax

cdo   [Options]   Operator1 [−Operator2 [−OperatorN]]

Options

-a	Generate an absolute time axis
-b *<nbits>*	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
-f *<format>*	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g *<grid>*	Grid or file name
	Grid names: r<NX>x<NY>, n<N>, gme<NI>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m *<missval>*	Set the default missing value (default: −9e+33)
-O	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
-t *<table>*	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
-z szip	SZIP compression of GRIB1 records

Operators

Information

info	Dataset information listed by parameter identifier
infon	Dataset information listed by parameter name
map	Dataset information and simple map
<operator> ifiles	

sinfo	Short information listed by parameter identifier
sinfon	Short information listed by parameter name
<operator> ifiles	

diff	Compare two datasets listed by parameter id
diffn	Compare two datasets listed by parameter name
<operator> ifile1 ifile2	

npar	Number of parameters
nlevel	Number of levels
nyear	Number of years
nmon	Number of months
ndate	Number of dates
ntime	Number of timesteps
<operator> ifile	

showformat	Show file format
showcode	Show code numbers
showname	Show variable names
showstdname	Show standard names
showlevel	Show levels
showltype	Show GRIB level types
showyear	Show years
showmon	Show months
showdate	Show date information
showtime	Show time information
showtimestamp	Show timestamp
<operator> ifile	

File operations

pardes	Parameter description
griddes	Grid description
zaxisdes	Z-axis description
vct	Vertical coordinate table
<operator> ifile	

copy	Copy datasets
cat	Concatenate datasets
<operator> ifiles ofile	

| replace | Replace variables |
| replace ifile1 ifile2 ofile | |

| duplicate | Duplicates a dataset |
| duplicate[,ndup] ifile ofile | |

| mergegrid | Merge grid |
| mergegrid ifile1 ifile2 ofile | |

merge	Merge datasets with different fields
mergetime	Merge datasets sorted by date and time
<operator> ifiles ofile	

splitcode	Split code numbers
splitparam	Split parammeter identifiers
splitname	Split variable names
splitlevel	Split levels
splitgrid	Split grids
splitzaxis	Split z-axes
splittabnum	Split parameter table numbers
<operator>[,swap] ifile obase	

splithour	Split hours
splitday	Split days
splitmon	Split months
splitseas	Split seasons
splityear	Split years
<operator> ifile obase	

| splitsel | Split time selection |
| splitsel,nsets[,noffset[,nskip]] ifile obase | |

Selection

select	Select fields
delete	Delete fields
<operator>,params ifiles ofile	

selparam	Select parameters by identifier
delparam	Delete parameters by identifier
<operator>,params ifile ofile	

selcode	Select parameters by code number
delcode	Delete parameters by code number
<operator>,codes ifile ofile	

selname	Select parameters by name
delname	Delete parameters by name
<operator>,names ifile ofile	

| selstdname | Select parameters by standard name |
| selstdname,stdnames ifile ofile | |

| sellevel | Select levels |
| sellevel,levels ifile ofile | |

| sellevidx | Select levels by index |
| sellevidx,levidx ifile ofile | |

| selgrid | Select grids |
| selgrid,grids ifile ofile | |

| selzaxis | Select z-axes |
| selzaxis,zaxes ifile ofile | |

| selltype | Select GRIB level types |
| selltype,ltypes ifile ofile | |

| seltabnum | Select parameter table numbers |
| seltabnum,tabnums ifile ofile | |

| seltimestep | Select timesteps |
| seltimestep,timesteps ifile ofile | |

| seltime | Select times |
| seltime,times ifile ofile | |

| selhour | Select hours |
| selhour,hours ifile ofile | |

| selday | Select days |
| selday,days ifile ofile | |

| selmon | Select months |
| selmon,months ifile ofile | |

| selyear | Select years |
| selyear,years ifile ofile | |

| selseas | Select seasons |
| selseas,seasons ifile ofile | |

| seldate | Select dates |
| seldate,date1[,date2] ifile ofile | |

| selsmon | Select single month |
| selsmon,month[,nts1[,nts2]] ifile ofile | |

| sellonlatbox | Select a longitude/latitude box |
| sellonlatbox,lon1,lon2,lat1,lat2 ifile ofile | |

| selindexbox | Select an index box |
| selindexbox,idx1,idx2,idy1,idy2 ifile ofile | |

Conditional selection

ifthen	If then
ifnotthen	If not then
<operator> ifile1 ifile2 ofile	

| ifthenelse | If then else |
| ifthenelse ifile1 ifile2 ifile3 ofile | |

ifthenc	If then constant
ifnotthenc	If not then constant
<operator>,c ifile ofile	

Comparison

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<operator> ifile1 ifile2 ofile	

eqc	Equal constant
nec	Not equal constant
lec	Less equal constant
ltc	Less than constant
gec	Greater equal constant
gtc	Greater than constant
<operator>,c ifile ofile	

Modification

| setpartab | Set parameter table |
| setpartab,table ifile ofile | |

| setcode | Set code number |
| setcode,code ifile ofile | |

| setparam | Set parameter identifier |
| setparam,param ifile ofile | |

| setname | Set variable name |
| setname,name ifile ofile | |

| setunit | Set variable unit |
| setunit,unit ifile ofile | |

| setlevel | Set level |
| setlevel,level ifile ofile | |

| setltype | Set GRIB level type |
| setltype,ltype ifile ofile | |

| setdate | Set date |
| setdate,date ifile ofile | |

| settime | Set time of the day |
| settime,time ifile ofile | |

| setday | Set day |
| setday,day ifile ofile | |

| setmon | Set month |
| setmon,month ifile ofile | |

| setyear | Set year |
| setyear,year ifile ofile | |

| settunits | Set time units |
| settunits,units ifile ofile | |

| settaxis | Set time axis |
| settaxis,date,time[,inc] ifile ofile | |

| setreftime | Set reference time |
| setreftime,date,time[,units] ifile ofile | |

| setcalendar | Set calendar |
| setcalendar,calendar ifile ofile | |

| shifttime | Shift timesteps |
| shifttime,sval ifile ofile | |

| chcode | Change code number |
| chcode,oldcode,newcode[,....] ifile ofile | |

| chparam | Change parameter identifier |
| chparam,oldparam,newparam,... ifile ofile | |

| chname | Change variable name |
| chname,oldname,newname,... ifile ofile | |

| chunit | Change variable unit |
| chunit,oldunit,newunit,... ifile ofile | |

| chlevel | Change level |
| chlevel,oldlev,newlev,... ifile ofile | |

| chlevelc | Change level of one code |
| chlevelc,code,oldlev,newlev ifile ofile | |

| chlevelv | Change level of one variable |
| chlevelv,name,oldlev,newlev ifile ofile | |

| setgrid | Set grid |
| setgrid,grid ifile ofile | |

| setgridtype | Set grid type |
| setgridtype,gridtype ifile ofile | |

| setgridarea | Set grid cell area |
| setgridarea,gridarea ifile ofile | |

| setzaxis | Set z-axis |
| setzaxis,zaxis ifile ofile | |

| setgatt | Set global attribute |
| setgatt,attname,attstring ifile ofile | |

| setgatts | Set global attributes |
| setgatts,attfile ifile ofile | |

| invertlat | Invert latitudes |
| invertlat ifile ofile | |

| invertlev | Invert levels |
| invertlev ifile ofile | |

| maskregion | Mask regions |
| maskregion,regions ifile ofile | |

| masklonlatbox | Mask a longitude/latitude box |
| masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile | |

| maskindexbox | Mask an index box |
| maskindexbox,idx1,idx2,idy1,idy2 ifile ofile | |

| setclonlatbox | Set a longitude/latitude box to constant |
| setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile | |

| setcindexbox | Set an index box to constant |
| setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile | |

| enlarge | Enlarge fields |
| enlarge,grid ifile ofile | |

setmissval	Set a new missing value
setmissval,*newmiss* ifile ofile	
setctomiss	Set constant to missing value
setmisstoc	Set missing value to constant
<operator>,*c* ifile ofile	
setrtomiss	Set range to missing value
setvrange	Set valid range
<operator>,*rmin,rmax* ifile ofile	

Arithmetic

expr	Evaluate expressions
expr,*instr* ifile ofile	
exprf	Evaluate expressions from script file
exprf,*filename* ifile ofile	

abs	Absolute value
int	Integer value
nint	Nearest integer value
pow	Power
sqr	Square
sqrt	Square root
exp	Exponential
ln	Natural logarithm
log10	Base 10 logarithm
sin	Sine
cos	Cosine
tan	Tangent
asin	Arc sine
acos	Arc cosine
reci	Reciprocal value
<operator> ifile ofile	

addc	Add a constant
subc	Subtract a constant
mulc	Multiply with a constant
divc	Divide by a constant
<operator>,*c* ifile ofile	

add	Add two fields
sub	Subtract two fields
mul	Multiply two fields
div	Divide two fields
min	Minimum of two fields
max	Maximum of two fields
atan2	Arc tangent of two fields
<operator> ifile1 ifile2 ofile	

monadd	Add monthly time series
monsub	Subtract monthly time series
monmul	Multiply monthly time series
mondiv	Divide monthly time series
<operator> ifile1 ifile2 ofile	

ymonadd	Add multi-year monthly time series
ymonsub	Subtract multi-year monthly time series
ymonmul	Multiply multi-year monthly time series
ymondiv	Divide multi-year monthly time series
<operator> ifile1 ifile2 ofile	

ydayadd	Add multi-year daily time series
ydaysub	Subtract multi-year daily time series
ydaymul	Multiply multi-year daily time series
ydaydiv	Divide multi-year daily time series
<operator> ifile1 ifile2 ofile	

yhouradd	Add multi-year hourly time series
yhoursub	Subtract multi-year hourly time series
yhourmul	Multiply multi-year hourly time series
yhourdiv	Divide multi-year hourly time series
<operator> ifile1 ifile2 ofile	

muldpm	Multiply with days per month
divdpm	Divide by days per month
muldpy	Multiply with days per year
divdpy	Divide by days per year
<operator> ifile ofile	

Statistical values

Available statistical functions	*<stat>*
minimum	**min**
maximum	**max**
sum	**sum**
mean	**mean**
average	**avg**
variance	**var, var1**
standard deviation	**std, std1**

consects	Consecutive Timesteps
<operator> ifile ofile	
ens*<stat>*	Statistical values over an ensemble
<operator> ifiles ofile	
enspctl	Ensemble percentiles
enspctl,*p* ifiles ofile	

ensrkhistspace	Ranked Histogram averaged over time
ensrkhisttime	Ranked Histogram averaged over space
ensroc	Ensemble Receiver Operating characteristics
<operator> obsfile ensfiles ofile	

enscrps	Ensemble CRPS and decomposition
enscrps rfile ifiles ofilebase	
ensbrs	Ensemble Brier score
ensbrs,*x* rfile ifiles ofilebase	

fld*<stat>*	Statistical values over a field
<operator> ifile ofile	
fldpctl	Field percentiles
fldpctl,*p* ifile ofile	

zon*<stat>*	Zonal statistical values
<operator> ifile ofile	
zonpctl	Zonal percentiles
zonpctl,*p* ifile ofile	

mer*<stat>*	Meridional statistical values
<operator> ifile ofile	
merpctl	Meridional percentiles
merpctl,*p* ifile ofile	

gridbox*<stat>*	Statistical values over grid boxes
<operator>,*nx,ny* ifile ofile	

vert*<stat>*	Vertical statistical values
<operator> ifile ofile	

timsel*<stat>*	Time range statistical values
<operator>,*nsets[,noffset[,nskip]]* ifile ofile	
timselpctl	Time range percentiles
timselpctl,*p,nsets[,noffset[,nskip]]* ifile1 ifile2 ifile3 ofile	

run*<stat>*	Running statistical values
<operator>,*nts* ifile ofile	
runpctl	Running percentiles
runpctl,*p,nts* ifile1 ofile	

tim*<stat>*	Statistical values over all timesteps
<operator> ifile ofile	
timpctl	Time percentiles
timpctl,*p* ifile1 ifile2 ifile3 ofile	

hour*<stat>*	Hourly statistical values
<operator> ifile ofile	
hourpctl	Hourly percentiles
hourpctl,*p* ifile1 ifile2 ifile3 ofile	

day*<stat>*	Daily statistical values
<operator> ifile ofile	
daypctl	Daily percentiles
daypctl,*p* ifile1 ifile2 ifile3 ofile	

mon*<stat>*	Monthly statistical values
<operator> ifile ofile	
monpctl	Monthly percentiles
monpctl,*p* ifile1 ifile2 ifile3 ofile	

yearmonmean ifile ofile	

year*<stat>*	Yearly statistical values
<operator> ifile ofile	
yearpctl	Yearly percentiles
yearpctl,*p* ifile1 ifile2 ifile3 ofile	

seas*<stat>*	Seasonal statistical values
<operator> ifile ofile	
seaspctl	Seasonal percentiles
seaspctl,*p* ifile1 ifile2 ifile3 ofile	

yhour*<stat>*	Multi-year hourly statistical values
<operator> ifile ofile	

yday*<stat>*	Multi-year daily statistical values
<operator> ifile ofile	
ydaypctl	Multi-year daily percentiles
ydaypctl,*p* ifile1 ifile2 ifile3 ofile	

ymon*<stat>*	Multi-year monthly statistical values
<operator> ifile ofile	
ymonpctl	Multi-year monthly percentiles
ymonpctl,*p* ifile1 ifile2 ifile3 ofile	

yseas*<stat>*	Multi-year seasonal statistical values
<operator> ifile ofile	
yseaspctl	Multi-year seasonal percentiles
yseaspctl,*p* ifile1 ifile2 ifile3 ofile	

ydrun*<stat>*	Multi-year daily running statistical values
<operator>,*nts* ifile ofile	
ydrunpctl	Multi-year daily running percentiles
ydrunpctl,*p,nts* ifile1 ifile2 ifile3 ofile	

Correlation and co.

fldcor	Correlation in grid space
fldcor ifile1 ifile2 ofile	
timcor	Correlation over time
timcor ifile1 ifile2 ofile	
fldcovar	Covariance in grid space
fldcovar ifile1 ifile2 ofile	
timcovar	Covariance over time
timcovar ifile1 ifile2 ofile	

Regression

regres	Regression
regres ifile ofile	
detrend	Detrend
detrend ifile ofile	
trend	Trend
trend ifile ofile1 ofile2	
subtrend	Subtract trend
subtrend ifile1 ifile2 ifile3 ofile	

EOFs

eof	Calculate EOFs in spatial or time space
eoftime	Calculate EOFs in time space
eofspatial	Calculate EOFs in spatial space
eof3d	Calculate 3-Dimensional EOFs in time space
<operator>,*neof* ifile ofile1 ofile2	
eofcoeff	Calculate principal coefficients of EOFs
eofcoeff ifile1 ifile2 obase	

Interpolation

remapbil	Bilinear interpolation
remapbic	Bicubic interpolation
remapdis	Distance-weighted average remapping
remapnn	Nearest neighbor remapping
remapcon	First order conservative remapping
remapcon2	Second order conservative remapping
remaplaf	Largest area fraction remapping
<operator>,*grid* ifile ofile	

genbil	Generate bilinear interpolation weights
genbic	Generate bicubic interpolation weights
gendis	Generate distance-weighted average remap weights
gennn	Generate nearest neighbor remap weights
gencon	Generate 1st order conservative remap weights
gencon2	Generate 2nd order conservative remap weights
genlaf	Generate largest area fraction remap weights
<operator>,*grid* ifile ofile	

remap	SCRIP grid remapping
remap,*grid,weights* ifile ofile	

remapeta	Remap vertical hybrid level
remapeta,*vct[,oro]* ifile ofile	

ml2pl	Model to pressure level interpolation
ml2pl,*plevels* ifile ofile	
ml2hl	Model to height level interpolation
ml2hl,*hlevels* ifile ofile	

intlevel	Linear level interpolation
intlevel,*levels* ifile ofile	

intlevel3d	Linear level interpolation onto a 3d vertical coordina
intlevelx3d	like intlevel3d but with extrapolation
<operator>,*icoordinate* ifile1 ifile2 ofile	

inttime	Interpolation between timesteps
inttime,*date,time[,inc]* ifile ofile	
intntime	Interpolation between timesteps
intntime,*n* ifile ofile	

intyear	Interpolation between two years
intyear,*years* ifile1 ifile2 obase	

Transformation

sp2gp	Spectral to gridpoint
sp2gpl	Spectral to gridpoint (linear)
gp2sp	Gridpoint to spectral
gp2spl	Gridpoint to spectral (linear)
<operator> ifile ofile	
sp2sp	Spectral to spectral
sp2sp,*trunc* ifile ofile	

dv2uv	Divergence and vorticity to U and V wind
dv2uvl	Divergence and vorticity to U and V wind (linear)
uv2dv	U and V wind to divergence and vorticity
uv2dvl	U and V wind to divergence and vorticity (linear)
dv2ps	D and V to velocity potential and stream function
<operator> ifile ofile	

Import/Export

import_binary	Import binary data sets
import_binary ifile ofile	

import_cmsaf	Import CM-SAF HDF5 files
import_cmsaf ifile ofile	

import_amsr	Import AMSR binary files
import_amsr ifile ofile	

input	ASCII input
input,*grid* ofile	
inputsrv	SERVICE ASCII input
inputext	EXTRA ASCII input
<operator> ofile	

output	ASCII output
output `ifiles`	
outputf	Formatted output
outputf,*format,nelem* `ifiles`	
outputint	Integer output
outputsrv	SERVICE ASCII output
outputext	EXTRA ASCII output
<operator> `ifiles`	

Miscellaneous

gradsdes1	GrADS data descriptor file (version 1 GRIB map)
gradsdes2	GrADS data descriptor file (version 2 GRIB map)
<operator> `ifile`	
bandpass	Bandpass filtering
bandpass,*fmin,fmax* `ifile ofile`	
lowpass	Lowpass filtering
lowpass,*fmax* `ifile ofile`	
highpass	Highpass filtering
highpass,*fmin* `ifile ofile`	
gridarea	Grid cell area
gridweights	Grid cell weights
<operator> `ifile ofile`	
smooth9	9 point smoothing
smooth9 `ifile ofile`	
setvals	Set list of old values to new values
setvals,*oldval,newval[,...]* `ifile ofile`	
setrtoc	Set range to constant
setrtoc,*rmin,rmax,c* `ifile ofile`	
setrtoc2	Set range to constant others to constant2
setrtoc2,*rmin,rmax,c,c2* `ifile ofile`	
timsort	Sort over the time
timsort `ifile ofile`	
const	Create a constant field
const,*const,grid* `ofile`	
random	Create a field with random numbers
random,*grid[,seed]* `ofile`	
stdatm	Create values for pressure and temperature for hydr
stdatm,*levels* `ofile`	
rotuvb	Backward rotation
rotuvb,*u,v,...* `ifile ofile`	
mastrfu	Mass stream function
mastrfu `ifile ofile`	
adisit	Potential temperature to in-situ temperature
adisit*[,pressure]* `ifile ofile`	
rhopot	Calculates potential density
rhopot*[,pressure]* `ifile ofile`	
histcount	Histogram count
histsum	Histogram sum
histmean	Histogram mean
histfreq	Histogram frequency
<operator>,bounds `ifile ofile`	
sethalo	Set the left and right bounds of a field
sethalo,*lhalo,rhalo* `ifile ofile`	
wct	Windchill temperature
wct `ifile1 ifile2 ofile`	
fdns	Frost days where no snow index per time period
fdns `ifile1 ifile2 ofile`	
strwin	Strong wind days index per time period
strwin*[,v]* `ifile ofile`	
strbre	Strong breeze days index per time period
strbre `ifile ofile`	
strgal	Strong gale days index per time period
strgal `ifile ofile`	

hurr	Hurricane days index per time period
hurr `ifile ofile`	

Climate indices

eca_cdd	Consecutive dry days index per time period
eca_cdd*[,R]* `ifile ofile`	
eca_cfd	Consecutive frost days index per time period
eca_cfd `ifile ofile`	
eca_csu	Consecutive summer days index per time period
eca_csu*[,T]* `ifile ofile`	
eca_cwd	Consecutive wet days index per time period
eca_cwd*[,R]* `ifile ofile`	
eca_cwdi	Cold wave duration index wrt mean of reference per
eca_cwdi*[,nday[,T]]* `ifile1 ifile2 ofile`	
eca_cwfi	Cold-spell days index wrt 10th percentile of referenc
eca_cwfi*[,nday]* `ifile1 ifile2 ofile`	
eca_etr	Intra-period extreme temperature range
eca_etr `ifile1 ifile2 ofile`	
eca_fd	Frost days index per time period
eca_fd `ifile ofile`	
eca_gsl	Growing season length index
eca_gsl*[,nday[,T[,fland]]]* `ifile1 ifile2 ofile`	
eca_hd	Heating degree days per time period
eca_hd*[,T1[,T2]]* `ifile ofile`	
eca_hwdi	Heat wave duration index wrt mean of reference per
eca_hwdi*[,nday[,T]]* `ifile1 ifile2 ofile`	
eca_hwfi	Warm spell days index wrt 90th percentile of referen
eca_hwfi*[,nday]* `ifile1 ifile2 ofile`	
eca_id	Ice days index per time period
eca_id `ifile ofile`	
eca_r75p	Moderate wet days wrt 75th percentile of reference p
eca_r75p `ifile1 ifile2 ofile`	
eca_r75ptot	Precipitation percent due to R75p days
eca_r75ptot `ifile1 ifile2 ofile`	
eca_r90p	Wet days wrt 90th percentile of reference period
eca_r90p `ifile1 ifile2 ofile`	
eca_r90ptot	Precipitation percent due to R90p days
eca_r90ptot `ifile1 ifile2 ofile`	
eca_r95p	Very wet days wrt 95th percentile of reference period
eca_r95p `ifile1 ifile2 ofile`	
eca_r95ptot	Precipitation percent due to R95p days
eca_r95ptot `ifile1 ifile2 ofile`	
eca_r99p	Extremely wet days wrt 99th percentile of reference
eca_r99p `ifile1 ifile2 ofile`	
eca_r99ptot	Precipitation percent due to R99p days
eca_r99ptot `ifile1 ifile2 ofile`	
eca_pd	Precipitation days index per time period
eca_pd,*x* `ifile ofile`	
eca_r10mm	Heavy precipitation days index per time period
eca_r20mm	Very heavy precipitation days index per time period
<operator> `ifile ofile`	
eca_rr1	Wet days index per time period
eca_rr1*[,R]* `ifile ofile`	
eca_rx1day	Highest one day precipitation amount per time perio
eca_rx1day*[,mode]* `ifile ofile`	
eca_rx5day	Highest five-day precipitation amount per time perio
eca_rx5day*[,x]* `ifile ofile`	
eca_sdii	Simple daily intensity index per time period
eca_sdii*[,R]* `ifile ofile`	

eca_su	Summer days index per time period
eca_su*[,T]* `ifile ofile`	
eca_tg10p	Cold days percent wrt 10th percentile of reference period
eca_tg10p `ifile1 ifile2 ofile`	
eca_tg90p	Warm days percent wrt 90th percentile of reference period
eca_tg90p `ifile1 ifile2 ofile`	
eca_tn10p	Cold nights percent wrt 10th percentile of reference period
eca_tn10p `ifile1 ifile2 ofile`	
eca_tn90p	Warm nights percent wrt 90th percentile of reference period
eca_tn90p `ifile1 ifile2 ofile`	
eca_tr	Tropical nights index per time period
eca_tr*[,T]* `ifile ofile`	
eca_tx10p	Very cold days percent wrt 10th percentile of reference period
eca_tx10p `ifile1 ifile2 ofile`	
eca_tx90p	Very warm days percent wrt 90th percentile of reference period
eca_tx90p `ifile1 ifile2 ofile`	