CDO Reference Card

Climate Data Operators
Version 1.5.1
July 2011

Uwe Schulzweida
Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

Syntax

cdo	[Options]	Operator1 [−Operator2 [−OperatorN]]

Options

-a		Generate an absolute time axis
-b	$<nbits>$	Set the number of bits for the output precision
		(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
		F32/F64 for srv,ext,ieg; 1-24 for grb,grb2)
		Add L or B for Little or Big endian byteorder
-f	$<format>$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g	$<grid>$	Grid or file name
		Grid names: r<NX>x<NY>, n<N>, gme<NI>
-h		Help information for the operators
-M		Indicate that the I/O streams have missing values
-m	$<missval>$	Set the default missing value (default: −9e+33)
-O		Overwrite existing output file, if checked
-R		Convert GRIB1 data from reduced to regular grid
-r		Generate a relative time axis
-s		Silent mode
-t	$<table>$	Set the parameter table name or file
		Predefined tables: echam4 echam5 mpiom1
-V		Print the version number
-v		Print extra details for some operators
-z szip		SZIP compression of GRIB1 records

Operators

Information

info	Dataset information listed by parameter identifier
infon	Dataset information listed by parameter name
map	Dataset information and simple map
$<operator>$ ifiles	

sinfo	Short information listed by parameter identifier
sinfon	Short information listed by parameter name
$<operator>$ ifiles	

diff	Compare two datasets listed by parameter id
diffn	Compare two datasets listed by parameter name
$<operator>$ ifile1 ifile2	

npar	Number of parameters
nlevel	Number of levels
nyear	Number of years
nmon	Number of months
ndate	Number of dates
ntime	Number of time steps
$<operator>$ ifile	

showformat	Show file format
showcode	Show code numbers
showname	Show variable names
showstdname	Show standard names
showlevel	Show levels
showltype	Show GRIB level types
showyear	Show years
showmon	Show months
showdate	Show date information
showtime	Show time information
showtimestamp	Show timestamp
$<operator>$ ifile	

File operations

pardes	Parameter description
griddes	Grid description
zaxisdes	Z-axis description
vct	Vertical coordinate table
$<operator>$ ifile	

copy	Copy datasets
cat	Concatenate datasets
$<operator>$ ifiles ofile	

replace	Replace variables
replace ifile1 ifile2 ofile	

merge	Merge datasets with different fields
mergetime	Merge datasets sorted by date and time
$<operator>$ ifiles ofile	

splitcode	Split code numbers
splitparam	Split parammeter identifiers
splitname	Split variable names
splitlevel	Split levels
splitgrid	Split grids
splitzaxis	Split z-axes
splittabnum	Split parameter table numbers
$<operator>$ ifile obase	

splithour	Split hours
splitday	Split days
splitmon	Split months
splitseas	Split seasons
splityear	Split years
$<operator>$ ifile obase	

splitsel	Split time selection
splitsel,$nsets[,noffset[,nskip]]$ ifile obase	

Selection

selparam	Select parameters by identifier
delparam	Delete parameters by identifier
$<operator>$,$params$ ifile ofile	
selcode	Select parameters by code number
delcode	Delete parameters by code number
$<operator>$,$codes$ ifile ofile	
selname	Select parameters by name
delname	Delete parameters by name
$<operator>$,$names$ ifile ofile	
selstdname	Select parameters by standard name
selstdname,$stdnames$ ifile ofile	
sellevel	Select levels
sellevel,$levels$ ifile ofile	
sellevidx	Select levels by index
sellevidx,$levidx$ ifile ofile	
selgrid	Select grids
selgrid,$grids$ ifile ofile	
selzaxis	Select z-axes
selzaxis,$zaxes$ ifile ofile	
selltype	Select GRIB level types
selltype,$ltypes$ ifile ofile	
seltabnum	Select parameter table numbers
seltabnum,$tabnums$ ifile ofile	

seltimestep	Select time steps
seltimestep,$timesteps$ ifile ofile	
seltime	Select times
seltime,$times$ ifile ofile	
selhour	Select hours
selhour,$hours$ ifile ofile	
selday	Select days
selday,$days$ ifile ofile	
selmon	Select months
selmon,$months$ ifile ofile	
selyear	Select years
selyear,$years$ ifile ofile	
selseas	Select seasons
selseas,$seasons$ ifile ofile	
seldate	Select dates
seldate,$date1[,date2]$ ifile ofile	
selsmon	Select single month
selsmon,$month[,nts1[,nts2]]$ ifile ofile	

sellonlatbox	Select a longitude/latitude box
sellonlatbox,$lon1,lon2,lat1,lat2$ ifile ofile	
selindexbox	Select an index box
selindexbox,$idx1,idx2,idy1,idy2$ ifile ofile	

Conditional selection

ifthen	If then
ifnotthen	If not then
$<operator>$ ifile1 ifile2 ofile	

ifthenelse	If then else
ifthenelse ifile1 ifile2 ifile3 ofile	

ifthenc	If then constant
ifnotthenc	If not then constant
$<operator>$,c ifile ofile	

Comparison

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
$<operator>$ ifile1 ifile2 ofile	

eqc	Equal constant
nec	Not equal constant
lec	Less equal constant
ltc	Less than constant
gec	Greater equal constant
gtc	Greater than constant
$<operator>$,c ifile ofile	

Modification

setpartab	Set parameter table
setpartab,$table$ ifile ofile	
setcode	Set code number
setcode,$code$ ifile ofile	
setparam	Set parameter identifier
setparam,$param$ ifile ofile	
setname	Set variable name
setname,$name$ ifile ofile	
setlevel	Set level
setlevel,$level$ ifile ofile	
setltype	Set GRIB level type
setltype,$ltype$ ifile ofile	

setdate	Set date
setdate,$date$ ifile ofile	
settime	Set time of the day
settime,$time$ ifile ofile	
setday	Set day
setday,day ifile ofile	
setmon	Set month
setmon,$month$ ifile ofile	
setyear	Set year
setyear,$year$ ifile ofile	
settunits	Set time units
settunits,$units$ ifile ofile	
settaxis	Set time axis
settaxis,$date,time[,inc]$ ifile ofile	
setreftime	Set reference time
setreftime,$date,time[,units]$ ifile ofile	
setcalendar	Set calendar
setcalendar,$calendar$ ifile ofile	
shifttime	Shift time steps
shifttime,$sval$ ifile ofile	

chcode	Change code number
chcode,$oldcode,newcode[,...]$ ifile ofile	
chparam	Change parameter identifier
chparam,$oldparam,newparam,...$ ifile ofile	
chname	Change variable name
chname,$oldname,newname,...$ ifile ofile	
chlevel	Change level
chlevel,$oldlev,newlev,...$ ifile ofile	
chlevelc	Change level of one code
chlevelc,$code,oldlev,newlev$ ifile ofile	
chlevelv	Change level of one variable
chlevelv,$name,oldlev,newlev$ ifile ofile	

setgrid	Set grid
setgrid,$grid$ ifile ofile	
setgridtype	Set grid type
setgridtype,$gridtype$ ifile ofile	
setgridarea	Set grid cell area
setgridarea,$gridarea$ ifile ofile	

setzaxis	Set z-axis
setzaxis,$zaxis$ ifile ofile	

setgatt	Set global attribute
setgatt,$attname,attstring$ ifile ofile	
setgatts	Set global attributes
setgatts,$attfile$ ifile ofile	

invertlat	Invert latitudes
invertlat ifile ofile	

invertlev	Invert levels
invertlev ifile ofile	

maskregion	Mask regions
maskregion,$regions$ ifile ofile	

masklonlatbox	Mask a longitude/latitude box
masklonlatbox,$lon1,lon2,lat1,lat2$ ifile ofile	
maskindexbox	Mask an index box
maskindexbox,$idx1,idx2,idy1,idy2$ ifile ofile	

setclonlatbox	Set a longitude/latitude box to constant
setclonlatbox,$c,lon1,lon2,lat1,lat2$ ifile ofile	
setcindexbox	Set an index box to constant
setcindexbox,$c,idx1,idx2,idy1,idy2$ ifile ofile	

enlarge	Enlarge fields
enlarge,$grid$ ifile ofile	

setmissval	Set a new missing value
setmissval,$newmiss$ ifile ofile	
setctomiss	Set constant to missing value
setmisstoc	Set missing value to constant
$<operator>$,c ifile ofile	
setrtomiss	Set range to missing value
setvrange	Set valid range
$<operator>$,$rmin,rmax$ ifile ofile	

Arithmetic

Operator	Description
expr	Evaluate expressions
expr,*instr* ifile ofile	
exprf	Evaluate expressions from script file
exprf,*filename* ifile ofile	
abs	Absolute value
int	Integer value
nint	Nearest integer value
pow	Power
sqr	Square
sqrt	Square root
exp	Exponential
ln	Natural logarithm
log10	Base 10 logarithm
sin	Sine
cos	Cosine
tan	Tangent
asin	Arc sine
acos	Arc cosine
reci	Reciprocal value
<operator> ifile ofile	
addc	Add a constant
subc	Subtract a constant
mulc	Multiply with a constant
divc	Divide by a constant
<operator>,c ifile ofile	
add	Add two fields
sub	Subtract two fields
mul	Multiply two fields
div	Divide two fields
min	Minimum of two fields
max	Maximum of two fields
atan2	Arc tangent of two fields
<operator> ifile1 ifile2 ofile	
monadd	Add monthly time series
monsub	Subtract monthly time series
monmul	Multiply monthly time series
mondiv	Divide monthly time series
<operator> ifile1 ifile2 ofile	
ymonadd	Add multi-year monthly time series
ymonsub	Subtract multi-year monthly time series
ymonmul	Multiply multi-year monthly time series
ymondiv	Divide multi-year monthly time series
<operator> ifile1 ifile2 ofile	
ydayadd	Add multi-year daily time series
ydaysub	Subtract multi-year daily time series
ydaymul	Multiply multi-year daily time series
ydaydiv	Divide multi-year daily time series
<operator> ifile1 ifile2 ofile	
muldpm	Multiply with days per month
divdpm	Divide by days per month
muldpy	Multiply with days per year
divdpy	Divide by days per year
<operator> ifile ofile	

Statistical values

Available statistical functions	*<stat>*
minimum	**min**
maximum	**max**
sum	**sum**
mean	**mean**
average	**avg**
variance	**var**
standard deviation	**std**

Operator	Description
consects	Consecutive Timesteps
<operator> ifile ofile	

(Second column)

Operator	Description
ens*<stat>*	Statistical values over an ensemble
<operator> ifiles ofile	
enspctl	Ensemble percentiles
enspctl,*p* ifiles ofile	
ensrkhistspace	Ranked Histogram averaged over time
ensrkhisttime	Ranked Histogram averaged over space
ensroc	Ensemble Receiver Operating characteristics
<operator> obsfile ensfiles ofile	
enscrps	Ensemble CRPS and decomposition
enscrps rfile ifiles ofilebase	
ensbrs	Ensemble Brier score
ensbrs,*x* rfile ifiles ofilebase	
fld*<stat>*	Statistical values over a field
<operator> ifile ofile	
fldpctl	Field percentiles
fldpctl,*p* ifile ofile	
zon*<stat>*	Zonal statistical values
<operator> ifile ofile	
zonpctl	Zonal percentiles
zonpctl,*p* ifile ofile	
mer*<stat>*	Meridional statistical values
<operator> ifile ofile	
merpctl	Meridional percentiles
merpctl,*p* ifile ofile	
gridbox*<stat>*	Statistical values over grid boxes
<operator>,nx,,ny ifile ofile	
vert*<stat>*	Vertical statistical values
<operator> ifile ofile	
timsel*<stat>*	Time range statistical values
<operator>,nsets[,noffset[,nskip]] ifile ofile	
timselpctl	Time range percentiles
timselpctl,*p,nsets[,noffset[,nskip]]* ifile1 ifile2 ifile3 ofile	
run*<stat>*	Running statistical values
<operator>,nts ifile ofile	
runpctl	Running percentiles
runpctl,*p,nts* ifile1 ofile	
tim*<stat>*	Statistical values over all time steps
<operator> ifile ofile	
timpctl	Time percentiles
timpctl,*p* ifile1 ifile2 ifile3 ofile	
hour*<stat>*	Hourly statistical values
<operator> ifile ofile	
hourpctl	Hourly percentiles
hourpctl,*p* ifile1 ifile2 ifile3 ofile	
day*<stat>*	Daily statistical values
<operator> ifile ofile	
daypctl	Daily percentiles
daypctl,*p* ifile1 ifile2 ifile3 ofile	
mon*<stat>*	Monthly statistical values
<operator> ifile ofile	
monpctl	Monthly percentiles
monpctl,*p* ifile1 ifile2 ifile3 ofile	
year*<stat>*	Yearly statistical values
<operator> ifile ofile	
yearpctl	Yearly percentiles
yearpctl,*p* ifile1 ifile2 ifile3 ofile	
seas*<stat>*	Seasonal statistical values
<operator> ifile ofile	
seaspctl	Seasonal percentiles
seaspctl,*p* ifile1 ifile2 ifile3 ofile	
yhour*<stat>*	Multi-year hourly statistical values
<operator> ifile ofile	

(Third column)

Operator	Description
yday*<stat>*	Multi-year daily statistical values
<operator> ifile ofile	
ydaypctl	Multi-year daily percentiles
ydaypctl,*p* ifile1 ifile2 ifile3 ofile	
ymon*<stat>*	Multi-year monthly statistical values
<operator> ifile ofile	
ymonpctl	Multi-year monthly percentiles
ymonpctl,*p* ifile1 ifile2 ifile3 ofile	
yseas*<stat>*	Multi-year seasonal statistical values
<operator> ifile ofile	
yseaspctl	Multi-year seasonal percentiles
yseaspctl,*p* ifile1 ifile2 ifile3 ofile	
ydrun*<stat>*	Multi-year daily running statistical values
<operator>,nts ifile ofile	
ydrunpctl	Multi-year daily running percentiles
ydrunpctl,*p,nts* ifile1 ifile2 ifile3 ofile	

Correlation

Operator	Description
fldcor	Correlation in grid space
fldcor ifile1 ifile2 ofile	
timcor	Correlation over time
timcor ifile1 ifile2 ofile	

Regression

Operator	Description
regres	Regression
regres ifile ofile	
detrend	Detrend
detrend ifile ofile	
trend	Trend
trend ifile ofile1 ofile2	
subtrend	Subtract trend
subtrend ifile1 ifile2 ifile3 ofile	

EOFs

Operator	Description
eof	Calculate EOFs in spatial or time space
eoftime	Calculate EOFs in time space
eofspatial	Calculate EOFs in spatial space
eof3d	Calculate 3-Dimensional EOFs in time space
<operator>,neof ifile ofile1 ofile2	
eofcoeff	Calculate principal coefficients of EOFs
eofcoeff ifile1 ifile2 obase	

Interpolation

Operator	Description
remapbil	Bilinear interpolation
remapbic	Bicubic interpolation
remapdis	Distance-weighted average remapping
remapnn	Nearest neighbor remapping
remapcon	First order conservative remapping
remapcon2	Second order conservative remapping
remaplaf	Largest area fraction remapping
<operator>,grid ifile ofile	
genbil	Generate bilinear interpolation weights
genbic	Generate bicubic interpolation weights
gendis	Generate distance-weighted average remap weights
gennn	Generate nearest neighbor remap weights
gencon	Generate 1st order conservative remap weights
gencon2	Generate 2nd order conservative remap weights
genlaf	Generate largest area fraction remap weights
<operator>,grid ifile ofile	
remap	SCRIP grid remapping
remap,*grid,weights* ifile ofile	

(Fourth column)

Operator	Description
remapeta	Remap vertical hybrid level
remapeta,*vct[,oro]* ifile ofile	
ml2pl	Model to pressure level interpolation
ml2pl,*plevels* ifile ofile	
ml2hl	Model to height level interpolation
ml2hl,*hlevels* ifile ofile	
intlevel	Linear level interpolation
intlevel,*levels* ifile ofile	
intlevel3d	Linear level interpolation onto a 3d vertical coordina
intlevelx3d	like intlevel3d but with extrapolation
<operator>,icoordinate ifile1 ifile2 ofile	
inttime	Interpolation between time steps
inttime,*date,time[,inc]* ifile ofile	
intntime	Interpolation between time steps
intntime,*n* ifile ofile	
intyear	Interpolation between two years
intyear,*years* ifile1 ifile2 obase	

Transformation

Operator	Description
sp2gp	Spectral to gridpoint
sp2gpl	Spectral to gridpoint (linear)
gp2sp	Gridpoint to spectral
gp2spl	Gridpoint to spectral (linear)
<operator> ifile ofile	
sp2sp	Spectral to spectral
sp2sp,*trunc* ifile ofile	
dv2uv	Divergence and vorticity to U and V wind
dv2uvl	Divergence and vorticity to U and V wind (linear)
uv2dv	U and V wind to divergence and vorticity
uv2dvl	U and V wind to divergence and vorticity (linear)
dv2ps	D and V to velocity potential and stream function
<operator> ifile ofile	

Import/Export

Operator	Description
import_binary	Import binary data sets
import_binary ifile ofile	
import_cmsaf	Import CM-SAF HDF5 files
import_cmsaf ifile ofile	
import_amsr	Import AMSR binary files
import_amsr ifile ofile	
input	ASCII input
input,*grid* ofile	
inputsrv	SERVICE ASCII input
inputext	EXTRA ASCII input
<operator> ofile	
output	ASCII output
output ifiles	
outputf	Formatted output
outputf,*format,nelem* ifiles	
outputint	Integer output
outputsrv	SERVICE ASCII output
outputext	EXTRA ASCII output
<operator> ifiles	

Miscellaneous

Operator	Description
gradsdes1	GrADS data descriptor file (version 1 GRIB map)
gradsdes2	GrADS data descriptor file (version 2 GRIB map)
<operator> ifile	
bandpass	Bandpass filtering
bandpass,*fmin,fmax* ifile ofile	
lowpass	Lowpass filtering
lowpass,*fmax* ifile ofile	
highpass	Highpass filtering
highpass,*fmin* ifile ofile	

gridarea	Grid cell area	
gridweights	Grid cell weights	
<operator> `ifile ofile`		

smooth9	9 point smoothing
smooth9 `ifile ofile`	

setvals	Set list of old values to new values
setvals*,oldval,newval[,...]* `ifile ofile`	
setrtoc	Set range to constant
setrtoc*,rmin,rmax,c* `ifile ofile`	
setrtoc2	Set range to constant others to constant2
setrtoc2*,rmin,rmax,c,c2* `ifile ofile`	

timsort	Sort over the time
timsort `ifile ofile`	

const	Create a constant field
const*,const,grid* `ofile`	
random	Create a field with random numbers
random*,grid[,seed]* `ofile`	
stdatm	Create values for pressure and temperature for hydr
stdatm*,levels* `ofile`	

rotuvb	Backward rotation
rotuvb*,u,v,...* `ifile ofile`	

mastrfu	Mass stream function
mastrfu `ifile ofile`	

histcount	Histogram count
histsum	Histogram sum
histmean	Histogram mean
histfreq	Histogram frequency
<operator>,bounds `ifile ofile`	

sethalo	Set the left and right bounds of a field
sethalo*,lhalo,rhalo* `ifile ofile`	

wct	Windchill temperature
wct `ifile1 ifile2 ofile`	

fdns	Frost days where no snow index per time period
fdns `ifile1 ifile2 ofile`	

strwin	Strong wind days index per time period
strwin*[,v]* `ifile ofile`	

strbre	Strong breeze days index per time period
strbre `ifile ofile`	

strgal	Strong gale days index per time period
strgal `ifile ofile`	

hurr	Hurricane days index per time period
hurr `ifile ofile`	

Climate indices

eca_cdd	Consecutive dry days index per time period
eca_cdd `ifile ofile`	

eca_cfd	Consecutive frost days index per time period
eca_cfd `ifile ofile`	

eca_csu	Consecutive summer days index per time period
eca_csu*[,T]* `ifile ofile`	

eca_cwd	Consecutive wet days index per time period
eca_cwd `ifile ofile`	

eca_cwdi	Cold wave duration index wrt mean of reference period
eca_cwdi*[,nday[,T]]* `ifile1 ifile2 ofile`	

eca_cwfi	Cold-spell days index wrt 10th percentile of reference period
eca_cwfi*[,nday]* `ifile1 ifile2 ofile`	

eca_etr	Intra-period extreme temperature range
eca_etr `ifile1 ifile2 ofile`	

eca_fd	Frost days index per time period
eca_fd `ifile ofile`	

eca_gsl	Growing season length index
eca_gsl*[,nday[,T[,fland]]]* `ifile1 ifile2 ofile`	

eca_hd	Heating degree days per time period
eca_hd*[,T1[,T2]]* `ifile ofile`	

eca_hwdi	Heat wave duration index wrt mean of reference per
eca_hwdi*[,nday[,T]]* `ifile1 ifile2 ofile`	

eca_hwfi	Warm spell days index wrt 90th percentile of referen
eca_hwfi*[,nday]* `ifile1 ifile2 ofile`	

eca_id	Ice days index per time period
eca_id `ifile ofile`	

eca_pd	Precipitation days index per time period
eca_pd*,x* `ifile ofile`	
eca_r10mm	Heavy precipitation days index per time period
eca_r20mm	Very heavy precipitation days index per time period
<operator> `ifile ofile`	

eca_r75p	Moderate wet days wrt 75th percentile of reference p
eca_r75p `ifile1 ifile2 ofile`	

eca_r75ptot	Precipitation percent due to R75p days
eca_r75ptot `ifile1 ifile2 ofile`	

eca_r90p	Wet days wrt 90th percentile of reference period
eca_r90p `ifile1 ifile2 ofile`	

eca_r90ptot	Precipitation percent due to R90p days
eca_r90ptot `ifile1 ifile2 ofile`	

eca_r95p	Very wet days wrt 95th percentile of reference period
eca_r95p `ifile1 ifile2 ofile`	

eca_r95ptot	Precipitation percent due to R95p days
eca_r95ptot `ifile1 ifile2 ofile`	

eca_r99p	Extremely wet days wrt 99th percentile of reference
eca_r99p `ifile1 ifile2 ofile`	

eca_r99ptot	Precipitation percent due to R99p days
eca_r99ptot `ifile1 ifile2 ofile`	

eca_rr1	Wet days index per time period
eca_rr1 `ifile ofile`	

eca_rx1day	Highest one day precipitation amount per time perio
eca_rx1day*[,mode]* `ifile ofile`	

eca_rx5day	Highest five-day precipitation amount per time perio
eca_rx5day*[,x]* `ifile ofile`	

eca_sdii	Simple daily intensity index per time period
eca_sdii `ifile ofile`	

eca_su	Summer days index per time period
eca_su*[,T]* `ifile ofile`	

eca_tg10p	Cold days percent wrt 10th percentile of reference p
eca_tg10p `ifile1 ifile2 ofile`	

eca_tg90p	Warm days percent wrt 90th percentile of reference
eca_tg90p `ifile1 ifile2 ofile`	

eca_tn10p	Cold nights percent wrt 10th percentile of reference
eca_tn10p `ifile1 ifile2 ofile`	

eca_tn90p	Warm nights percent wrt 90th percentile of referenc
eca_tn90p `ifile1 ifile2 ofile`	

eca_tr	Tropical nights index per time period
eca_tr*[,T]* `ifile ofile`	

eca_tx10p	Very cold days percent wrt 10th percentile of referen
eca_tx10p `ifile1 ifile2 ofile`	

eca_tx90p	Very warm days percent wrt 90th percentile of refer
eca_tx90p `ifile1 ifile2 ofile`	