

# CDO Reference Card

Climate Data Operators

Version 1.5.0

March 2011

Uwe Schulzweida

Max-Planck-Institute for Meteorology

<http://code.zmaw.de/projects/cdo>

<b>showformat</b>	Show file format
<b>showcode</b>	Show code numbers
<b>showname</b>	Show variable names
<b>showstdname</b>	Show standard names
<b>showlevel</b>	Show levels
<b>showltype</b>	Show GRIB level types
<b>showyear</b>	Show years
<b>showmon</b>	Show months
<b>showdate</b>	Show date information
<b>showtime</b>	Show time information
<b>showtimestamp</b>	Show timestamp
Syntax	<b>&lt;operator&gt; ifile</b>
<b>pardes</b>	Parameter description
<b>griddes</b>	Grid description
<b>zaxisdes</b>	Z-axis description
<b>vct</b>	Vertical coordinate table
Syntax	<b>&lt;operator&gt; ifile</b>

## File operations

<b>copy</b>	Copy datasets
<b>cat</b>	Concatenate datasets
Syntax	<b>&lt;operator&gt; ifiles ofile</b>
<b>replace</b>	Replace variables
Syntax	<b>replace ifile1 ifile2 ofile</b>
<b>merge</b>	Merge datasets with different fields
<b>mergetime</b>	Merge datasets sorted by date and time
Syntax	<b>&lt;operator&gt; ifiles ofile</b>
<b>splitcode</b>	Split code numbers
<b>splitparam</b>	Split parammeter identifiers
<b>splitname</b>	Split variable names
<b>splitlevel</b>	Split levels
<b>splitgrid</b>	Split grids
<b>splitzaxis</b>	Split z-axes
<b>splittabnum</b>	Split parameter table numbers
Syntax	<b>&lt;operator&gt; ifile obase</b>
<b>splithour</b>	Split hours
<b>splitday</b>	Split days
<b>splitmon</b>	Split months
<b>splitseas</b>	Split seasons
<b>splityear</b>	Split years
Syntax	<b>&lt;operator&gt; ifile obase</b>
<b>splitsel</b>	Split time selection
Syntax	<b>splitsel,nssets[,noffset[,nskip]] ifile obase</b>

## Selection

<b>selparam</b>	Select parameters by identifier
<b>delparam</b>	Delete parameters by identifier
Syntax	<b>&lt;operator&gt;,params ifile ofile</b>
<b>selcode</b>	Select parameters by code number
<b>delcode</b>	Delete parameters by code number
Syntax	<b>&lt;operator&gt;,codes ifile ofile</b>
<b>selname</b>	Select parameters by name
<b>delname</b>	Delete parameters by name
Syntax	<b>&lt;operator&gt;,names ifile ofile</b>
<b>selstdname</b>	Select parameters by standard name
Syntax	<b>selstdname,stdnames ifile ofile</b>
<b>sellevel</b>	Select levels
Syntax	<b>sellevel,levels ifile ofile</b>
<b>sellevidx</b>	Select levels by index
Syntax	<b>sellevidx,levidx ifile ofile</b>
<b>selgrid</b>	Select grids
Syntax	<b>selgrid,grids ifile ofile</b>
<b>selzaxis</b>	Select z-axes
Syntax	<b>selzaxis,zaxes ifile ofile</b>
<b>selltype</b>	Select GRIB level types
Syntax	<b>selltype,ltypes ifile ofile</b>
<b>seltabnum</b>	Select parameter table numbers
Syntax	<b>seltabnum,tabnums ifile ofile</b>

<b>selimestep</b>	Select time steps
Syntax	<b>selimestep,timesteps ifile ofile</b>
<b>seltime</b>	Select times
Syntax	<b>seltime,times ifile ofile</b>
<b>selhour</b>	Select hours
Syntax	<b>selhour,hours ifile ofile</b>
<b>selday</b>	Select days
Syntax	<b>selday,days ifile ofile</b>
<b>selmon</b>	Select months
Syntax	<b>selmon,months ifile ofile</b>
<b>selyear</b>	Select years
Syntax	<b>selyear,years ifile ofile</b>
<b>selseas</b>	Select seasons
Syntax	<b>selseas,seasons ifile ofile</b>
<b>seldate</b>	Select dates
Syntax	<b>seldate,date1[,date2] ifile ofile</b>
<b>selsmon</b>	Select single month
Syntax	<b>selsmon,month[,nts1[,nts2]] ifile ofile</b>
<b>sellonlatbox</b>	Select a longitude/latitude box
Syntax	<b>sellonlatbox,lon1,lon2,lat1,lat2 ifile ofile</b>
<b>selindexbox</b>	Select an index box
Syntax	<b>selindexbox,idx1,idx2,idy1,idy2 ifile ofile</b>

## Conditional selection

<b>ifthen</b>	If then
<b>ifnotthen</b>	If not then
Syntax	<b>&lt;operator&gt; ifile1 ifile2 ofile</b>
<b>ifthenelse</b>	If then else
Syntax	<b>ifthenelse ifile1 ifile2 ifile3 ofile</b>
<b>ifthenc</b>	If then constant
<b>ifnotthenc</b>	If not then constant
Syntax	<b>&lt;operator&gt;,c ifile ofile</b>
<b>eq</b>	Equal
<b>ne</b>	Not equal
<b>le</b>	Less equal
<b>lt</b>	Less than
<b>ge</b>	Greater equal
<b>gt</b>	Greater than
Syntax	<b>&lt;operator&gt; ifile1 ifile2 ofile</b>
<b>eqc</b>	Equal constant
<b>nec</b>	Not equal constant
<b>lec</b>	Less equal constant
<b>ltc</b>	Less than constant
<b>gec</b>	Greater equal constant
<b>gtc</b>	Greater than constant
Syntax	<b>&lt;operator&gt;,c ifile ofile</b>

## Modification

<b>setpartab</b>	Set parameter table
Syntax	<b>setpartab,table ifile ofile</b>
<b>setcode</b>	Set code number
Syntax	<b>setcode,code ifile ofile</b>
<b>setparam</b>	Set parameter identifier
Syntax	<b>setparam,param ifile ofile</b>
<b>setname</b>	Set variable name
Syntax	<b>setname,name ifile ofile</b>
<b>setlevel</b>	Set level
Syntax	<b>setlevel,level ifile ofile</b>
<b>setltype</b>	Set GRIB level type
Syntax	<b>setltype,ltype ifile ofile</b>

<b>setdate</b>	Set date
Syntax	<b>setdate,date ifile ofile</b>
<b>settime</b>	Set time of the day
Syntax	<b>settime,time ifile ofile</b>
<b>setday</b>	Set day
Syntax	<b>setday,day ifile ofile</b>
<b>setmon</b>	Set month
Syntax	<b>setmon,month ifile ofile</b>
<b>setyear</b>	Set year
Syntax	<b>setyear,year ifile ofile</b>
<b>settunits</b>	Set time units
Syntax	<b>settunits,units ifile ofile</b>
<b>settaxis</b>	Set time axis
Syntax	<b>settaxis,date,time[,inc] ifile ofile</b>
<b>setreftime</b>	Set reference time
Syntax	<b>setreftime,date,time[,units] ifile ofile</b>
<b>setcalendar</b>	Set calendar
Syntax	<b>setcalendar,calendar ifile ofile</b>
<b>shifttime</b>	Shift time steps
Syntax	<b>shifttime,sval ifile ofile</b>

<b>chcode</b>	Change code number
Syntax	<b>chcode,oldcode,newcode[,...] ifile ofile</b>
<b>chparam</b>	Change parameter identifier
Syntax	<b>chparam,oldparam,newparam,... ifile ofile</b>
<b>chname</b>	Change variable name
Syntax	<b>chname,oldname,newname,... ifile ofile</b>
<b>chlevel</b>	Change level
Syntax	<b>chlevel,oldlev,newlev,... ifile ofile</b>
<b>chlevelc</b>	Change level of one code
Syntax	<b>chlevelc,code,oldlev,newlev ifile ofile</b>
<b>chlevelv</b>	Change level of one variable
Syntax	<b>chlevelv,name,oldlev,newlev ifile ofile</b>

<b>setgrid</b>	Set grid
Syntax	<b>setgrid,grid ifile ofile</b>
<b>setgridtype</b>	Set grid type
Syntax	<b>setgridtype,gridtype ifile ofile</b>

<b>setzaxis</b>	Set z-axis
Syntax	<b>setzaxis,zaxis ifile ofile</b>

<b>setgatt</b>	Set global attribute
Syntax	<b>setgatt,attname,attstring ifile ofile</b>
<b>setgatts</b>	Set global attributes
Syntax	<b>setgatts,attfile ifile ofile</b>

<b>invertlat</b>	Invert latitudes
Syntax	<b>invertlat ifile ofile</b>

<b>invertlev</b>	Invert levels
Syntax	<b>invertlev ifile ofile</b>

<b>maskregion</b>	Mask regions
Syntax	<b>maskregion,regions ifile ofile</b>

<b>masklonlatbox</b>	Mask a longitude/latitude box
Syntax	<b>masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile</b>
<b>maskindexbox</b>	Mask an index box
Syntax	<b>maskindexbox,idx1,idx2,idy1,idy2 ifile ofile</b>

<b>setclonlatbox</b>	Set a longitude/latitude box to constant
Syntax	<b>setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile</b>
<b>setcindexbox</b>	Set an index box to constant
Syntax	<b>setcindexbox,c,idx1,idx2,idy1,idy2 ifile ofile</b>

<b>enlarge</b>	Enlarge fields
Syntax	<b>enlarge,grid ifile ofile</b>

<b>setmissval</b>	Set a new missing value
Syntax	<b>setmissval,newmiss ifile ofile</b>
<b>setctomiss</b>	Set constant to missing value
<b>setmisstoc</b>	Set missing value to constant
Syntax	<b>&lt;operator&gt;,c ifile ofile</b>
<b>setrtomiss</b>	Set range to missing value
<b>setvrage</b>	Set valid range
Syntax	<b>&lt;operator&gt;,rmin,rmax ifile ofile</b>

Arithmetic

<b>expr</b>	Evaluate expressions
Syntax	<b>expr</b> , <i>instr</i> <b>ifile</b> <b>ofile</b>
<b>exprpf</b>	Evaluate expressions from script file
Syntax	<b>exprpf</b> , <i>filename</i> <b>ifile</b> <b>ofile</b>
<b>abs</b>	Absolute value
<b>int</b>	Integer value
<b>nint</b>	Nearest integer value
<b>pow</b>	Power
<b>sqr</b>	Square
<b>sqr</b>	Square root
<b>exp</b>	Exponential
<b>ln</b>	Natural logarithm
<b>log10</b>	Base 10 logarithm
<b>sin</b>	Sine
<b>cos</b>	Cosine
<b>tan</b>	Tangent
<b>asin</b>	Arc sine
<b>acos</b>	Arc cosine
<b>reci</b>	Reciprocal value
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>addc</b>	Add a constant
<b>subc</b>	Subtract a constant
<b>mulc</b>	Multiply with a constant
<b>divc</b>	Divide by a constant
Syntax	<b>&lt;operator&gt;</b> , <i>c</i> <b>ifile</b> <b>ofile</b>

<b>add</b>	Add two fields
<b>sub</b>	Subtract two fields
<b>mul</b>	Multiply two fields
<b>div</b>	Divide two fields
<b>min</b>	Minimum of two fields
<b>max</b>	Maximum of two fields
<b>atan2</b>	Arc tangent of two fields
Syntax	<b>&lt;operator&gt;</b> <b>ifile1</b> <b>ifile2</b> <b>ofile</b>

<b>monadd</b>	Add monthly time series
<b>monsub</b>	Subtract monthly time series
<b>monmul</b>	Multiply monthly time series
<b>mondiv</b>	Divide monthly time series
Syntax	<b>&lt;operator&gt;</b> <b>ifile1</b> <b>ifile2</b> <b>ofile</b>

<b>ymonadd</b>	Add multi-year monthly time series
<b>ymonsub</b>	Subtract multi-year monthly time series
<b>ymonmul</b>	Multiply multi-year monthly time series
<b>ymondiv</b>	Divide multi-year monthly time series
Syntax	<b>&lt;operator&gt;</b> <b>ifile1</b> <b>ifile2</b> <b>ofile</b>

<b>ydayadd</b>	Add multi-year daily time series
<b>ydaysub</b>	Subtract multi-year daily time series
<b>ydaymul</b>	Multiply multi-year daily time series
<b>ydaydiv</b>	Divide multi-year daily time series
Syntax	<b>&lt;operator&gt;</b> <b>ifile1</b> <b>ifile2</b> <b>ofile</b>

<b>muldpm</b>	Multiply with days per month
<b>divdpm</b>	Divide by days per month
<b>muldpy</b>	Multiply with days per year
<b>divdpy</b>	Divide by days per year
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

Statistical values

	Available statistical functions	<b>&lt; stat &gt;</b>
	minimum	<b>min</b>
	maximum	<b>max</b>
	sum	<b>sum</b>
	mean	<b>mean</b>
	average	<b>avg</b>
	variance	<b>var</b>
	standard deviation	<b>std</b>
<b>consects</b>	Consecutive Timesteps	
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>	

<b>ens</b> <b>&lt; stat &gt;</b>	Statistical values over an ensemble
Syntax	<b>&lt;operator&gt;</b> <b>ifiles</b> <b>ofile</b>
<b>enspctl</b>	Ensemble percentiles
Syntax	<b>enspctl</b> , <i>p</i> <b>ifiles</b> <b>ofile</b>

<b>ensbrs</b>	Brier score
<b>enscrps</b>	Cumulative Ranked Probability score
<b>ensrkhistspace</b>	Ranked Histogram averaged over time
<b>ensrkhisttime</b>	Ranked Histogram averaged over space
<b>ensroc</b>	Ensemble Receiver Operating characteristics
Syntax	<b>&lt;operator&gt;</b> <b>obsfile</b> <b>ensfiles</b> <b>ofile</b>

<b>fld</b> <b>&lt; stat &gt;</b>	Statistical values over a field
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>
<b>fldpctl</b>	Field percentiles
Syntax	<b>fldpctl</b> , <i>p</i> <b>ifile</b> <b>ofile</b>

<b>zon</b> <b>&lt; stat &gt;</b>	Zonal statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>
<b>zonpctl</b>	Zonal percentiles
Syntax	<b>zonpctl</b> , <i>p</i> <b>ifile</b> <b>ofile</b>

<b>mer</b> <b>&lt; stat &gt;</b>	Meridional statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>
<b>merpctl</b>	Meridional percentiles
Syntax	<b>merpctl</b> , <i>p</i> <b>ifile</b> <b>ofile</b>

<b>gridbox</b> <b>&lt; stat &gt;</b>	Statistical values over grid boxes
Syntax	<b>&lt;operator&gt;</b> , <i>ix</i> , <i>ny</i> <b>ifile</b> <b>ofile</b>

<b>vert</b> <b>&lt; stat &gt;</b>	Vertical statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>timsel</b> <b>&lt; stat &gt;</b>	Time range statistical values
Syntax	<b>&lt;operator&gt;</b> , <i>nsets</i> [ <i>noffset</i> [ <i>nskip</i> ]] <b>ifile</b> <b>ofile</b>

<b>timselfpctl</b>	Time range percentiles
Syntax	<b>timselfpctl</b> , <i>p</i> , <i>nsets</i> [ <i>noffset</i> [ <i>nskip</i> ]] <b>ifile1</b> <b>ifile2</b>

<b>run</b> <b>&lt; stat &gt;</b>	Running statistical values
Syntax	<b>&lt;operator&gt;</b> , <i>nts</i> <b>ifile</b> <b>ofile</b>

<b>runpctl</b>	Running percentiles
Syntax	<b>runpctl</b> , <i>p</i> , <i>nts</i> <b>ifile1</b> <b>ofile</b>

<b>tim</b> <b>&lt; stat &gt;</b>	Statistical values over all time steps
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>timpctl</b>	Time percentiles
Syntax	<b>timpctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>hour</b> <b>&lt; stat &gt;</b>	Hourly statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>hourpctl</b>	Hourly percentiles
Syntax	<b>hourpctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>day</b> <b>&lt; stat &gt;</b>	Daily statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>daypctl</b>	Daily percentiles
Syntax	<b>daypctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>mon</b> <b>&lt; stat &gt;</b>	Monthly statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>monpctl</b>	Monthly percentiles
Syntax	<b>monpctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>year</b> <b>&lt; stat &gt;</b>	Yearly statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>yearpctl</b>	Yearly percentiles
Syntax	<b>yearpctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>seas</b> <b>&lt; stat &gt;</b>	Seasonal statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>seaspctl</b>	Seasonal percentiles
Syntax	<b>seaspctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>yhour</b> <b>&lt; stat &gt;</b>	Multi-year hourly statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>yday</b> <b>&lt; stat &gt;</b>	Multi-year daily statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>ydaypctl</b>	Multi-year daily percentiles
Syntax	<b>ydaypctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>ymon</b> <b>&lt; stat &gt;</b>	Multi-year monthly statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>ymonpctl</b>	Multi-year monthly percentiles
Syntax	<b>ymonpctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>yseas</b> <b>&lt; stat &gt;</b>	Multi-year seasonal statistical values
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>yseaspctl</b>	Multi-year seasonal percentiles
Syntax	<b>yseaspctl</b> , <i>p</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

<b>ydrun</b> <b>&lt; stat &gt;</b>	Multi-year daily running statistical values
Syntax	<b>&lt;operator&gt;</b> , <i>nts</i> <b>ifile</b> <b>ofile</b>

<b>ydrunpctl</b>	Multi-year daily running percentiles
Syntax	<b>ydrunpctl</b> , <i>p</i> , <i>nts</i> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

Correlation

<b>fldcor</b>	Correlation in grid space
Syntax	<b>fldcor</b> <b>ifile1</b> <b>ifile2</b> <b>ofile</b>

<b>timcor</b>	Correlation over time
Syntax	<b>timcor</b> <b>ifile1</b> <b>ifile2</b> <b>ofile</b>

Regression

<b>regres</b>	Regression
Syntax	<b>regres</b> <b>ifile</b> <b>ofile</b>

<b>detrend</b>	Detrend
Syntax	<b>detrend</b> <b>ifile</b> <b>ofile</b>

<b>trend</b>	Trend
Syntax	<b>trend</b> <b>ifile</b> <b>ofile1</b> <b>ofile2</b>

<b>subtrend</b>	Subtract trend
Syntax	<b>subtrend</b> <b>ifile1</b> <b>ifile2</b> <b>ifile3</b> <b>ofile</b>

EOFs

<b>eof</b>	Calculate EOFs in spatial or time space
<b>eoftime</b>	Calculate EOFs in time space
<b>eofspatial</b>	Calculate EOFs in spatial space
<b>eof3d</b>	Calculate 3-Dimensional EOFs in time space
Syntax	<b>&lt;operator&gt;</b> , <i>neof</i> <b>ifile</b> <b>ofile1</b> <b>ofile2</b>

<b>eofcoeff</b>	Calculate principal coefficients of EOFs
Syntax	<b>eofcoeff</b> <b>ifile1</b> <b>ifile2</b> <b>obase</b>

Interpolation

<b>remapbil</b>	Bilinear interpolation
<b>remapbic</b>	Bicubic interpolation
<b>remapdis</b>	Distance-weighted average remapping
<b>remapnn</b>	Nearest neighbor remapping
<b>remapcon</b>	First order conservative remapping
<b>remapcon2</b>	Second order conservative remapping
<b>remaplaf</b>	Largest area fraction remapping
Syntax	<b>&lt;operator&gt;</b> , <i>grid</i> <b>ifile</b> <b>ofile</b>

<b>genbil</b>	Generate bilinear interpolation weights
<b>genbic</b>	Generate bicubic interpolation weights
<b>gendis</b>	Generate distance-weighted average remap weights
<b>gennn</b>	Generate nearest neighbor remap weights
<b>gencon</b>	Generate 1st order conservative remap weights
<b>gencon2</b>	Generate 2nd order conservative remap weights
<b>genlaf</b>	Generate largest area fraction remap weights
Syntax	<b>&lt;operator&gt;</b> , <i>grid</i> <b>ifile</b> <b>ofile</b>

<b>remap</b>	SCRIP grid remapping
Syntax	<b>remap</b> , <i>grid</i> , <i>weights</i> <b>ifile</b> <b>ofile</b>

<b>remapeta</b>	Remap vertical hybrid level
Syntax	<b>remapeta</b> , <i>vct</i> [ <i>,oro</i> ] <b>ifile</b> <b>ofile</b>

<b>ml2pl</b>	Model to pressure level interpolation
Syntax	<b>ml2pl</b> , <i>plevels</i> <b>ifile</b> <b>ofile</b>

<b>ml2hl</b>	Model to height level interpolation
Syntax	<b>ml2hl</b> , <i>hlevels</i> <b>ifile</b> <b>ofile</b>

<b>intlevel</b>	Linear level interpolation
Syntax	<b>intlevel</b> , <i>levels</i> <b>ifile</b> <b>ofile</b>

<b>inttime</b>	Interpolation between time steps
Syntax	<b>inttime</b> , <i>date,time</i> [ <i>,inc</i> ] <b>ifile</b> <b>ofile</b>

<b>intntime</b>	Interpolation between time steps
Syntax	<b>intntime</b> , <i>n</i> <b>ifile</b> <b>ofile</b>

<b>intyear</b>	Interpolation between two years
Syntax	<b>intyear</b> , <i>years</i> <b>ifile1</b> <b>ifile2</b> <b>obase</b>

Transformation

<b>sp2gp</b>	Spectral to gridpoint
<b>sp2gpl</b>	Spectral to gridpoint (linear)
<b>gp2sp</b>	Gridpoint to spectral
<b>gp2spl</b>	Gridpoint to spectral (linear)
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>sp2sp</b>	Spectral to spectral
Syntax	<b>sp2sp</b> , <i>trunc</i> <b>ifile</b> <b>ofile</b>

<b>dv2uv</b>	Divergence and vorticity to U and V wind
<b>dv2uvl</b>	Divergence and vorticity to U and V wind (linear)
<b>uv2dv</b>	U and V wind to divergence and vorticity
<b>uv2dvl</b>	U and V wind to divergence and vorticity (linear)
<b>dv2ps</b>	D and V to velocity potential and stream function
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

Import /Export

<b>import.binary</b>	Import binary data sets
Syntax	<b>import.binary</b> <b>ifile</b> <b>ofile</b>

<b>import.cmsaf</b>	Import CM-SAF HDF5 files
Syntax	<b>import.cmsaf</b> <b>ifile</b> <b>ofile</b>

<b>import.amsr</b>	Import AMSR binary files
Syntax	<b>import.amsr</b> <b>ifile</b> <b>ofile</b>

<b>input</b>	ASCII input
Syntax	<b>input</b> , <i>grid</i> <b>ofile</b>

<b>inputsrv</b>	SERVICE ASCII input
<b>inputext</b>	EXTRA ASCII input
Syntax	<b>&lt;operator&gt;</b> <b>ofile</b>

<b>output</b>	ASCII output
Syntax	<b>output</b> <b>ifiles</b>

<b>outputf</b>	Formatted output
Syntax	<b>outputf</b> , <i>format</i> , <i>nelem</i> <b>ifiles</b>

<b>outputint</b>	Integer output
<b>outputsrv</b>	SERVICE ASCII output
<b>outputext</b>	EXTRA ASCII output
Syntax	<b>&lt;operator&gt;</b> <b>ifiles</b>

Miscellaneous

<b>gradsdes1</b>	GrADS data descriptor file (version 1 GRIB map)
<b>gradsdes2</b>	GrADS data descriptor file (version 2 GRIB map)
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b>

<b>bandpass</b>	Bandpass filtering
Syntax	<b>bandpass</b> , <i>fmin</i> , <i>fmax</i> <b>ifile</b> <b>ofile</b>

<b>lowpass</b>	Lowpass filtering
Syntax	<b>lowpass</b> , <i>fmax</i> <b>ifile</b> <b>ofile</b>

<b>highpass</b>	Highpass filtering
Syntax	<b>highpass</b> , <i>fmin</i> <b>ifile</b> <b>ofile</b>

<b>gridarea</b>	Grid cell area
<b>gridweights</b>	Grid cell weights
Syntax	<b>&lt;operator&gt;</b> <b>ifile</b> <b>ofile</b>

<b>smooth9</b>	9 point smoothing
Syntax	<b>smooth9</b> <b>ifile</b> <b>ofile</b>

