CDO Reference Card

Climate Data Operators Version 1.6.4 June 2014

Uwe Schulzweida Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

Syntax

cdo	[Options]	Operator1	Operator2	[-OperatorN]	1	
-----	-----------	-----------	-----------	----------------	---	--

Options

Options	
-a	Generate an absolute time axis
-b < nbits >	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g < grid>	Grid or file name
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m < missval >	Set the default missing value (default: -9e+33)
-0	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
-t	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
-z szip	SZIP compression of GRIB1 records

Operators

Information

showdate

showtime

<operator> ifile

showtimestamp Show timestamp

Information			
info	Dataset information listed by parameter identifier		
infon	Dataset information listed by parameter name		
map	Dataset information and simple map		
< operator > ifi	<pre><operator> ifiles</operator></pre>		
sinfo	Short information listed by parameter identifier		
sinfon	Short information listed by parameter name		
< operator > ifi	les		
diff	Compare two datasets listed by parameter id		
diffn	Compare two datasets listed by parameter name		
<pre><operator> ifile1 ifile2</operator></pre>			
npar	Number of parameters		
nlevel	Number of levels		
nyear	Number of years		
nmon	Number of months		
ndate	Number of dates		
ntime	Number of timesteps		
<pre><operator> ifile</operator></pre>			
showformat	Show file format		
showcode	Show code numbers		
	Show variable names		
showname	Show variable names		
showname	Show variable names Show standard names		
showstdname	Show standard names Show levels Show GRIB level types		
showstdname showlevel	Show standard names Show levels		

Show date information

Show time information

 pardes
 Parameter description

 griddes
 Grid description

 zaxisdes
 Z-axis description

 vct
 Vertical coordinate table

 < operator > ifile

File operations

copy	Copy datasets
cat	Concatenate datasets
<pre><operator> ifiles ofile</operator></pre>	
replace	Replace variables
replace ifile1	ifile2 ofile
duplicate	Duplicates a dataset
duplicate[,ndup	ofile ofile
mergegrid	Merge grid
mergegrid ifil	Le1 ifile2 ofile
merge	Merge datasets with different fields
mergetime	Merge datasets sorted by date and time
<operator> ifi</operator>	iles ofile
splitcode	Split code numbers
splitparam	Split parammeter identifiers
splitname	Split variable names
splitlevel	Split levels
splitgrid	Split grids
splitzaxis	Split z-axes
splittabnum	Split parameter table numbers
< operator > [,sw	ap]ifile obase
splithour	Split hours
splitday	Split days
splitseas	Split seasons
splityear	Split years
<operator> ifi</operator>	
splitmon	Split months
splitmon[,forma	at ifile obase
splitsel	Split time selection
splitsel,nsets[,ne	offset[,nskip]] ifile obase

Selection

delete	Delete fields		
<pre>< operator > , params ifiles ofile</pre>			
selparam	Select parameters by identifier		
delparam	Delete parameters by identifier		
	<pre><pre></pre></pre> <pre>coperator>,params ifile ofile</pre>		
selcode	Select parameters by code number		
delcode	Delete parameters by code number		
<pre><operator>,codes ifile ofile</operator></pre>			
selname	Select parameters by name		
delname	Delete parameters by name		
<pre><operator>,names ifile ofile</operator></pre>			
selstdname	Select parameters by standard name		
selstdname,stdnames ifile ofile			
sellevel	Select levels		
sellevel, levels it			
	Select levels by index		
sellevidx, levidx ifile ofile			
selgrid			
selgrid, grids ifile ofile			
selzaxis	Select z-axes		
selzaxis,zaxes ifile ofile			
	Select GRIB level types		
selltype,ltypes			
seltabnum	Select parameter table numbers		
seltabnum,tabnums ifile ofile			

Select fields

seltimestep	Select timesteps		
seltimestep, timesteps ifile ofile			
seltime	Select times		
seltime, times it	seltime, times ifile ofile		
selhour	Select hours		
selhour, hours i	file ofile		
selday	Select days		
selday,days ifi	le ofile		
selmon	Select months		
selmon, months ifile ofile			
selyear	Select years		
selyear, years if	ile ofile		
selseas	Select seasons		
selseas,seasons	ifile ofile		
seldate	Select dates		
seldate,date1[,date2] ifile ofile			
selsmon	Select single month		
selsmon,month[,nts1[,nts2]] ifile ofile			
sellonlatbox	Select a longitude/latitude box		
sellonlatbox,lor	n1,lon2,lat1,lat2 ifile ofile		
selindexbox	Select an index box		
selindexbox,idz	x1,idx2,idy1,idy2 ifile ofile		

Conditional selection

Conditional Scientific		
ifthen	If then	
ifnotthen	If not then	
<pre><operator> ifile1 ifile2 ofile</operator></pre>		
ifthenelse	If then else	
ifthenelse ifile1 ifile2 ifile3 ofile		
ifthenc	If then constant	
ifnotthenc	If not then constant	
<pre><operator>,c ifile ofile</operator></pre>		

Comparison

eq	Equal	
ne	Not equal	
le	Less equal	
lt	Less than	
ge	Greater equal	
gt	Greater than	
<pre></pre> <pre></pre> <pre>operator > ifile1 ifile2 ofile</pre>		
eqc	Equal constant	
eqc nec	Equal constant Not equal constant	
-	*	
nec	Not equal constant	
nec lec	Not equal constant Less equal constant	
nec lec ltc	Not equal constant Less equal constant Less than constant	
nec lec ltc gec	Not equal constant Less equal constant Less than constant Greater equal constant Greater than constant	

Modification

Wiodineasion .		
setpartabp	Set parameter table	
setpartabn	Set parameter table	
<pre><operator>,table ifile ofile</operator></pre>		
setcode	Set code number	
setcode,code ifile ofile		
setparam	Set parameter identifier	
setparam,param ifile ofile		
setname	Set variable name	
setname,name ifile ofile		
setunit	Set variable unit	
setunit,unit ifile ofile		
setlevel	Set level	
setlevel, level ifile ofile		
	Set GRIB level type	
setltype, ltype ifile ofile		

setdate	Set date
setdate, date if:	ile ofile
settime	Set time of the day
settime, time if	ile ofile
setday	Set day
setday,day ifil	le ofile
setmon	Set month
setmon, month	ifile ofile
setyear	Set year
setyear, year ifile ofile	
settunits	Set time units
settunits, units	
settaxis	Set time axis
settaxis,date,time[,inc] ifile ofile	
setreftime	Set reference time
setreftime,date	time[,units] ifile ofile
setcalendar	Set calendar
setcalendar,calendar ifile ofile	
shifttime	Shift timesteps
shifttime,sval i	file ofile
chcode	Change code number

chcode	Change code number
<pre>chcode,oldcode,newcode[,] ifile ofile</pre>	
chparam	Change parameter identifier
chparam,oldparam,newparam, ifile ofile	
chname	Change variable name
chname,oldname,newname, ifile ofile	
chunit	Change variable unit
chunit,oldunit,newunit, ifile ofile	
chlevel	Change level
chlevel,oldlev,newlev, ifile ofile	
chlevelc	Change level of one code
chlevelc,code,oldlev,newlev ifile ofile	
chlevelv	Change level of one variable
chlevelv,name,oldlev,newlev ifile ofile	
setgrid	Set grid

setgridtype	Set grid type
setgridtype,gridtype ifile ofile	
setgridarea	Set grid cell area
setgridarea, gridarea ifile ofile	
setzaxis	Set z-axis

setgrid, grid ifile ofile

maskregion, regions ifile ofile

setzaxis,zaxis ifile ofile		file ofile
	setgatt	Set global attribute
	setgatt, attname, attstring ifile ofile	
	antmotto	Cot alabal attaibutas

setgatts, attime iiiie oiiie		
invertlat	Invert latitudes	
invertlat ifile	ofile	

I	invertlev	Invert levels
	invertlev ifile	ofile
ĺ	maskregion	Mask regions

masklonlatbox	Mask a longitude/latitude box	
masklonlatbox,lon1,lon2,lat1,lat2 ifile ofile		
maskindexbox	Mask an index box	
maskindexbox,idx1,idx2,idy1,idy2 ifile ofile		

setclonlatbox	Set a longitude/latitude box to constant	
setclonlatbox,c,lon1,lon2,lat1,lat2 ifile ofile		
setcindexbox Set an index box to constant		
setcindexhox c	idv1 idv2 idv1 idv2 ifile ofile	

enlarge	Enlarge fields
enlarge grid if	ile ofile

setmissval	Set a new missing value	
setmissval,new	miss ifile ofile	
setctomiss	Set constant to missing value	
setmisstoc	Set missing value to constant	
<pre><operator>,c ifile ofile</operator></pre>		
setrtomiss	Set range to missing value	
setvrange	Set valid range	
<pre><operator> .rmin.rmax ifile ofile</operator></pre>		

Arithmetic		
expr Evaluate expressions		
expr,instr ifile ofile		
exprf	Evaluate expressions from script file	
exprf, filename ifile ofile		
abs Absolute value		
int	Integer value	
nint	Nearest integer value	
pow	Power	
sqr	Square	
sqrt	Square root	
exp	Exponential	
ln	Natural logarithm	
log10	Base 10 logarithm	
sin	Sine	
cos	Cosine	
tan	Tangent	
asin	Arc sine	
acos	Arc cosine	
reci	Reciprocal value	
<pre><operator> ifi</operator></pre>	ile ofile	
addc	Add a constant	
subc	Subtract a constant	
mulc	Multiply with a constant	
divc	Divide by a constant	
<operator>,c i</operator>		
add	Add two fields	
sub	Subtract two fields	
mul	Multiply two fields	
div	Divide two fields	
min	Minimum of two fields	
max	Maximum of two fields	
atan2	Arc tangent of two fields	
<pre><operator> ifi</operator></pre>	ile1 ifile2 ofile	
monadd	Add monthly time series	
monsub	Subtract monthly time series	
monmul	Multiply monthly time series	
mondiv	Divide monthly time series	
	ile1 ifile2 ofile	
ymonadd ymonsub	Add multi-year monthly time series Subtract multi-year monthly time series	
ymonmul	Multiply multi-year monthly time series	
ymondiv	Divide multi-year monthly time series	
	ile1 ifile2 ofile	
ydayadd	Add multi-year daily time series	
ydaysub	Subtract multi-year daily time series	
ydaymul	Multiply multi-year daily time series	
ydaydiv Divide multi-year daily time series <pre><operator> ifile1 ifile2 ofile</operator></pre>		
yhouradd	Add multi-year hourly time series	
yhoursub	Subtract multi-year hourly time series	
yhourmul	Multiply multi-year hourly time series	
yhourdiv Divide multi-year hourly time series		
	ile1 ifile2 ofile	
muldpm	Multiply with days per month	
divdpm	Divide by days per month	
muldpy	Multiply with days per year	
divdpy	Divide by days per year	
/ amamatan \ 484		

< operator > ifile ofile

Statistical values

Available statistical functions	< stat >
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var, var1
standard deviation	std, std1

	mean		mean	
	average		avg	
	varianc		var, var1	
	standar	d deviation	std, std1	
consect	· c	Consecutive Timesteps		•
<pre><operator> ifile ofile</operator></pre>				
ens <st< th=""><th></th><th>Statistical values over an</th><th>ensemble</th><th></th></st<>		Statistical values over an	ensemble	
		iles ofile		
enspet	p ifile:	Ensemble percentiles		
		Ranked Histogram average		
ensrkn	isttime	Ranked Histogram average Ensemble Receiver Opera		iation
	tor > obs	file ensfiles ofile	ting character	ISUICS
enscrps		Ensemble CRPS and deco	omposition	
ensbrs	s IIIIe I	Ensemble Brier score		
	v rfile	ifiles ofilebase		
fld< sta		Statistical values over a fi	ald	
		le ofile	eia	
fldpctl		Field percentiles		
_	p ifile			
zon <st< td=""><td></td><td>Zonal statistical values</td><td></td><th></th></st<>		Zonal statistical values		
zonpct		le ofile Zonal percentiles		
_	$\mathbf{l}_{,p}$ ifile			
		Meridional statistical valu		
mer <s< td=""><td></td><td>le ofile</td><td>ies</td><th></th></s<>		le ofile	ies	
merpct		Meridional percentiles		
_	$\mathbf{l}_{,p}$ ifile			
		Statistical values over gri-	d howas	
-		ny ifile ofile	1 Doxes	
vert <s< td=""><td></td><td>Vertical statistical values</td><td></td><th></th></s<>		Vertical statistical values		
< opera:	tor> ifi	le ofile		
timsel<	$\langle stat \rangle$	Time range statistical val	ues	
< opera	tor>,nse	ts[,noffset[,nskip]] ifile of	ile	
timselp	octl	Time range percentiles		
timselp	ctl, p, nse	ets[,noffset[,nskip]] ifile1	ifile2 ifile3	3 ofile
run <st< th=""><th>at ></th><th>Running statistical values</th><th></th><th></th></st<>	at >	Running statistical values		
		ifile ofile	•	
runpet		Running percentiles ile1 ofile		
tim < st		Statistical values over all	timesteps	
< opera	tor > 111	le ofile		
timpct	l	Time percentiles		
timpct	$\mathbf{l}_{,p}$ ifile	1 ifile2 ifile3 ofile		
hour<	stat >	Hourly statistical values		
< operas		le ofile		
hourpe	tl	Hourly percentiles		
		e1 ifile2 ifile3 ofile		

day< stat> Daily statistical values

monpctl,p ifile1 ifile2 ifile3 ofile

Daily percentiles daypctl,p ifile1 ifile2 ifile3 ofile

Monthly statistical values

Monthly percentiles

<operator> ifile ofile

daypctl

mon < stat ><operator> ifile ofile

monpctl

yearmonmean ifile ofile Yearly statistical values <operator> ifile ofile yearpctl Yearly percentiles yearpctl,p ifile1 ifile2 ifile3 ofile seas < stat > Seasonal statistical values <operator> ifile ofile seaspctl Seasonal percentiles seaspctl,p ifile1 ifile2 ifile3 ofile yhour < stat > Multi-year hourly statistical values <operator> ifile ofile yday<stat> Multi-year daily statistical values <operator> ifile ofile ydaypctl Multi-vear daily percentiles ydaypctl,p ifile1 ifile2 ifile3 ofile ymon<stat> Multi-year monthly statistical values <operator> ifile ofile Multi-year monthly percentiles ymonpctl,p ifile1 ifile2 ifile3 ofile yseas < stat > Multi-year seasonal statistical values <operator> ifile ofile Multi-year seasonal percentiles yseaspctl,p ifile1 ifile2 ifile3 ofile ydrun<stat> Multi-year daily running statistical values <operator>,nts ifile ofile ydrunpctl Multi-year daily running percentiles ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile Correlation and co. Correlation in grid space fldcor ifile1 ifile2 ofile timcor Correlation over time timcor ifile1 ifile2 ofile fldcovar Covariance in grid space fldcovar ifile1 ifile2 ofile Covariance over time timcovar ifile1 ifile2 ofile Regression

regres	Regression			
regres ifile ofile				
detrend	Detrend			
detrend ifile ofile				
trend	Trend			
trend trend ifile of	22020			
trend ifile of	ile1 ofile2			
	22020			

EOFs

LOFS		
eof	Calculate EOFs in spatial or time space	
eoftime	Calculate EOFs in time space	
eofspatial	Calculate EOFs in spatial space	
eof3d	Calculate 3-Dimensional EOFs in time space	
<pre><operator>,neofifile ofile1 ofile2</operator></pre>		
eofcoeff	Calculate principal coefficients of EOFs	
eofcoeff ifile1		

Interpolation

	remapbil	Bilinear interpolation		
	remapbic	Bicubic interpolation		
	remapdis	Distance-weighted average remapping		
	remapnn	Nearest neighbor remapping		
	remapcon	First order conservative remapping		
=	remapcon2	Second order conservative remapping		
	remaplaf	Largest area fraction remapping		
_	<pre><operator>,grid ifile ofile</operator></pre>			
	genbil	Generate bilinear interpolation weights		
	genbic	Generate bicubic interpolation weights		
	gendis	Generate distance-weighted average remap weights		
	gennn	Generate nearest neighbor remap weights		
=	gencon	Generate 1st order conservative remap weights		
	gencon2	Generate 2nd order conservative remap weights		
	genlaf	Generate largest area fraction remap weights		
	<pre><operator>,grid ifile ofile</operator></pre>			
	remap	SCRIP grid remapping		
	remap,grid,weig	thts ifile ofile		
	remapeta	Remap vertical hybrid level		
	remapeta,vct[,oro] ifile ofile			
=		ml2pl Model to pressure level interpolation		
	ml2pl, plevels ifile ofile Model to height level interpolation			
_				
	ml2hl,hlevels ifile ofile			
	intlevel	Linear level interpolation		
	intlevel, levels ifile ofile			
	intlevel3d	Linear level interpolation onto a 3d vertical coordi		

inttime, date, time[,inc] ifile ofile

intlevelx3d

inttime

sp2gp

sp2gpl

gp2sp

intntime	Interpolation between timesteps		
intntime,n ifile ofile			
introop	Interpolation between two years		

Interpolation between timesteps

like intlevel3d but with extrapolation

intyear	Interpolation between two years	Inte	two years
intvear.vears if	ile1 ifile2 obase	ile1	

Spectral to gridpoint

Gridpoint to spectral

Spectral to gridpoint (linear)

<operator>,icoordinate ifile1 ifile2 ofile

Transformation

$\mathrm{gp2spl}$	Gridpoint to spectral (linear)		
<pre><operator> ifile ofile</operator></pre>			
sp2sp Spectral to spectral			
sp2sp,trunc ifile ofile			
dv2uv	Divergence and vorticity to U and V wind		
dv2uvl	Divergence and vorticity to U and V wind (linear)		
uv2dv	U and V wind to divergence and vorticity		
uv2dvl	U and V wind to divergence and vorticity (linear)		

dv2uv	Divergence and vorticity to U and V wind	
dv2uvl	Divergence and vorticity to U and V wind (linear)	
uv2dv	U and V wind to divergence and vorticity	
uv2dvl	U and V wind to divergence and vorticity (linear)	
dv2ps	D and V to velocity potential and stream function	
<pre><operator> ifile ofile</operator></pre>		

Import/Export

< operator > ofile

import_binary Import binary data sets		
import_binary ifile ofile		
import_cmsaf Import CM-SAF HDF5 files		
import_cmsaf ifile ofile		
F		
import_amsr	Import AMSR binary files	
import_amsr ifile ofile		
input	ASCII input	
input,grid ofile		
inputsrv	SERVICE ASCII input	
inputext EXTRA ASCII input		

output	ASCII output	strgal	Strong gale days index per time period
output ifiles		strgal ifile ofile	
outputf	Formatted output		**
*	*	hurr	Hurricane days index per time period
<pre>outputf,format[,nelem] ifiles</pre>		hurr ifile ofile	
outputint Integer output		11110 01110	
outputsrv	SERVICE ASCII output	fillmiss	Fill missing values
outputext EXTRA ASCII output		fillmiss ifile ofile	
<operator> ifi</operator>	les	fillmiss2	Fill missing values
		fillmiss2/.maxit	erlifile ofile

	mmissz[,maxicel] iiiie oilie
Miscellaneous	
gradsdes GrADS data descriptor file	Climate indices
gradsdes [,mapversion] ifile	eca_cdd Consecutive dry days index per time period
	eca_cdd[,R] ifile ofile
bandpass Bandpass filtering	eca_cfd Consecutive frost days index per time period
bandpass,fmin,fmax ifile ofile lowpass Lowpass filtering	eca_cfd ifile ofile
lowpass, fmax ifile ofile	
highpass Highpass filtering	eca_csu Consecutive summer days index per time period eca_csu[,T] ifile ofile
highpass, fmin ifile ofile	<i>V</i> 7
gridarea Grid cell area	consecutive wet days index per time period
gridweights Grid cell weights	eca_cwd[,R] ifile ofile
<pre><operator> ifile ofile</operator></pre>	eca_cwdi Cold wave duration index wrt mean of reference
	eca_cwdi[,nday[,T]] ifile1 ifile2 ofile
smooth9 9 point smoothing smooth9 ifile ofile	eca_cwfi Cold-spell days index wrt 10th percentile of refer
	eca_cwfi[,nday] ifile1 ifile2 ofile
setvals Set list of old values to new values	eca_etr Intra-period extreme temperature range
setvals,oldval,newval[,] ifile ofile	eca_etr ifile1 ifile2 ofile
setrtoc Set range to constant	
setrtoc,rmin,rmax,c ifile ofile setrtoc2 Set range to constant others to constant2	eca_fd Frost days index per time period
setrtoc2 set range to constant others to constant2 setrtoc2,rmin,rmax,c,c2 ifile ofile	eca_fd ifile ofile
	eca_gsl Growing season length index
timsort Sort over the time	eca_gsl[,nday[,T[,fland]]] ifile1 ifile2 ofile
timsort ifile ofile	eca_hd Heating degree days per time period
const Create a constant field	eca_hd[,T1[,T2]] ifile ofile
const,const,grid ofile	eca_hwdi Heat wave duration index wrt mean of reference
random Create a field with random numbers	eca_hwdi/,nday/,T] ifile1 ifile2 ofile
random,grid[,seed] ofile	
stdatm Create values for pressure and temperature for h	
stdatm,levels ofile	eca_hwfi[,nday] ifile1 ifile2 ofile
rotuvb Backward rotation	eca_id Ice days index per time period
rotuvb,u,v, ifile ofile	eca_id ifile ofile
mastrfu Mass stream function	eca_r75p Moderate wet days wrt 75th percentile of referen
mastrfu ifile ofile	eca_r75p ifile1 ifile2 ofile
sealevelpressur Sea level pressure	eca_r75ptot Precipitation percent due to R75p days
sealevelpressure ifile ofile	eca_r75ptot ifile1 ifile2 ofile
adisit Potential temperature to in-situ temperature	eca_r90p Wet days wrt 90th percentile of reference period
adisit/,pressure ifile ofile	eca_r90p ifile1 ifile2 ofile
adipot In-situ temperature to potential temperature	
adipot ifile ofile	eca_r90ptot Precipitation percent due to R90p days
rhopot Calculates potential density	eca_r90ptot ifile1 ifile2 ofile
rhopot[,pressure] ifile ofile	eca_r95p Very wet days wrt 95th percentile of reference pe
7 4/2 3	eca_r95p ifile1 ifile2 ofile
histcount histsum Histogram count Histogram sum	eca_r95ptot Precipitation percent due to R95p days
histsum Histogram sum Histogram mean	eca_r95ptot ifile1 ifile2 ofile
histfreq Histogram frequency	eca_r99p Extremely wet days wrt 99th percentile of referen
<pre>coperator>,bounds ifile ofile</pre>	eca_r99p ifile1 ifile2 ofile
sethalo Set the left and right bounds of a field	
sethalo, lhalo, rhalo ifile ofile	eca_r99ptot Precipitation percent due to R99p days
	eca_r99ptot ifile1 ifile2 ofile
Windchill temperature	eca_pd Precipitation days index per time period
wct ifile1 ifile2 ofile	eca_pd,x ifile ofile
fdns Frost days where no snow index per time period	eca_r10mm Heavy precipitation days index per time period
fdns ifile1 ifile2 ofile	eca_r20mm Very heavy precipitation days index per time per
strwin Strong wind days index per time period	<pre><operator> ifile ofile</operator></pre>
strwin[,v] ifile ofile	eca_rr1 Wet days index per time period
	eca_rr1[,R] ifile ofile
strbre Strong breeze days index per time period	eca_rx1day Highest one day precipitation amount per time p

strbre ifile ofile

eca_rxlday | Highest one day precipitation amount per time periodeca_rxlday[,mode] ifile ofile

Highest five-day precipitation amount per time period			
eca_rx5day[,x] ifile ofile			
Simple daily intensity index per time period			
le ofile			
Summer days index per time period			
Summer days index per time period eca_su[,T] ifile ofile			
Cold days percent wrt 10th percentile of reference period e1 ifile2 ofile			
Warm days percent wrt 90th percentile of reference period e1 ifile2 ofile			
Cold nights percent wrt 10th percentile of reference period e1 ifile2 ofile			
Warm nights percent wrt 90th percentile of reference period e1 ifile2 ofile			
cca.tr Tropical nights index per time period cca.tr[,T] ifile ofile			
Very cold days percent wrt 10th percentile of reference period e1 ifile2 ofile			
Very warm days percent wrt 90th percentile of reference period e1 ifile2 ofile			