# **CDO** Reference Card

Climate Data Operators Version 1.5.9 December 2012

Uwe Schulzweida Max-Planck-Institute for Meteorology

http://code.zmaw.de/projects/cdo

# File operations

 $<\!operator\!>$  ifile

pardes

griddes

zaxisdes

vct

copy	Copy datasets
cat	Concatenate datasets
<pre><operator> ifi</operator></pre>	les ofile
replace	Replace variables
replace ifile1	ifile2 ofile
merge	Merge datasets with different fields
mergetime	Merge datasets sorted by date and time
<pre><operator> ifiles ofile</operator></pre>	
splitcode	Split code numbers
splitparam	Split parammeter identifiers
splitname	Split variable names
splitlevel	Split levels
splitgrid	Split grids
splitzaxis	Split z-axes
splittabnum	Split parameter table numbers
<pre><operator> ifile obase</operator></pre>	
splithour	Split hours
splitday	Split days

Parameter description

Vertical coordinate table

Grid description

Z-axis description

<pre><pre>coperator &gt; 11</pre></pre>	IIC ODUDO
splitsel	Split time selection
1:414-/	- G-+ [1-: ]] : G: 7 2

Split months

Split seasons Split years

### Syntax

cdo	[Options]	Operator1 [ -Operator2 [ -OperatorN ] ]	Operator1 [ -Operator2 [	
-----	-----------	---	--------------------------	--

# Options

-a	Generate an absolute time axis
-b < nbits >	Set the number of bits for the output precision
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)
	Add L or B for Little or Big endian byteorder
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg
-g < grid >	Grid or file name
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>
-h	Help information for the operators
-M	Indicate that the I/O streams have missing values
-m < missval >	Set the default missing value (default: -9e+33)
-0	Overwrite existing output file, if checked
-R	Convert GRIB1 data from reduced to regular grid
-r	Generate a relative time axis
-s	Silent mode
-t	Set the parameter table name or file
	Predefined tables: echam4 echam5 mpiom1
-V	Print the version number
-v	Print extra details for some operators
-z szip	SZIP compression of GRIB1 records

#### Operators

#### Information

showyear

showmon showdate

showtime

<operator> ifile

info	Dataset information listed by parameter identifier	
infon	Dataset information listed by parameter name	
map	Dataset information and simple map	
< operator > ifi	les	
sinfo	Short information listed by parameter identifier	
sinfon	Short information listed by parameter name	
<pre><operator> ifiles</operator></pre>		
diff	Compare two datasets listed by parameter id	
diffn	Compare two datasets listed by parameter name	
<pre><operator> ifile1 ifile2</operator></pre>		
npar	Number of parameters	
nlevel	Number of levels	
nyear	Number of years	
nmon	Number of months	
ndate	Number of dates	
ntime	Number of timesteps	
<pre><operator> ifile</operator></pre>		
showformat	Show file format	
showcode	Show code numbers	
showname	Show variable names	
showstdname	Show standard names	
showlevel	Show levels	
showltype	Show GRIB level types	

Show years Show months

showtimestam Show timestamp

Show date information

Show time information

# Selection

 $\operatorname{splitmon}$ 

splitseas

splityear

selparam	Colort nonemators by identifier
	Select parameters by identifier
delparam	Delete parameters by identifier
<pre><operator>,params ifile ofile</operator></pre>	
selcode	Select parameters by code number
delcode	Delete parameters by code number
<pre><operator>,cod</operator></pre>	les ifile ofile
selname	Select parameters by name
delname	Delete parameters by name
<operator>,nar</operator>	mes ifile ofile
selstdname	Select parameters by standard name
selstdname,stdnames ifile ofile	
sellevel	Select levels
sellevel, levels ifile ofile	
sellevidx	Select levels by index
sellevidx, levidx	ifile ofile
selgrid	Select grids
selgrid, grids ifile ofile	
selzaxis	Select z-axes
selzaxis,zaxes ifile ofile	
selltype	Select GRIB level types
selltype, ltypes ifile ofile	
seltabnum	Select parameter table numbers
seltabnum,tabnums ifile ofile	

seltimestep	Select timesteps
seltimestep, tin	nesteps ifile ofile
seltime	Select times
seltime, times i:	file ofile
selhour	Select hours
selhour, hours i	file ofile
selday	Select days
selday,days ifi	le ofile
selmon	Select months
${f selmon}, months$	ifile ofile
selyear	Select years
selyear, years if	ile ofile
selseas	Select seasons
selseas, seasons	ifile ofile
seldate	Select dates
seldate,date1[,d	ate2] ifile ofile
selsmon	Select single month
selsmon, month	[,nts1[,nts2]] ifile ofile
sellonlatbox	Select a longitude/latitude box
sellonlatbox,lo	n1,lon2,lat1,lat2 ifile ofile
selindexbox	Select an index box
selindexbox,id:	x1,idx2,idy1,idy2 ifile ofile

#### Conditional selection

Conditional Belevion	
ifthen	If then
ifnotthen	If not then
<pre><operator> ifile1 ifile2 ofile</operator></pre>	
ifthenelse	If then else
ifthenelse ifile1 ifile2 ifile3 ofile	
ifthenc	If then constant
ifnotthenc	If not then constant
< operator >, c ifile ofile	

### Comparison

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<pre><operator> ifile1 ifile2 ofile</operator></pre>	
enc	Equal constant

eqc	Equal constant
nec	Not equal constant
lec	Less equal constant
ltc	Less than constant
gec	Greater equal constant
gtc	Greater than constant
<pre><operator> .c ifile ofile</operator></pre>	

### Modification

	Set parameter table	
setpartab, table	setpartab, table ifile ofile	
setcode	Set code number	
setcode,code if	setcode,code ifile ofile	
setparam	Set parameter identifier	
setparam,param ifile ofile		
setname	Set variable name	
setname,name ifile ofile		
setunit	Set variable unit	
setunit,unit ifile ofile		
setlevel	Set level	
setlevel, level ifile ofile		
setltype	Set GRIB level type	
setltype.ltype ifile ofile		

setdate	Set date		
setdate, date if:	setdate, date ifile ofile		
settime	Set time of the day		
$\mathbf{settime}, time \ \mathtt{if}$	ile ofile		
setday	Set day		
setday,day ifil	e ofile		
setmon	Set month		
setmon, month ifile ofile			
setyear	Set year		
setyear, year ifile ofile			
settunits	Set time units		
settunits, units ifile ofile			
settaxis	200 00000		
settaxis,date,time[,inc] ifile ofile			
setreftime	Set reference time		
setreftime,date,time[,units] ifile ofile			
setcalendar	Set calendar		
setcalendar,calendar ifile ofile			
shifttime	Shift timesteps		
shifttime,sval ifile ofile			
chcode	Change code number		

chcode	Change code number		
chcode,oldcode,newcode[,] ifile ofile			
chparam	Change parameter identifier		
chparam,oldpar	ram,newparam, ifile ofile		
chname	Change variable name		
chname,oldnam	e,newname, ifile ofile		
chunit	Change variable unit		
chunit,oldunit,r	chunit,oldunit,newunit, ifile ofile		
chlevel	Change level		
chlevel,oldlev,newlev, ifile ofile			
chlevelc	Change level of one code		
chlevelc,code,oldlev,newlev ifile ofile			
chlevelv	Change level of one variable		
chlevelv,name,oldlev,newlev ifile ofile			
setgrid	Set grid		

setgrid,grid ifi	le ofile
setgridtype	Set grid type
setgridtype,grid	dtype ifile ofile
setgridarea	Set grid cell area
setgridarea,grid	darea ifile ofile
setzaxis	Set z-axis

setzaxis,zaxis 1	Ille ollle
setgatt	Set global attribute
setgatt, attname	e,attstring ifile ofile
setgatts	Set global attributes
setgatts.attfile	ifile ofile

invertlat	Invert latitudes
invertlat ifile	ofile
invertlev	Invert levels

invertiev iiile	oille
maskregion	Mask regions
mackrogion rogi	ong ifile ofile

$\max$ klonlatbox	Mask a longitude/latitude box
masklonlatbox	lon1,lon2,lat1,lat2 ifile ofile
maskindexbox	Mask an index box
maskindexbox,	idx1,idx2,idv1,idv2 ifile ofile

setclonlatbox	Set a longitude/latitude box to constant
setclonlatbox, a	c,lon1,lon2,lat1,lat2 ifile ofile
setcindexbox	Set an index box to constant
setcindexbox, c	idx1,idx2,idy1,idy2 ifile ofile,

enlarge	Enlarge fields
enlarge grid if:	le ofile

setmissval	Set a new missing value		
setmissval,newmiss ifile ofile			
setctomiss	Set constant to missing value		
setmisstoc	Set missing value to constant		
<pre><operator>,c ifile ofile</operator></pre>			
setrtomiss	Set range to missing value		
setvrange	Set valid range		
<pre>&lt; operator &gt; .rmin.rmax ifile ofile</pre>			

# Arithmetic

Arithmetic	
expr	Evaluate expressions
expr,instr ifile	ofile
exprf	Evaluate expressions from script file
exprf,filename i	file ofile
abs	Absolute value
int	Integer value
nint	Nearest integer value
pow	Power
sqr	Square
sqrt	Square root
exp	Exponential
ln	Natural logarithm
$\log 10$	Base 10 logarithm
sin	Sine
cos	Cosine
tan	Tangent
asin	Arc sine
acos	Arc cosine
reci	Reciprocal value
<pre><operator> ifi</operator></pre>	
addc	Add a constant
subc	Subtract a constant
mulc	Multiply with a constant
divc	Divide by a constant
<pre>&lt; operator &gt;, c i</pre>	
add	Add two fields
sub	Subtract two fields
mul	Multiply two fields
div	Divide two fields
min max	Minimum of two fields Maximum of two fields
atan2	Arc tangent of two fields
	le1 ifile2 ofile
monadd monsub	Add monthly time series
monmul	Subtract monthly time series Multiply monthly time series
mondiv	Divide monthly time series
	le1 ifile2 ofile
ymonadd	
ymonsub	Add multi-year monthly time series Subtract multi-year monthly time series
ymonmul	Multiply multi-year monthly time series
ymondiv	Divide multi-year monthly time series
	le1 ifile2 ofile
ydayadd	Add multi-year daily time series
ydaysub	Subtract multi-year daily time series
ydaymul	Multiply multi-year daily time series
ydaydiv	Divide multi-year daily time series
	le1 ifile2 ofile
yhouradd	Add multi-year hourly time series
yhoursub	Subtract multi-year hourly time series
yhourmul	Multiply multi-year hourly time series
yhourdiv	Divide multi-year hourly time series
	le1 ifile2 ofile
muldpm	Multiply with days per month
divdpm muldpy	Divide by days per month Multiply with days per year
divdpy	Divide by days per year
<pre>&lt; operator &gt; ifi</pre>	
<pre><pre><pre>operator &gt; 111</pre></pre></pre>	.10 01110

# Statistical values

Available statistical functions	< stat >
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var
standard deviation	std

	sum	1111	sum			
mean			mean			
	average		avg			
variance			var			
standard deviation std						
consect		Consecutive Timesteps				
< operat	or> ifi	le ofile				
ens <sta< td=""><td></td><td>Statistical values over an</td><td>ensemble</td><td></td></sta<>		Statistical values over an	ensemble			
		les ofile				
enspctl	p ifile:	Ensemble percentiles				
		Ranked Histogram averag	red over time			
		Ranked Histogram average				
ensroc		Ensemble Receiver Opera		stics		
< operat		file ensfiles ofile				
enscrps		Ensemble CRPS and dec	omposition			
	rfile i	files ofilebase				
ensbrs	v rfile	Ensemble Brier score ifiles ofilebase				
fld< sta		Statistical values over a f	iold			
		le ofile	iciu			
fldpctl		Field percentiles				
fldpctl,	p ifile	ofile				
zon <ste< td=""><td>at &gt;</td><td>Zonal statistical values</td><td></td><td></td></ste<>	at >	Zonal statistical values				
		le ofile				
zonpctl		Zonal percentiles				
	p ifile					
mer <st< td=""><td></td><td>Meridional statistical value of ile</td><td>1es</td><td></td></st<>		Meridional statistical value of ile	1es			
merpct		Meridional percentiles				
	$\mathbf{l}_{,p}$ ifile					
gridbox	< stat >	Statistical values over gri	d boxes			
< operat	or > , nx, n	ny ifile ofile				
vert <st< td=""><td>tat &gt;</td><td>Vertical statistical values</td><td></td><td></td></st<>	tat >	Vertical statistical values				
< operat	or > ifi	le ofile				
		Time range statistical val				
< operat	or>,nse	ts[,noffset[,nskip]] ifile o	file			
timselp		Time range percentiles				
timselp	ctl, p, nse	ets[,noffset[,nskip]] ifile1	ifile2 ifile3	3 ofile		
run <ste< td=""><td>at &gt;</td><td>Running statistical values</td><td>3</td><td></td></ste<>	at >	Running statistical values	3			
< operat	or > ,nts	ifile ofile				
runpctl		Running percentiles				
runpctl	p,nts if	ile1 ofile				
tim <ste< td=""><td></td><td>Statistical values over all</td><td>timesteps</td><td></td></ste<>		Statistical values over all	timesteps			
		le ofile				
timpctl		Time percentiles				
timpctl	p ifile	1 ifile2 ifile3 ofile				
hour < stat > Hourly statistical values						
		le ofile				
		Hourly percentiles				
		e1 ifile2 ifile3 ofile				
day< ste		Daily statistical values				
		le ofile				
daypetl Daily percentiles						
daypctl,p ifile1 ifile2 ifile3 ofile						
mon <stat> Monthly statistical values</stat>						
		1 641.	<pre><operator> ifile ofile</operator></pre>			
< operat						
< operat	tl	Monthly percentiles e1 ifile2 ifile3 ofile				

year <stat> Yearly statistical values</stat>	Interpolatio
<pre><operator> ifile ofile</operator></pre>	l
yearpctl Yearly percentiles	remapbil remapbic
yearpctl,p ifile1 ifile2 ifile3 ofile	remapdis
seas < stat > Seasonal statistical values	remapnn
<pre><pre><pre><pre>cas</pre></pre> jfile ofile</pre></pre>	remapcon
*	remapcon2
seaspctl Seasonal percentiles seaspctl,p ifile1 ifile2 ifile3 ofile	remaplaf
	< operator >, g
yhour < stat > Multi-year hourly statistical values	genbil
<pre><operator> ifile ofile</operator></pre>	genbic
yday <stat> Multi-year daily statistical values</stat>	gendis
<pre><operator> ifile ofile</operator></pre>	gennn
ydaypctl Multi-year daily percentiles	gencon gencon2
ydaypctl,p ifile1 ifile2 ifile3 ofile	genlaf
ymon <stat> Multi-year monthly statistical values</stat>	<pre>&lt; operator &gt;,g</pre>
<pre></pre> <pre><pre>coperator&gt; ifile ofile</pre></pre>	remap
ymonpctl Multi-year monthly percentiles	remap,grid,we
ymonpctl, p ifile1 ifile2 ifile3 ofile	
	remapeta
yseas < stat > Multi-year seasonal statistical values	remapeta,vct
<pre><operator> ifile ofile</operator></pre>	ml2pl
yseaspctl Multi-year seasonal percentiles	ml2pl,plevels
yseaspctl,p ifile1 ifile2 ifile3 ofile	ml2hl ml2hl,hlevels
ydrun <stat> Multi-year daily running statistical values</stat>	,
<pre><operator>,nts ifile ofile</operator></pre>	intlevel
ydrunpctl Multi-year daily running percentiles	intlevel, levels
ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile	intlevel3d
	intlevelx3d
	< operator > ,io
	inttime
Correlation and co.	inttime,date,t
fldcor Correlation in grid space	intntime
fldcor ifile1 ifile2 ofile	intntime,n if
	intyear
timcor Correlation over time	intyear, years
timcor ifile1 ifile2 ofile	J
fldcovar Covariance in grid space	T
fldcovar ifile1 ifile2 ofile	Transformat
timcovar Covariance over time	sp2gp
timcovar ifile1 ifile2 ofile	sp2gpl
	m gp2sp $ m gp2spl$
	<pre></pre>
	sp2sp
Regression	sp2sp,trunc i:
Posterion	dv2nv

	fldcor	Correlation in grid space
fldcor ifile1 ifile2 ofile		file2 ofile
	timcor	Correlation over time
timcor ifile1 ifile2 ofile		ifile2 ofile
	fldcovar	Covariance in grid space
	Adaption ifilat	14:1-0 -4:1-

regres	Regression	ı
regres ifile of	ile	ı
		ı
detrend	Detrend	ı
detrend ifile ofile		
	m 1	ı
trend	Trend	ı
trend ifile ofile1 ofile2		
subtrend	Subtract trend	
subtrend ifile1 ifile2 ifile3 ofile		

# EOFs

eof	Calculate EOFs in spatial or time space
eoftime	Calculate EOFs in time space
eofspatial	Calculate EOFs in spatial space
eof3d	Calculate 3-Dimensional EOFs in time space
<pre><operator>,ned</operator></pre>	of ifile ofile1 ofile2
eofcoeff	Calculate principal coefficients of EOFs
eofcoeff ifile1	ifile2 obase

# erpolation

remapbil	Bilinear interpolation	
remapbic	Bicubic interpolation	
remapdis	Distance-weighted average remapping	
remapnn	Nearest neighbor remapping	
remapcon	First order conservative remapping	
remapcon2	Second order conservative remapping	
remaplaf	Largest area fraction remapping	
<pre><operator>,gric</operator></pre>	difile ofile	
genhil	Generate bilinear interpolation weights	
0	Generate bicubic interpolation weights	
gendis	Generate distance-weighted average remap weights	
gennn	Generate nearest neighbor remap weights	
gencon	Generate 1st order conservative remap weights	
gencon2	Generate 2nd order conservative remap weights	
genlaf	Generate largest area fraction remap weights	
<pre><operator>,grid ifile ofile</operator></pre>		
remap	SCRIP grid remapping	
remap,grid,weig	0 11 0	
	remapbic remapdis remapnn remapcon2 remaplaf <operator>,gric genbil genbic gendis gencon gencon2 genlaf <operator>,gric remap</operator></operator>	

remap	SCRIP grid remapping		
remap,grid,weig	thts ifile ofile		
remapeta	Remap vertical hybrid level		
remapeta, vct[,c	remapeta, vct[,oro] ifile ofile		
101	Madalta		
ml2pl	Model to pressure level interpolation		
ml2pl,plevels ifile ofile			
ml2hl	Model to height level interpolation		
ml2hl,hlevels ifile ofile			

intlevel	Linear level interpolation
intlevel, levels i	file ofile
intlevel3d	Linear level interpolation onto a 3d vertical coordinate

like intlevel3d but with extrapolation

<pre><operator>,icoordinate ifile1 ifile2 ofile</operator></pre>		ordinate ifile1 ifile2 ofile
inttime Interpolation between timesteps inttime, date, time[,inc] ifile ofile intntime Interpolation between timesteps		Interpolation between timesteps
		ne[,inc] ifile ofile
		Interpolation between timesteps

intitime, n iiile oiile		le ollle
ĺ	intyear	Interpolation between two years
1	• 1	12 4 1012 0 1

intyear	Interpol	lation be	tween to	wo ye	E
intwoor wears if	ilal ifi	la? oha	60		

# nsformation

sp2gp	Spectral to gridpoint
sp2gpl	Spectral to gridpoint (linear)
gp2sp	Gridpoint to spectral
gp2spl	Gridpoint to spectral (linear)
<pre><operator> ifile ofile</operator></pre>	
sp2sp	Spectral to spectral
sp2sp,trunc ifile ofile	

sp2sp, trane fifte office		
dv2uv	Divergence and vorticity to U and V wind	
dv2uvl	Divergence and vorticity to U and V wind (linear	
uv2dv	U and V wind to divergence and vorticity	
uv2dvl	U and V wind to divergence and vorticity (linear)	
dv2ps	D and V to velocity potential and stream function	
<pre><operator> ifile ofile</operator></pre>		

 $<\!operator\!>$  ofile

Import/Export			
import_binary	Import binary data sets		
import_binary	ifile ofile		
import_cmsaf	Import CM-SAF HDF5 files		
import_cmsaf ifile ofile			
import_amsr	Import AMSR binary files		
import_amsr ifile ofile			
input	ASCII input		
input,grid ofile			
inputsrv	SERVICE ASCII input		
inputext	EXTRA ASCII input		

output	ASCII output	Climate indiaes
output ifiles	Aboli output	Climate indices
outputf	Formatted output	eca_cdd Consecutive dry days index per time period
outputf, format, nelem ifiles		eca_cdd[,R] ifile ofile
outputint	Integer output	eca_cfd Consecutive frost days index per time period
outputsrv	SERVICE ASCII output	eca_cfd ifile ofile
outputext	EXTRA ASCII output	
< operator > ifi	iles	eca_csu Consecutive summer days index per time period
		$\mathbf{eca\_csu}[,T]$ ifile ofile
		eca_cwd Consecutive wet days index per time period
		eca_cwd[,R] ifile ofile
		eca_cwdi Cold wave duration index wrt mean of reference p
e. 11		eca_cwdi/,nday/,T]] ifile1 ifile2 ofile
/Iiscellaneous	5	
gradsdes1	GrADS data descriptor file (version 1 GRIB map)	eca_cwfi Cold-spell days index wrt 10th percentile of refere
gradsdes2	GrADS data descriptor file (version 2 GRIB map)	eca_cwfi[,nday] ifile1 ifile2 ofile
<pre>&lt; operator &gt; ifi</pre>		eca_etr Intra-period extreme temperature range
		eca_etr ifile1 ifile2 ofile
bandpass	Bandpass filtering	eca.fd Frost days index per time period
	fmax ifile ofile	eca_fd Frost days index per time period eca_fd ifile ofile
lowpass	Lowpass filtering	
lowpass,fmax i		eca_gsl Growing season length index
highpass	Highpass filtering	eca_gsl[,nday[,T[,fland]]] ifile1 ifile2 ofile
highpass,fmin i		eca_hd Heating degree days per time period
gridarea	Grid cell area	$eca_hd[T1[T2]]$ ifile ofile
gridweights	Grid cell weights	
<operator> ifi</operator>	ile ofile	eca_hwdi Heat wave duration index wrt mean of reference p
smooth9	9 point smoothing	eca_hwdi[,nday[,T]] ifile1 ifile2 ofile
smooth9 ifile	ofile	eca_hwfi Warm spell days index wrt 90th percentile of refer
setvals	Set list of old values to new values	eca_hwfi[,nday] ifile1 ifile2 ofile
	ewval[,] ifile ofile	eca_id Ice days index per time period
setrtoc	Set range to constant	eca_id ifile ofile
	pax,c ifile ofile	
setrtoc2	Set range to constant others to constant2	eca_r75p Moderate wet days wrt 75th percentile of reference
	max, c, c2 ifile ofile	eca_r75p ifile1 ifile2 ofile
, ,	, ,	eca_r75ptot Precipitation percent due to R75p days
timsort Sort over the time		eca_r75ptot ifile1 ifile2 ofile
timsort ifile	ofile	eca_r90p Wet days wrt 90th percentile of reference period
const	Create a constant field	eca_r90p ifile1 ifile2 ofile
const,const,grid	ofile	
random	Create a field with random numbers	eca_r90ptot Precipitation percent due to R90p days
random,grid[,se	eed] ofile	eca_r90ptot ifile1 ifile2 ofile
stdatm	Create values for pressure and temperature for hyd	r eca_r95p Very wet days wrt 95th percentile of reference per
stdatm, levels of	file	eca_r95p ifile1 ifile2 ofile
rotuvb	Backward rotation	eca_r95ptot Precipitation percent due to R95p days
rotuvb,u,v, i:		eca_r95ptot Precipitation percent due to R95p days eca_r95ptot ifile1 ifile2 ofile
mastrfu	Mass stream function	eca_r99p Extremely wet days wrt 99th percentile of reference
mastrfu ifile	01116	eca_r99p ifile1 ifile2 ofile
histcount	Histogram count	eca_r99ptot Precipitation percent due to R99p days
histsum	Histogram sum	eca_r99ptot ifile1 ifile2 ofile
histmean	Histogram mean	*
histfreq	Histogram frequency	eca_pd Precipitation days index per time period
< operator >, box	ands ifile ofile	eca_pd,x ifile ofile
sethalo Set the left and right bounds of a field		eca_r10mm  Heavy precipitation days index per time period
	alo ifile ofile	eca_r20mm Very heavy precipitation days index per time peri
, ,		<pre><operator> ifile ofile</operator></pre>
wct	Windchill temperature	eca_rr1 Wet days index per time period
wct ifile1 ifi	102 01110	eca_rr1[,R] ifile ofile
fdns	Frost days where no snow index per time period	eca_rx1day Highest one day precipitation amount per time pe
fdns ifile1 ifile2 ofile		eca_rx1day[,mode] ifile ofile
strwin	Strong wind days inday nor time period	
strwin Strong wind days index per time period strwin[,v] ifile ofile		eca_rx5day Highest five-day precipitation amount per time pe
2. 3		eca_rx5day[,x] ifile ofile
strbre	Strong breeze days index per time period	eca_sdii Simple daily intensity index per time period
strbre ifile of	file	eca_sdii[,R] ifile ofile
strgal	Strong gale days index per time period	1 N N N N N N N N N N N N N N N N N N N
strgal strgal ifile of		eca_su Summer days index per time period
gui 11110 01		$\mathbf{eca\_su}[,T]$ ifile ofile
hurr hurr ifile ofi	Hurricane days index per time period	eca.tg10p Cold days percent wrt 10th percentile of reference eca.tg10p ifile1 ifile2 ofile

$eca_tg90p$	Warm days percent wrt 90th percentile of reference period		
eca_tg90p ifile1 ifile2 ofile			
eca_tn10p	Cold nights percent wrt 10th percentile of reference period		
eca_tn10p ifile1 ifile2 ofile			
eca_tn90p	Warm nights percent wrt 90th percentile of reference period		
eca_tn90p ifile1 ifile2 ofile			
eca_tr	Tropical nights index per time period		
eca_tr[,T] ifile ofile			
eca_tx10p	Very cold days percent wrt 10th percentile of reference period		
eca_tx10p ifile1 ifile2 ofile			
eca_tx90p	Very warm days percent wrt 90th percentile of reference period		
eca tx90p ifile1 ifile2 ofile			