CDO Reference Card

Climate Data Operators Version 1.7.0 October 2015

Uwe Schulzweida Max-Planck-Institute for Meteorology

https://code.zmaw.de/projects/cdo

Syntax

1	cdo	[Options]	Operator1	-Operator2	[-OperatorN]
---	-----	-----------	-----------	------------	--------------	--	---

Options

-a	Generate an absolute time axis	
-b < nbits >	Set the number of bits for the output precision	
	(I8/I16/I32/F32/F64 for nc,nc2,nc4,nc4c;	
	F32/F64 for grb2,srv,ext,ieg; 1-24 for grb,grb2)	
	Add L or B for Little or Big endian byteorder	
$-\mathbf{f} < format >$	Outputformat: grb,grb2,nc,nc2,nc4,nc4c,srv,ext,ieg	
-g < grid >	Grid or file name	
	Grid names: r <nx>x<ny>, n<n>, gme<ni></ni></n></ny></nx>	
-h	Help information for the operators	
-M	Indicate that the I/O streams have missing values	
-m < missval >	Set the default missing value (default: -9e+33)	
-O	Overwrite existing output file, if checked	
-R	Convert GRIB1 data from reduced to regular grid	
-r	Generate a relative time axis	
-s	Silent mode	
$-\mathbf{t} $	Set the parameter table name or file	
	Predefined tables: echam4 echam5 mpiom1	
-V	Print the version number	
-v	Print extra details for some operators	
-z szip	SZIP compression of GRIB1 records	

showyear

showmon showdate

showtime

<operator> ifile

Operators		
Information		
info	Dataset information listed by parameter identifier	
infon	Dataset information listed by parameter name	
map	Dataset information and simple map	
< operator > ifi	les	
sinfo	Short information listed by parameter identifier	
sinfon	Short information listed by parameter name	
< operator > ifi	les	
diff	Compare two datasets listed by parameter id	
diffn	Compare two datasets listed by parameter name	
< operator > ifi	le1 ifile2	
npar Number of parameters		
nlevel	Number of levels	
nyear	Number of years	
nmon	Number of months	
ndate	Number of dates	
ntime	Number of timesteps	
<pre><operator> ifile</operator></pre>		
showformat	Show file format	
showcode	Show code numbers	
showname	Show variable names	
showstdname	Show standard names	
showlevel	Show levels	
showltype	Show GRIB level types	

Show years

showtimestamp Show timestamp

Show months

Show date information

Show time information

File operations

pardes

griddes

vct

copy

zaxisdes

 $<\!operator\!>$ ifile

Parameter description

Vertical coordinate table

Grid description

Copy datasets

Z-axis description

сору	Copy datasets		
cat	Concatenate datasets		
<pre><operator> if:</operator></pre>	<pre><operator> ifiles ofile</operator></pre>		
replace	Replace variables		
replace ifile1	ifile2 ofile		
duplicate	Duplicates a dataset		
duplicate/,ndup			
mergegrid	Merge grid		
0 0	Le1 ifile2 ofile		
merge	Merge datasets with different fields		
mergetime	Merge datasets sorted by date and time		
<pre><operator> if:</operator></pre>	iles ofile		
splitcode	Split code numbers		
splitparam	Split parameter identifiers		
splitname	Split variable names		
splitlevel	Split levels		
splitgrid	Split grids		
splitzaxis	Split z-axes		
splittabnum	Split parameter table numbers		
<pre>< operator > [,pa</pre>	rams] ifile obase		
splithour	Split hours		
splitday	Split days		
splitseas	Split seasons		
splityear	Split years		
splityearmon	Split in years and months		
< operator > if:			
splitmon	Split months		
splitmon[,forma	at]ifile obase		
splitsel	Split time selection		
splitsel,nsets[,n	offset[,nskip]] ifile obase		
distgrid	Distribute horizontal grid		
$\mathbf{distgrid}, nx[,ny]$			
collgrid	Collect horizontal grid		
congrid[,nx[,na	mes]] ifiles ofile		

Selection

select	Select fields	
delete	Delete fields	
<pre><operator>,params ifiles ofile</operator></pre>		

selparam	Select parameters by identifier	eqc
delparam	Delete parameters by identifier	nec
<operator>,par</operator>	rams ifile ofile	lec
selcode	Select parameters by code number	ltc
delcode	Delete parameters by code number	gec
< operator >, coo	les ifile ofile	gtc
selname	Select parameters by name	< operator >, c
delname	Delete parameters by name	
<operator>,nar</operator>	mes ifile ofile	3.5 110 11
selstdname	Select parameters by standard name	Modification 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	names ifile ofile	setpartabp
sellevel	Select levels	setpartabn
sellevel, levels i		< operator >, t
sellevidx	Select levels by index	setpartab
sellevidx, levidx	ifile ofile	setpartab,tal
selgrid	Select grids	setcode
selgrid, grids if	ile ofile	setcode, code
selzaxis	Select z-axes	setparam
selzaxis,zaxes i		setparam, par
	Select z-axes by name	setname
selzaxisname,z	axisnames ifile ofile	setname,nam
selltype	Select GRIB level types	setunit
selltype, ltypes:		setunit,unit
seltabnum	Select parameter table numbers	setlevel
seltabnum, tabi	nums ifile ofile	setlevel.level
seltimestep	Select timesteps	setltype
seltimestep,tin	nesteps ifile ofile	setltype,ltype
seltime	Select times	setdate
seltime, times i	file ofile	setdate.date
selhour	Select hours	settime
selhour, hours i	file ofile	settime.time
selday	Select days	setday
selday,days ifi	le ofile	setday,day if
selmon	Select months	setmon
selmon, months	ifile ofile	setmon,mont
selyear	Select years	setyear
selyear, years if	ile ofile	setyear, year
selseas	Select seasons	settunits
selseas, seasons	ifile ofile	settunits,uni
seldate	Select dates	settaxis
seldate,date1[,d	late2] ifile ofile	settaxis,date
selsmon	Select single month	setreftime
selsmon, month	[,nts1[,nts2]] ifile ofile	setreftime.da
sellonlatbox	Select a longitude/latitude box	setcalendar
	n1,lon2,lat1,lat2 ifile ofile	setcalendar.
selindexbox	Select an index box	shifttime
selindexbox,id:	x1,idx2,idy1,idy2 ifile ofile	shifttime,sva
,		,

Conditional selection

ifthen	If then	
ifnotthen	If not then	
<pre><operator> ifile1 ifile2 ofile</operator></pre>		
ifthenelse	If then else	
ifthenelse ifile1 ifile2 ifile3 ofile		
ifthenc	If then constant	
ifnotthenc	If not then constant	
< operator >, c ifile ofile		

Comparison

eq	Equal
ne	Not equal
le	Less equal
lt	Less than
ge	Greater equal
gt	Greater than
<pre><operator> ifile1 ifile2 ofile</operator></pre>	

	eqc	Equal constant
	nec	Not equal constant
	lec	Less equal constant
ĺ	ltc	Less than constant
ĺ	gec	Greater equal constant
	gtc	Greater than constant
ĺ	<pre><operator>,c i:</operator></pre>	file ofile

Set parameter table

Modification

	Set parameter table
<pre>< operator ></pre>	>,table[,convert] ifile ofile
setpartab	Set parameter table
setpartab,	table ifile ofile
setcode	Set code number
setcode,cod	de ifile ofile
setparam	Set parameter identifier
setparam,	param ifile ofile
setname	Set variable name
setname,na	ame ifile ofile
setunit	Set variable unit
setunit,uni	t ifile ofile
setlevel	Set level
setlevel, level ifile ofile	
	Set GRIB level type
setltype,lty	vpe ifile ofile
setdate	Set date
setdate,dat	e ifile ofile

	setuate	Set date		
4	setdate,date ifile ofile			
	settime	Set time of the day		
4	settime, time if	ile ofile		
	setday	Set day		
_	setday,day ifil	setday,day ifile ofile		
	setmon	Set month		
4	setmon, month:	setmon, month ifile ofile		
	setyear	Set year		
4	setyear, year if:	ile ofile		
	settunits	Set time units		
_	settunits, units	ifile ofile		
	settaxis	Set time axis		
4	settaxis,date,time[,inc] ifile ofile			
	setreftime	Set reference time		
	setreftime, date	time[,units] ifile ofile		
	setcalendar	Set calendar		
	setcalendar,cal	endar ifile ofile		
	shifttime	Shift timesteps		
	shifttime,sval i	file ofile		
	chcode	Change code number		

chcode	Change code number		
${\bf chcode}, old code,$	newcode[,] ifile ofile		
chparam	Change parameter identifier		
chparam,oldpar	ram,newparam, ifile ofile		
chname	Change variable name		
chname,oldnam	e,newname, ifile ofile		
chunit	Change variable unit		
chunit,oldunit,n	chunit,oldunit,newunit, ifile ofile		
chlevel	Change level		
chlevel,oldlev,newlev, ifile ofile			
chlevelc	Change level of one code		
chlevelc,code,oldlev,newlev ifile ofile			
chlevelv	Change level of one variable		
chlevelv,name,oldlev,newlev ifile ofile			
setgrid	Set grid		

chieverv, name, oldlev, newlev iiiie oiiie		
Set grid		
setgrid,grid ifile ofile		
Set grid type		
setgridtype,gridtype ifile ofile		
Set grid cell area		
setgridarea, gridarea ifile ofile		

setzaxis	Set z-axis
setzaxis,zaxis i	file ofile
genlevelbound	Generate level bounds
genlevelbounds	s[,zbot[,ztop]] ifile ofile

setgatt	Set global attribute	
setgatt, attname	e,attstring ifile ofile	
setgatts	Set global attributes	
setgatts,attfile	ifile ofile	
nvertlat	Invert latitudes	
invertlat ifile	ofile	
nvertlev	Invert levels	
invertlev ifile	ofile	
maskregion	Mask regions	
maskregion, reg	gions ifile ofile	
masklonlatbox	Mask a longitude/latitude box	
masklonlatbox	x,lon1,lon2,lat1,lat2 ifile ofile	
maskindexbox	Mask an index box	
maskindexbox	idx1,idx2,idy1,idy2 ifile ofile	
setclonlatbox	Set a longitude/latitude box to constant	
setclonlatbox,	c,lon1,lon2,lat1,lat2 ifile ofile	
setcindexbox	Set an index box to constant	
setcindexbox, a	c,idx1,idx2,idy1,idy2 ifile ofile	
enlarge	Enlarge fields	
enlarge,grid if:	ile ofile	
setmissval	Set a new missing value	
setmissval,new.	miss ifile ofile	
setctomiss	Set constant to missing value	
setmisstoc	Set missing value to constant	
<operator>,c i</operator>		
setrtomiss	Set range to missing value	
setvrange	Set valid range	
< operator >, rm	in,rmax ifile ofile	
setmisstonn	Set missing value to nearest neighbor	
	ile ofile	

add	Add two fields	
sub	Subtract two fields	
mul	Multiply two fields	
div	Divide two fields	
min	Minimum of two fields	
max	Maximum of two fields	
atan2	Arc tangent of two fields	
<pre><operator> ifi</operator></pre>	le1 ifile2 ofile	
monadd	Add monthly time series	
monsub	Subtract monthly time series	
monmul	Multiply monthly time series	
mondiv	Divide monthly time series	
<pre><operator> ifile1 ifile2 ofile</operator></pre>		
yhouradd	Add multi-year hourly time series	
yhoursub	Subtract multi-year hourly time series	
yhourmul	Multiply multi-year hourly time series	
yhourdiv	Divide multi-year hourly time series	
<pre><operator> ifile1 ifile2 ofile</operator></pre>		
ydayadd	Add multi-year daily time series	
ydaysub	Subtract multi-year daily time series	
ydaymul	Multiply multi-year daily time series	
ydaydiv	Divide multi-year daily time series	
<pre><operator> ifi</operator></pre>	le1 ifile2 ofile	
	_	

y notified business mainly come series				
yhourmul	Multiply multi-year hourly time series			
yhourdiv	Divide multi-year hourly time series			
< operator > ifi	<pre><operator> ifile1 ifile2 ofile</operator></pre>			
ydayadd	Add multi-year daily time series			
ydaysub	Subtract multi-year daily time series			
ydaymul	Multiply multi-year daily time series			
ydaydiv	Divide multi-year daily time series			
<pre><operator> ifile1 ifile2 ofile</operator></pre>				
ymonadd	Add multi-year monthly time series			
ymonsub	Subtract multi-year monthly time series			
ymonmul	Multiply multi-year monthly time series			
ymondiv	Divide multi-year monthly time series			
<pre><operator> ifile1 ifile2 ofile</operator></pre>				
yseasadd	Add multi-year seasonal time series			
yseassub	Subtract multi-year seasonal time series			
yseasmul	Multiply multi-year seasonal time series			
yseasdiv	Divide multi-year seasonal time series			
< operator > ifi	le1 ifile2 ofile			
muldpm	Multiply with days per month			
424	Dist la las James a su sa di			

<pre><operator> IIIIeI IIIIeZ OIIIe</operator></pre>	
muldpm	Multiply with days per month
divdpm	Divide by days per month
muldpy	Multiply with days per year
divdpy	Divide by days per year
<pre><operator> ifile ofile</operator></pre>	

Arithmetic

expr

expi	Evaluate expressions		
expr,instr ifile	ofile		
exprf	Evaluate expressions script		
exprf,filename ifile ofile			
aexpr	Evaluate expressions and append results		
aexpr,instr ifil	e ofile		
aexprf	Evaluate expression script and append results		
aexprf,filename	ifile ofile		
abs	Absolute value		
int	Integer value		
nint	Nearest integer value		
pow	Power		
sqr	Square		
sqrt	Square root		
exp	Exponential		
ln	Natural logarithm		
log10	Base 10 logarithm		
sin	Sine		
cos	Cosine		
tan	Tangent		
asin	Arc sine		
acos	Arc cosine		
reci	Reciprocal value		
<pre><operator> ifile ofile</operator></pre>			
addc	Add a constant		
subc	Subtract a constant		
mulc	Multiply with a constant		
divc	Divide by a constant		
<pre>< operator >, c is</pre>	file ofile		

Evaluate expressions

Statistical values

Available statistical functions	< stat >
minimum	min
maximum	max
sum	sum
mean	mean
average	avg
variance	var, var1
standard deviation	std, std1

consects	Consecutive Timesteps	
<pre><operator> ifile ofile</operator></pre>		
ens < stat >	Statistical values over an ensemble	
<pre><operator> ifiles ofile</operator></pre>		
enspctl	Ensemble percentiles	
enspctl,p ifiles ofile		
ensrkhistspace	Ranked Histogram averaged over time	
ensrkhisttime	Ranked Histogram averaged over space	
ensroc	Ensemble Receiver Operating characteristics	
<pre><operator> obsfile ensfiles ofile</operator></pre>		
enscrps	Ensemble CRPS and decomposition	
enscrps rfile ifiles ofilebase		
ensbrs	Ensemble Brier score	
ensbrs,x rfile	ifiles ofilebase	
fld < stat >	Statistical values over a field	
<pre><operator> ifi</operator></pre>	le ofile	
fldpctl	Field percentiles	
fldpctl,p ifile	ofile	

zon< stat> Zonal statistical values	ydrun <stat> Multi-year daily running statistical values</stat>
<pre><operator> ifile ofile</operator></pre>	<pre><operator>,nts ifile ofile</operator></pre>
zonpctl Zonal percentiles	ydrunpctl Multi-year daily running percentiles
zonpctl,p ifile ofile	ydrunpctl,p,nts ifile1 ifile2 ifile3 ofile
mer <stat> Meridional statistical values</stat>	
<pre><operator> ifile ofile</operator></pre>	
merpctl Meridional percentiles merpctl,p ifile ofile	Correlation and co.
	fldcor Correlation in grid space
gridbox <stat> Statistical values over grid boxes</stat>	fldcor ifile1 ifile2 ofile
<pre><operator>,nx,ny ifile ofile</operator></pre>	timcor Correlation over time
vert <stat> Vertical statistical values</stat>	timcor ifile1 ifile2 ofile
<pre><operator> ifile ofile</operator></pre>	fldcovar Covariance in grid space
timsel < stat > Time range statistical values	fldcovar ifile1 ifile2 ofile
<pre><operator>,nsets[,noffset[,nskip]] ifile ofile</operator></pre>	timcovar Covariance over time
timselpctl Time range percentiles	timcovar ifile1 ifile2 ofile
timselpctl,p,nsets[,noffset[,nskip]] ifile1 ifile2 ifile3 ofile	3.11.02 111131 11131 111131 1131 1131 1131 1131 1131 1131 1131 1131 1131 113131 1131 1131 1131 1131 1131 1131 1131 1131 1131 1131 1131 113131 113
run <stat> Running statistical values</stat>	
<pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><pre></pre><pre></pre><pre></pre><pre></pre><pre></pre><pre><td>Regression</td></pre></pre></pre>	Regression
* * *	Pomession
runpetl Running percentiles	regres Regression regres ifile ofile
runpctl,p,nts ifile ofile	
tim <stat> Statistical values over all timesteps</stat>	detrend Detrend
<pre><operator> ifile ofile</operator></pre>	detrend ifile ofile
timpetl Time percentiles	trend Trend
timpctl,p ifile1 ifile2 ifile3 ofile	trend ifile ofile1 ofile2
* '/	subtrend Subtract trend
hour <stat> Hourly statistical values</stat>	subtrend ifile1 ifile2 ifile3 ofile
<pre><operator> ifile ofile</operator></pre>	
hourpctl Hourly percentiles	
hourpctl,p ifile1 ifile2 ifile3 ofile	EOFs
day <stat> Daily statistical values</stat>	eof Calculate EOFs in spatial or time space
<pre><operator> ifile ofile</operator></pre>	eoftime Calculate EOFs in time space
daypctl Daily percentiles	eofspatial Calculate EOFs in spatial space
daypetl, p ifile1 ifile2 ifile3 ofile	eof3d Calculate 3-Dimensional EOFs in time space
	<pre><operator>,neof ifile ofile1 ofile2</operator></pre>
mon <stat> Monthly statistical values <operator> ifile ofile</operator></stat>	eofcoeff Calculate principal coefficients of EOFs
	eofcoeff ifile1 ifile2 obase
monpctl Monthly percentiles	
monpctl,p ifile1 ifile2 ifile3 ofile	
yearmonmean Yearly mean from monthly data	Interpolation
yearmonmean ifile ofile	remapbil Bilinear interpolation
year <stat> Yearly statistical values</stat>	genbil Generate bilinear interpolation weights
<pre><operator> ifile ofile</operator></pre>	<pre><operator>,grid ifile ofile</operator></pre>
yearpctl Yearly percentiles	remapbic Bicubic interpolation
yearpctl, p ifile1 ifile2 ifile3 ofile	genbic Generate bicubic interpolation weights
V 2 72	<pre></pre> <pre><operator>,grid ifile ofile</operator></pre>
seas< stat> Seasonal statistical values	remapnn Nearest neighbor remapping
<pre><operator> ifile ofile</operator></pre>	gennn Generate nearest neighbor remap weights
seaspctl Seasonal percentiles	<pre></pre> <pre><operator>,grid ifile ofile</operator></pre>
seaspctl,p ifile1 ifile2 ifile3 ofile	remapdis Distance-weighted average remapping
yhour <stat> Multi-year hourly statistical values</stat>	remapdis Distance-weighted average remapping remapdis, grid[,neighbors] ifile ofile
<pre>< operator > ifile ofile</pre>	gendis Generate distance-weighted average remap weight
vday <stat> Multi-vear daily statistical values</stat>	gendis, grid ifile ofile
<pre><pre></pre> <pre>< operator > ifile ofile</pre></pre>	remapycon First order conservative remapping
· ·	genycon Generate 1st order conservative remapping
ydaypctl Multi-year daily percentiles	<pre>conservative remap weights coperator>,grid ifile ofile</pre>
ydaypctl,p ifile1 ifile2 ifile3 ofile	
ymon <stat> Multi-year monthly statistical values</stat>	remapcon First order conservative remapping
< operator > ifile ofile	gencon Generate 1st order conservative remap weights
ymonpctl Multi-year monthly percentiles	<pre><operator>,grid ifile ofile</operator></pre>
ymonpctl,p ifile1 ifile2 ifile3 ofile	remapcon2 Second order conservative remapping
yseas <stat> Multi-year seasonal statistical values</stat>	remapcon2,grid ifile ofile
vseas stat > viiiti-vear seasonal statistical values	gencon2 Generate 2nd order conservative remap weights
· ·	
<pre><operator> ifile ofile</operator></pre>	gencon2,grid2 ifile ofile
<pre><operator> ifile ofile yseaspctl</operator></pre>	remaplaf Largest area fraction remapping
<pre><operator> ifile ofile</operator></pre>	

remap	Grid remapping	after	ECHAM standard post processor
remap,grid,weig	ghts ifile ofile	after ifiles	ofile
remapeta	Remap vertical hybrid level	bandpass	Bandpass filtering
remapeta, vct/,	oro ifile ofile	bandpass,fmi	n,fmax ifile ofile
101	Model to account level intermediation	lowpass	Lowpass filtering
ml2pl ml2pl,plevels i:	Model to pressure level interpolation	lowpass,fmax	ifile ofile
ml2hl		highpass	Highpass filtering
ml2hl.hlevels i:	Model to height level interpolation	highpass,fmir	ifile ofile
,		gridarea	Grid cell area
ap2pl	Model to pressure level interpolation	gridweights	Grid cell weights
ap2pl,plevels if	ile ofile	<pre>< operator > i</pre>	
intlevel	Linear level interpolation		
intlevel.levels i		smooth9	9 point smoothing
		smooth9 ifi	le ofile
intlevel3d	Linear level interpolation onto a 3d vertical coordin	setvals	Set list of old values to new values
intlevelx3d	like intlevel3d but with extrapolation	setvals,oldval	newval[,] ifile ofile
< operator >,1co	ordinate ifile1 ifile2 ofile	setrtoc	Set range to constant
inttime	Interpolation between timesteps	setrtoc,rmin,i	max,c ifile ofile
inttime, date, tin	ne[,inc] ifile ofile	setrtoc2	Set range to constant others to constant2
intntime	Interpolation between timesteps	setrtoc2,rmin	rmax,c,c2 ifile ofile
intntime,n ifi	le ofile	timsort	Sort over the time
intyear	Interpolation between two years	timsort ifile	
	File1 ifile2 obase		
0 70		const	Create a constant field
		const,const,gr	
Transformati	on	random	Create a field with random numbers
sp2gp	Spectral to gridpoint	random,grid[,	
sp2gpl	Spectral to gridpoint (linear)	topo	Create a field with topography
gp2sp	Gridpoint to spectral	topo[,grid] of:	
gp2spl	Gridpoint to spectral (linear)	for	Create a time series
<pre>< operator > if:</pre>	,	for,start,end[,	
sp2sp	Spectral to spectral	stdatm	Create values for pressure and temperature
sp2sp,trunc ifi		stdatm,levels	
		rotuvb	Backward rotation
dv2uv	Divergence and vorticity to U and V wind	$\mathbf{rotuvb}, u, v, \dots$	ifile ofile
1.0.1	Divergence and vorticity to U and V wind (linear)	mastrfu	Mass stream function
dv2uvl			
uv2dv	U and V wind to divergence and vorticity		
uv2dv uv2dvl	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear)	mastrfu ifil	e ofile
uv2dv uv2dvl dv2ps	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function	mastrfu ifil sealevelpress	e ofile ur Sea level pressure
uv2dv uv2dvl	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function	mastrfu ifil sealevelpress	e ofile
uv2dv uv2dvl dv2ps	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function	mastrfu ifil sealevelpress sealevelpress adisit	e ofile ur Sea level pressure ure ifile ofile Potential temperature to in-situ temperatu
uv2dv uv2dvl dv2ps <operator> if</operator>	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function ile ofile	mastrfu ifil sealevelpress sealevelpress adisit	e ofile ur Sea level pressure ure ifile ofile
uv2dv uv2dvl dv2ps <operator> if</operator>	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function ile ofile	mastrfu ifil sealevelpress sealevelpress adisit adisit[,pressur adipot	ur Sea level pressure ure ifile ofile Potential temperature to in-situ temperatue e ifile ofile In-situ temperature to potential temperatu
uv2dv uv2dvl dv2ps <operator> if Import/Expo</operator>	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function ile ofile ort Import binary data sets	mastrfu ifil sealevelpress sealevelpress adisit adisit[,pressur	ur Sea level pressure ure ifile ofile Potential temperature to in-situ temperatue e ifile ofile In-situ temperature to potential temperatu
uv2dv uv2dvl dv2ps <operator> if</operator>	U and V wind to divergence and vorticity U and V wind to divergence and vorticity (linear) D and V to velocity potential and stream function ile ofile ort Import binary data sets	mastrfu ifil sealevelpress sealevelpress adisit adisit[,pressur adipot	ur Sea level pressure ure ifile ofile Potential temperature to in-situ temperatue e ifile ofile In-situ temperature to potential temperatu

${f Import/Export}$		
	Import binary data sets	
$import_binary$	ifile ofile	
import_cmsaf	Import CM-SAF HDF5 files	
import_cmsaf	ifile ofile	
import_amsr	Import AMSR binary files	
import_amsr i	file ofile	
input	ASCII input	
input,grid ofile	9	
inputsrv	SERVICE ASCII input	
inputext	EXTRA ASCII input	
<pre><operator> ofile</operator></pre>		
output	ASCII output	
output ifiles		
outputf	Formatted output	
outputf,format[nelem] ifiles	
outputint	Integer output	
outputsrv	SERVICE ASCII output	
outputext	EXTRA ASCII output	
<pre><operator> ifiles</operator></pre>		
outputtab	Table output	
outputtab para	ms ifiles ofile	

adisit[,pressure] ifile ofile	
adipot	In-situ temperature to potential temperature
adipot ifile ofile	
rhopot	Calculates potential density
rhopot[,pressure	e] ifile ofile
histcount	Histogram count
histsum	Histogram sum
histmean	Histogram mean
histfreq	Histogram frequency
<pre><operator>,bounds ifile ofile</operator></pre>	
sethalo	Set the left and right bounds of a field
sethalo,lhalo,rhalo ifile ofile	
wct	Windchill temperature
wct ifile1 ifile2 ofile	
fdns	Frost days where no snow index per time period
fdns ifile1 ifile2 ofile	
strwin	Strong wind days index per time period
strwin[,v] ifile ofile	

strbre	Strong breeze days index per time period	
strbre ifile ofile		
strgal	Strong gale days index per time period	
strgal ifile ofile		
hurr	Hurricane days index per time period	
nun	fruiticane days index per time period	
hurr ifile ofile		

Miscellaneous

gradsdes GrADS data descriptor file gradsdes[,mapversion] ifile